Table B1 Summary Table of DO, Turbidity and SS Levels Recorded in May 2013

Sampling Date	Tidal Period	Station	Average DO Levels (mg/L)		Average Turbidity	Average SS Level
			Bottom	Surface and Mid Depth	Level (NTU)	(mg/L)
2013/05/07	ME	DS1	6.41	6.30	13.85	17.83
		DS2	6.42	6.33	11.05	16.50
		DS3	6.46	6.37	11.22	12.50
		DS4	6.54	6.40	8.12	10.67
		DS5	6.56	6.49	7.52	9.17
		MW1	6.32	6.35	3.72	5.00
		US1	6.41	6.32	9.37	12.00
		US2	6.39	6.36	10.43	12.67
	MF	DS1	6.35	6.42	13.33	18.33
		DS2	6.36	6.39	13.83	17.17
		DS3	6.25	6.37	19.63	21.00
		DS4	6.31	6.27	10.97	10.50
		DS5	6.30	6.31	6.03	6.33
		MW1	6.39	6.44	8.43	8.17
		US1	6.42	6.49	13.15	15.17
		US2	6.41	6.61	9.10	11.83

Notes:

- 1. Please refer to Table C2 below for the Action and Limit Levels for dredging activities.
- 2. Cell shaded yellow indicated value exceeding the Action Level criteria.
- 3. Cell shaded red indicated value exceeding the Limit Level criteria.

Table B2 Action and Limit Levels of Water Quality for Dredging Activities

Parameter	Action Level	Limit Level	
Dissolved Oxygen (DO) (1)	Surface and Mid-depth (2)	Surface and Mid-depth (2)	
	5%-ile of baseline data for surface	1%-ile of baseline data for surface	
	and middle layer = 3.76 mg L^{-1}	and middle layer = 3.11 mg L^{-1} (3)	
	and	and	
	Significantly less than the reference stations mean DO (at the same tide	Significantly less than the reference stations mean DO (at the same tide	
	of the same day)	of the same day)	
	Bottom	Bottom	
	5% -ile of baseline data for bottom layers = 2.96 mg L^{-1}	The average of the impact station readings are <2 mg/L	
	and	and	
	Significantly less than the reference stations mean DO (at the same tide of the same day)	Significantly less than the reference stations mean DO (at the same tide of the same day)	
Depth-averaged	95%-ile of baseline data for depth	99%-ile of baseline data for depth	
Suspended Solids (SS) (4) (5)	average = 37.88 mg L^{-1}	average = 61.92 mg L^{-1}	
	and		
		and	
	120% of control station's SS at the same tide of the same day	130% of control station's SS at the same tide of the same day	
Depth-averaged Turbidity (Tby) (4) (5)	95%-ile of baseline data = 28.14 NTU	99%-ile of baseline data = 38.32 NTU	
	and	and	
	120% of control station's Tby at the same tide of the same day	130% of control station's Tby at the same tide of the same day	
77.			

Notes:

- (1) For DO, non-compliance of the water quality limits occurs when monitoring result is lower than the limits.
- (2) The Action and Limit Levels for DO for Surface & Middle layers were calculated from the combined pool of baseline surface layer data and baseline middle layer data.
- (3) Given the Action Level for DO for Surface & Middle layers has already been lower than 4 mg L⁻¹, it is proposed to set the Limit Level at 3.11 mg L⁻¹ which is the first percentile of the baseline data.
- (4) "Depth-averaged" is calculated by taking the arithmetic means of reading of all three depths.
- (5) For turbidity and SS, non-compliance of the water quality limits occurs when monitoring result is higher than the limits.