

Investigation

Monthly EM&A Report for Contaminated Mud Pits to the East of Sha Chau – March 2024

April 2024

Mott MacDonald Unit No 101, 1st floor Nomura Building Hiranandani Gardens Powai Mumbai 400 076 Maharashtra India

T +91 22 4908 0100 mottmac.com

Civil Engineering and Development Department Fill Management Division 5/F, Civil Engineering and Development Building 101 Princess Margaret Road Homantin, Kowloon

Agreement No. CE 59/2020 (EP) Environmental Monitoring and Audit for Disposal Facility to the East of Sha Chau (2021-2026) – Investigation

Monthly EM&A Report for Contaminated Mud Pits to the East of Sha Chau – March 2024

April 2024





Dredging, Management and Capping of Contaminated Sediment Disposal

Facility at Sha Chau

Environmental Certification Sheet

Environmental Permit No. EP-312/2008/A

Reference Document /Plan

Document/Plan to be Certified/ Verified:

Monthly, EM&A Report for Contaminated Mud Pits to the

East of Sha Chau - March 2024

Date of Report:

8 April 2024

Date prepared by ET:

8 April 2024

Date received by IA:

8 April 2024

Reference EP Condition

Environmental Permit Condition:

Condition 3.4 of EP-312/2008/A:

4 hard copies and 1 electronic copy of monthly EM&A Report shall be submitted to the Director within 10 working days after the end of the reporting month. The EM&A Reports shall include a summary of all non-compliance (exceedances) of the environmental quality performance limits (Action and Limit Levels). The submissions shall be verified by the Independent Auditor. Additional copies of the submission shall be provided to the Director upon request by the Director.

ET Certification

I hereby certify that the above referenced document/plan complies with the above referenced condition of EP-312/2008/A.

Ir Thomas Chan,
Environmental Team Leader (ETL):

Date: 8 April 2024

IA Verification

I hereby verify that the above referenced document/plan complies with the above referenced condition of EP-312/2008/A.

leag Wary

Dr Wang Wen Xiong, Independent Auditor (IA): Date: 8 April 2024

i

Issue and Revision Record

Revision	Date	Originator	Checker	Approver	Description
A	Apr 2024	Various	Liz Lo	Thomas Chan	Revision A of Submission
В	Apr 2024	Various	Liz Lo	Thomas Chan	Revision B of Submission

Document reference: 423134 | 06/05/36 | B

Information class: Standard

This document is issued for the party which commissioned it and for specific purposes connected with the above-captioned project only. It should not be relied upon by any other party or used for any other purpose.

We accept no responsibility for the consequences of this document being relied upon by any other party, or being used for any other purpose, or containing any error or omission which is due to an error or omission in data supplied to us by other parties.

This document contains confidential information and proprietary intellectual property. It should not be shown to other parties without consent from us and from the party which commissioned it.

Contents

1	Intro	duction	1
	1.1	Background	1
	1.2	Reporting Period	2
	1.3	Details of Sampling and Laboratory Testing Activities	2
	1.4	Details of Outstanding Sampling or Analysis	2
2	Brief	f Discussion of Monitoring Results for ESC CMP V	3
	2.1	Introduction	3
	2.2	Water Column Profiling of ESC CMP Vb – in March 2024	3
		2.2.1 In-situ Measurements	3
		2.2.2 Laboratory Measurements for Suspended Solids (SS)	3
	2.3	Routine Water Quality Monitoring of ESC CMPs – in March 2024	3
		2.3.1 In-situ Measurements	4
		2.3.2 Laboratory Measurements	4
	2.4	Pit Specific Sediment Chemistry of ESC CMP Vb – in March 2024	4
3	Futu	re Key Issues	6
	3.1	Activities Scheduled for the Next Reporting Period	6
	3.2	Study Programme	6
Tab	les		
Table	e 1.1	Works Schedule for ESC CMP V	
Figu	ıres		
Figur	e 2.1	Routine & Capping Water Quality Sampling Stations (Ebb-Tide) for ESC	CMPs
Figur	e 2.2	Pit Specific Sediment Quality Monitoring Stations for CMP V	

Appendices

Appendix A Sampling Schedule

Appendix B Water Quality Monitoring Results

Appendix C Graphical Presentations

Appendix D Study Programme

1 Introduction

1.1 Background

The Civil Engineering and Development Department (CEDD) is managing a number of marine disposal facilities in Hong Kong waters, including the Contaminated Mud Pits (CMPs) to the East of Sha Chau (ESC) for the disposal of contaminated sediment, and various open-sea disposal grounds located to the South of Cheung Chau (SCC), East of Tung Lung Chau (ETLC) and East of Ninepins (ENP) for the disposal of uncontaminated sediment.

Environmental Permits (EPs) (Ref. No. EP-312/2008/A) was issued by the Environmental Protection Department (EPD) to the CEDD, the Permit Holder, on 28 November 2008 for the Project - Disposal of Contaminated Sediment – Dredging, Management and Capping of Sediment Disposal Facility at Sha Chau.

Under the requirements of the EP, EM&A programmes which encompass water and sediment chemistry, fisheries assessment, tissue and whole body analysis, sediment toxicity and benthic recolonisation studies as set out in the EM&A Manuals are required to be implemented. EM&A programmes have been continuously carried out during the operation of the CMPs at ESC. A review of the collection and analysis of such environmental data from the monitoring programme demonstrated that there had not been any adverse environmental impacts resulting from disposal activities. The current programme will assess the impacts resulting from dredging, disposal and capping operations of CMP V.

A proposal on the change of number of sample replication of water quality and sediment monitoring as well as combination of routine water quality monitoring and water quality monitoring during capping operation was submitted to EPD and agreed by EPD on 3 December 2020. The proposed changes have been effective for the EM&A activities since December 2020. In early 2022, after implementing the Phase 1 optimisation for at least one year, a further data review was conducted. The monitoring data has been reviewed and demonstrated that the data robustness and representativeness are maintained. Therefore, a technical note presenting the data review results served as a supplementary information was submitted to EPD and presented that Phase 2 optimization of sample replication of water quality and sediment monitoring for the Project will be implemented in 2022. EPD expressed no comment on the review and note the implementation of Phase 2 optimization of sample replication on 18 May 2022, and thus this optimization has been effective for the EM&A activities since July 2022.

The latest sampling schedule is provided in **Appendix A**.

The present EM&A programme under Agreement No. CE 59/2020 (EP) covers the dredging, disposal and capping operations of the ESC CMP V (see **Appendix A** for the EM&A programme.) Detailed works schedule for ESC CMP V is shown in **Table 1.1**. In March 2024, the following works were undertaken:

- Disposal of contaminated mud at ESC CMP Vb; and
- Capping operations at ESC CMP Vd.

¹ ERM (2013) Final Report. Submitted under Agreement No. CE 4/2009 (EP) Environmental Monitoring and Audit for Contaminated Mud Pit at East Sha Chau. For CEDD.

² ERM (2017) Final Report. Submitted under Agreement No. CE 23/2012 (EP) Environmental Monitoring and Audit for Contaminated Mud Pits to the South of The Brothers and at East Sha Chau (2012 - 2017). For CEDD.

Table 1.1: Works Schedule for ESC CMP V

Pit	Operation					20	21										2	022						Т						202	3					Т					2	024												2025						2	026	
FIL	Operation	Ap	e Ma	y Ju	ı Ju	i Au	g So	ep (Oct N	lov	Dec	ğ	Feb	Mar	Apr	May	Jur	Jul	Aug	g Sep	Oct	No	v De	c Ja	n Fe	b M	ar Ap	r Ma	ay Ji	un J	ul A	ug S	ep O	ct No	ov De	c Ja	n Fe	b Ma	r Ap	er Ma	y Ju	ı Ju	il Au	g Sep	00	t No	v De	sc Ja	n F	eb N	lar A	pr Ma	ay J	un Ju	il Au	g Se	p Oct	Nov	Dec	Jan	Feb	Aar
	Dredging	Т	Т	Т	Т	Т	Т	Т	Т	П					Г	Г	Г	Г	Г	Т	Г	Г	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Г	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т					П.
ESC CMP V	Disposal				Т		Т																Т		Т	Т		Т								Т						П			Г				Т													
	Capping		Т	Т	Т	Т	Т	Т		П					Г	Г	Г	П	Г	Т	П	Г	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	П				

1.2 Reporting Period

This Monthly EM&A Report for Contaminated Mud Pits to the East of Sha Chau – March 2024 covers the EM&A activities for the reporting period of March 2024 (from 1 to 31 March 2024).

1.3 Details of Sampling and Laboratory Testing Activities

The following monitoring activities were undertaken for ESC CMP V during the reporting period:

- Water Column Profiling of ESC CMP Vb;
- · Routine Water Quality Monitoring of ESC CMPs; and
- Pit Specific Sediment Chemistry of ESC CMP Vb.

1.4 Details of Outstanding Sampling or Analysis

No outstanding sampling remained for the reporting month (March 2024).

2 Brief Discussion of Monitoring Results for ESC CMP V

2.1 Introduction

This section presents a brief discussion of the results obtained from the following monitoring activities for ESC CMP V during the reporting period:

- Water Column Profiling of ESC CMP Vb;
- Routine Water Quality Monitoring of ESC CMPs; and
- Pit Specific Sediment Chemistry of ESC CMP Vb.

2.2 Water Column Profiling of ESC CMP Vb - in March 2024

Water Column Profiling was undertaken at a total of two sampling stations (Upstream and Downstream stations) on 5 March 2024. The monitoring results have been assessed for compliance with the Water Quality Objectives (WQOs) set by Environmental Protection Department (EPD). This consists of a review of the EPD routine water quality monitoring data for the dry season period (November to March) of 2013 – 2022 from stations in the North Western Water Control Zone (WCZ), where the ESC CMPs are located.³ For Salinity, the averaged value obtained from the Reference (Upstream) station was used for the basis as the WQO. Levels of Dissolved Oxygen (DO) and Turbidity were also assessed for compliance with the Action and Limit Levels (see **Table B1** of **Appendix B** for details).

2.2.1 In-situ Measurements

Analyses of results for March 2024 indicated that levels of Salinity, pH and DO complied with the WQOs at both Downstream and Upstream stations (**Table B2** of **Appendix B**). Levels of DO and Turbidity at all stations complied with the Action and Limit Levels (**Tables B1 and B2** of **Appendix B**).

2.2.2 Laboratory Measurements for Suspended Solids (SS)

Analyses of results for March 2024 indicated that the SS level at both Upstream and Downstream stations complied with the WQO and the Action and Limit Levels (**Tables B1 and B2** of **Appendix B**).

Overall, the monitoring results indicated that the mud disposal operation at ESC CMP Vb did not appear to cause any deterioration in water quality during this reporting period.

2.3 Routine Water Quality Monitoring of ESC CMPs – in March 2024

Routine Water Quality Monitoring of ESC CMPs was undertaken on 8 March 2024. The monitoring results have been assessed for compliance with the WQOs (see **Section 2.2** above for details). The monitoring results are shown in **Tables B3, B4 and B5** of **Appendix B** and **Figures 1 to 11** of **Appendix C**. A total of sixteen (16) monitoring stations were sampled in March 2024 as shown in **Figure 2.1**.

³ http://epic.epd.gov.hk/EPICRIVER/marine/?lang=en

2.3.1 In-situ Measurements

Graphical presentation of the monitoring results (Temperature, DO, pH, Salinity and Turbidity) is shown in **Figures 1 to 6** of **Appendix C**. Analyses of results indicated that the levels of pH, Salinities and DO complied with the WQOs at all stations in March 2024. The levels of DO and Turbidity complied with the Action and Limit Levels at all stations (**Table B3** of **Appendix B**; **Figures 3 and 6** of **Appendix C**).

Overall, *in-situ* measurement results of the Routine Water Quality Monitoring indicated that the disposal and capping operation at ESC CMPs did not appear to cause any unacceptable impacts in water quality in March 2024.

2.3.2 Laboratory Measurements

Laboratory analysis of samples obtained during the reporting period indicated that the concentrations of Arsenic, Cadmium, Chromium, Mercury, Copper, Nickel and Zinc were detected in the samples at some/ all stations and their concentrations were generally similar across stations; except the concentrations of Lead were only detected at Ma Wan station. (**Table B4** of **Appendix B**; **Figure 7 and 8 of Appendix C**).

For nutrients, concentrations of Total Inorganic Nitrogen (TIN) were lower than the WQO (0.5 mg/L) at all stations (**Table B5** of **Appendix B**; **Figure 9** of **Appendix C**). The concentration of Ammonia Nitrogen (NH₃-N) and Biochemical Oxygen Demand (BOD₅) were generally similar across all stations; except the concentrations of Ammonia Nitrogen were higher at Ma Wan station while the concentrations of BOD5 were slightly elevated at Impact and Intermediate stations. (**Table B5** of **Appendix B**; **Figure 10** of **Appendix C**).

Analyses of results for the reporting period indicated that the SS levels complied with the dry season WQO (13.2 mg/L) and Action and Limit Levels at all stations. (**Tables B1 and B5** of **Appendix B**; **Figure 11** of **Appendix C**).

Based on the available results of the Routine Water Quality Monitoring which indicated that the disposal and capping operation at ESC CMPs did not appear to cause any unacceptable deterioration in water quality during the reporting period. Detailed statistical analysis will be presented in the Quarterly EM&A Report to investigate any spatial and temporal trends of potential concern.

2.4 Pit Specific Sediment Chemistry of ESC CMP Vb – in March 2024

Monitoring locations for Pit Specific Sediment Chemistry for ESC CMP Vb are shown in **Figure 2.2**. A total of six (6) monitoring stations were sampled on 4 March 2024.

The concentrations of most inorganic contaminants were lower than the Lower Chemical Exceedance Levels (LCELs) and Upper Chemical Exceedance Levels (UCELs) at all stations, except for Silver and Copper at Active-Pit stations. (Figures 12 and 13 of Appendix C). The concentrations of Silver were higher than the LCEL at Active-Pit station ESC-NPCB. The concentrations of Copper were higher than the LCEL at Active-Pit stations ESC-NPCB and higher than UCEL at Active-Pit station ESC-NPCA. (Figures 12 and 13 of Appendix C).

Considering that the higher levels of Silver and Copper occurred within Active-Pit stations only but not at the Pit-Edge and Near-Pit stations, there is no evidence indicating any unacceptable environment impacts to sediment quality as a result of the contaminated mud disposal operation at ESC CMP Vb in March 2024.

For organic contaminants, the concentrations of Total Organic Carbon (TOC) were higher at Active-Pit stations ESC-NPCA and ESC-NPCB. (**Figure 14** of **Appendix C**). The concentrations of Low Molecular Weight Polycyclic Aromatic Hydrocarbons (PAHs) were higher than LCEL at

Pit-Edge station ESC-NECA, and were higher than UCEL at Active-Pit station ESC-NPCB. (Figures 15a and Figures 15b of Appendix C).

For High Molecular Weight Polycyclic Aromatic Hydrocarbons (PAHs), the concentrations were higher than LCEL at Pit-Edge station ESC-NECA, and were higher than UCEL at Active-Pit station ESC-NPCB. (Figures 15a and 15b of Appendix C).

The concentrations of Tributyltin (TBT) were higher at Active-Pit stations ESC-NPCA and ESC-NPCB. (**Figure 16** of **Appendix C**) The concentrations of Total Polychlorinated Biphenyls (PCBs), Total dichloro-diphenyl-trichloroethane (DDT) and 4,4'-dichlorodiphenyldichloroethylene (DDE) were below the limit of reporting at all stations during the reporting period.

Noting that higher levels (i.e. concentrations higher than UCEL) of Low Molecular Weight and High Molecular Weight PAHs are only occurred within Active-Pit station ESC-NPCB. While only concentrations of Low Molecular Weight PAH and High Molecular Weight PAH at Pit-Edge station ESC-NECA were higher than LCELs but the concentrations of most inorganic contaminants were lower than the LCELs at Pit-Edge station.

The slightly elevated levels of Low Molecular Weight PAH and High Molecular Weight PAH at Pit-Edge station ESC-NECA are possible induced by external factors rather than disposal operations. Therefore, there is no evidence indicating any unacceptable environmental impacts to sediment quality outside the pit area as a result of the contaminated mud disposal operations at ESC CMP Vb during the reporting period.

Statistical analysis will be undertaken and presented in the corresponding Quarterly EM&A Report to investigate whether there are any unacceptable impacts in the area caused by the contaminated mud disposal.

3 Future Key Issues

3.1 Activities Scheduled for the Next Reporting Period


The following monitoring activities will be conducted in the next reporting period of April 2024 for ESC CMP V (see **Appendix A** for the sampling schedule):


- Water Column Profiling of ESC CMP Vb;
- Routine Water Quality Monitoring of ESC CMPs; and
- Pit Specific Sediment Chemistry of ESC CMP Vb.

3.2 Study Programme

A summary of the Study Programme is presented in **Appendix D**.

Figures





Appendices

Appendix A Sampling Schedule

Appendix B Water Quality Monitoring Results

Appendix C Graphical Presentations

Appendix D Study Programme

Appendix A. Sampling Schedule

East of Sha Chau CMPs Environmental Monitoring and Audit Sampling Schedule (January 2021 - March 2026)

Parameter / Station Type Pit Specific Sediment Ch		Frequency	2021 2025 Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov Dec Jan Feb Mar Apr May	2026 Nov Dec Jan Feb Mar
Active-Pit Pit-Edge	ESC-NPAA ESC-NPAB	Monthly Monthly	6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	
Near-Pit	ESC-NEAB	Monthly Monthly	6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	2 2 2 2 2
	ESC-NNAA ESC-NNAB	Monthly		2 2 2 2 2
Cumulative Impact Sedin Near-field Stations	ESC-RNA	4 times per year		2 2 2 2 2 2 2 2 2 2
Mid-field Stations	ESC-RNB1 ESC-RMA ESC-RMB	4 times per year 4 times per year 4 times per year	6 6 6 6 6 6 2 2 2 2	2 2 2 2 2
Capped Pit Stations		4 times per year 4 times per year	6 6 6 6 6 2 <th>2 2 2 2 2</th>	2 2 2 2 2
Far-field Stations	ESC-RFA ESC-RFB	4 times per year 4 times per year	6 6 6 6 6 6 2 <th>2 2 2 2 2</th>	2 2 2 2 2
Ma Wan Station	MW1	4 times per year		2 2
Sediment Toxicity Tests Near-pit Stations	ESC-TDA	2 times per year	Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov Dec Jan Feb Mar Apr May Jun Jul Au	5
Reference Stations	ESC-TDB1	2 times per year 2 times per year	5 5 5 5 5 5 5 5 5 5	5
Ma Wan Station	ESC-TRB MW1	2 times per year 2 times per year	5 5 5 5 5 5 5 5 5 5	5
Tissue / Whole Body San Near-pit Stations		O times neverse	Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov Dec Jan Feb Mar Apr May Jun Jul Au	Nov Dec Jan Feb Mar
Reference North	ESC-INA ESC-INB	2 times per year 2 times per year 2 times per year		*
Reference South	TNB	2 times per year 2 times per year		
Demersal Trawling	TSB	2 times per year	Jan [Feb Mar Apr May Jun Jul Aug Sep Oct Nov Dec Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov Dec Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov Dec Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov Dec Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov Dec Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov Dec Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov Dec Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov Dec Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov Dec Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov Dec Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov Dec Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov Dec Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov Dec Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov Dec Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov Dec Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov Dec Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov Dec Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov Dec Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov Dec Jan Feb Mar Apr May Jun Jul Aug Sep Oct Apr May Jun Jul Aug Sep Oct Apr Apr May Jun Jul Aug Sep Oct Apr A	Nov Dec Jan Feb Mar
Near-pit Stations	ESC-INA ESC-INB	4 times per year 4 times per year	6 5 5 6	5 5 5
Reference North	TNA TNB	4 times per year 4 times per year	5 5	5 5 5 5 5
Reference South	TSA TSB	4 times per year 4 times per year	5 5	5 5 5
Capping * Ebb Tide Impact Station Downcurr	rent		Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov Dec Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov Dec Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov Dec Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov Dec Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov Dec Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov Dec Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov Dec Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov Dec Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov Dec Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov Dec Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov Dec Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov Dec Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov Dec Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov Dec Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov Dec Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov Dec Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov Dec Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov Dec Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov Dec Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov Dec Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov Dec Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov Dec Jan Aug Sep Oct Aug	Nov Dec Jan Feb Mar
3,110	ESC-IPE1A ESC-IPE2A ESC-IPE3	4 times per year * 4 times per year * 4 times per year *		
Intermediate Station Dow		4 times per year * 4 times per year *		
	ESC-INE2A ESC-INE3A	4 times per year *		
Reference Station Upcur	ESC-INE5A rent	4 times per year * 4 times per year *		
	ESC-RFE2 ESC-RFE3 ESC-RFE4	4 times per year * 4 times per year * 4 times per year *		
Ma Wan Station	ESC-RFE5	4 times per year * 4 times per year *		
Flood Tide Impact Station Downcurr	rent ESC-IPF1	4 times per year *		
Intermediate Station Dow	ESC-IPF2 ESC-IPF3	4 times per year * 4 times per year * 4 times per year *		
	ESC-INF1 ESC-INF2 ESC-INF3	4 times per year * 4 times per year * 4 times per year *		
Reference Station Upcur	ESC-RFF1A ESC-RFF2A	4 times per year * 4 times per year *		
Ma Wan Station	ESC-RFF3 MW1	4 times per year * 4 times per year *		
Routine Water Quality Mo Ebb Tide Impact Station Downcurr			Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov Dec Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov Dec Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov Dec Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov Dec Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov Dec Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov Dec Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov Dec Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov Dec Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov Dec Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov Dec Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov Dec Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov Dec Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov Dec Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov Dec Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov Dec Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov Dec Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov Dec Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov Dec Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov Dec Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov Dec Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov Dec Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov Dec Jan Aug Sep Oct Aug	Nov Dec Jan Feb Mar
	ESC-IPE1A ESC-IPE2A ESC-IPE3	Monthly* Monthly* Monthly*	4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 2 <th>2 2 2 2 2 2 2 2 2 2 2 2 2 2 2</th>	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
Intermediate Station Dow		Monthly*	4 4 4 4 4 4 4 4 2 2 2 2 2 2 2 2 2 2 2	2 2 2 2 2
	ESC-INE1A ESC-INE2A ESC-INE3A ESC-INE4A	Monthly*	4 4	2 2 2 2 2
Reference Station Upcur	ESC-INE5A rent ESC-RFE1	Monthly*	4 4 4 4 4 4 4 4 2 2 2 2 2 2 2 2 2 2 2 2	2 2 2 2 2
	ESC-RFE2 ESC-RFE3 ESC-RFE4	Monthly* Monthly* Monthly*	4 4 <th>2 2 2 2 2 </th>	2 2 2 2 2
Ma Wan Station	ESC-RFE5	Monthly*		
Flood Tide Impact Station Downcurr	ESC-IPF1	Monthly*	4 4 4	2 2 2 2 2
Intermediate Station Dow	ESC-IPF2 ESC-IPF3 Incurrent	Monthly* Monthly*	4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	2 2 2 2 2
Reference Station Upcur	ESC-INF1 ESC-INF2 ESC-INF3	Monthly* Monthly* Monthly*	4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	2 2 2 2 2
	ESC-RFF1A ESC-RFF2A ESC-RFF3		4 4 <th>2 2 2 2 2 2 2 2 2 2 2 2 2 2 2</th>	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
Ma Wan Station	MW1	Monthly*	4 4 4 4 4 4 4 4 4 4 4 4 2 2 2 2 2 2 2 2	2 2 2 2 2
Water Column Profiling * Plume Stations	WCP1	Monthly*	Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov Dec Jan Feb Mar Apr May Jun Jul Au	2 2 2 2 2
Benthic Recoloinisation		Monthly*	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	2 2 2 2 2 Nov Dec Jan Feb Mar
Capped Stations at CMP	ESCV-CPA ESCV-CPB	2 times per year 2 times per year 2 times per year		
Reference Stations		2 times per year 2 times per year 2 times per year		
	RBB RBC1	2 times per year 2 times per year		
Impact Monitoring for Dro Upstream Stations	US1	3 times per week	Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov Dec Jan Feb Mar Apr May Jun Jul Au	Nov Dec Jan Feb Mar
Downstream Stations	US2 DS1	3 times per week 3 times per week		
	DS2 DS3 DS4 DS5	3 times per week 3 times per week 3 times per week	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	
Ma Wan Station Notes:	MW1	3 times per week 3 times per week		
			olicates per monitoring station. The number shown in green boided text represented monitoring works have been conducted before/ during the reporting period of this Monthly EM&A Report, while the number shown in black represent planned monitoring works after the reporting period of this Monthly EM&A Report, while the number shown in black represent planned monitoring works after the reporting period of this Monthly EM&A Report, while the number shown in black represent planned monitoring works after the reporting period of this Monthly EM&A Report, while the number shown in black represent planned monitoring works after the reporting period of this Monthly EM&A Report, while the number shown in place the properties of the p	

Notes:
(1) The number shown in each cell represents the numbers of replicates per monitoring station. The number shown in green boided text represented monitoring works have been conducted before/ during the reporting period of this Monthly EM&A Report, while the number shown in black represent planned monitoring works after the reporting period of this Monthly EM&A Report, while the number shown in black represent planned monitoring works after the reporting period of this Monthly EM&A Report.

⁽²⁾ For the planned Routine Water Quality Monitoring (i.e. the numbers of replicates per monitoring station shown in black), the monitoring will be conducted at mid-ebb OR mid-flood tide. The yearly tidal selection of this monitoring will be based on a principle to obtain 6 months monitoring data at mid-ebb, and 6 months monitoring data at mid-flood.

⁽³⁾ Impact Monitoring for Dredging will be scheduled when dredging operations commence.

⁽³⁾ impact Monitoring for Dredging will be scheduled when dredging operations commence.

(4) Benthic Recolonisation Studies for CMP V will be scheduled when capping operation for CMP V is completed.

Remarks:

A proposal on the change of number of sample replication of water quality & sediment monitoring and combination of routine water quality monitoring during capping operation was submitted to EPD and agreed by EPD on 3 December 2020. The proposed changes have been implemented for the EM&A activities since December 2020. Water Quality Monitoring during Capping Operation and Routine Water Quality Monitoring are combined such that Routine Water Quality Monitoring have been conducted monthly starting in December 2020. A technical note presenting the data review results served as a supplementary information was submitted to EPD and presented that Phase 2 optimization of sample replication of water quality and sediment monitoring for the Project will be implemented in 2022 was provided to EPD in April 2022. Phase 2 optimization of sample replication induced by the panderine which adversely affecting the supply of international species adopted in testing programme of Sediment Toxicity! Tests, as such; Tests as explained and such sediments and such that Place 2022.

* To enable the required Research Fishing Permit could be granted by the time undertaking the Demersal Trawling, trawling originally scheduled in July and August 2022 was postponed to August and September 2022.

Appendix B. Water Quality Monitoring Results



Table B1: Action and Limit Levels of Water Quality for Dredging, Disposal and Capping Activities at ESC CMP V

Parameters	Action	Limit				
Dissolved Oxygen (DO)	Surface and Middle Depth ⁽²⁾	Surface and Middle Depth ⁽²⁾				
in mg L ⁻¹ (Surface, Middle & Bottom) ⁽¹⁾	5%-ile of baseline data for surface and middle layer = 3.76	1%-ile of baseline data for surface and middle layer = 3.11 ⁽³⁾				
	and	and				
	Significantly less than the reference station's mean DO (at the same tide of the same day)	Significantly less than the reference station's mean DO (at the same tide of the same day)				
	Bottom	Bottom				
	5%-ile of baseline data for surface and middle layer = 2.96	The average of the impact station readings are < 2				
	and	and				
	Significantly less than the reference station's mean DO (at the same tide of the same day)	Significantly less than the reference station's mean DO (at the same tide of the same day)				
Suspended Solids (SS) in mg L ⁻¹	95%-ile of baseline data for depth- averaged = 37.88	99%-ile of baseline data for depth- averaged = 61.92				
(depth-averaged) ⁽⁵⁾	and	and				
	120% of control station's SS at the same tide of the same day	130% of control station's SS at the same tide of the same day				
Turbidity	95%-ile of baseline data = 28.14	99%-ile of baseline data = 38.32				
in NTU	and	and				
(depth-averaged) ⁽⁴⁾⁽⁵⁾	120% of control station's Turbidity at the same tide of the same day	130% of control station's Turbidity at the same tide of the same day				

Notes:

- 1. For DO, non-compliance of the water quality limits occurs when monitoring result is lower than the limits.
- 2. Action and Limit Levels for DO for Surface and Middle layers were calculated from the combined pool of baseline surface layer data and baseline middle layer data.
- 3. Given the Action Level for DO for Surface and Middle layers has already been lower than 4 mg L⁻¹, it is proposed to set the Limit Level at 3.11 mg L⁻¹ which is the first percentile of the baseline data.
- 4. "Depth-averaged" is calculated by taking the arithmetic means of reading of all three depths.
- 5. For turbidity and SS, non-compliance of the water quality limits occurs when monitoring result is higher than the limits.



Table B2: Water Column Profiling Results for ESC CMP Vb in March 2024

Station	Temp.	Salinity	Turbidity	Dissolve	d Oxygen	рН	Suspended Solids
	(°C)	(ppt)	(NTU)	(%)	(mg L ⁻¹)		(mg L ⁻¹)
WCP 1 (Downstream)	19.22	32.35	1.51	98.36	7.50	8.19	2.5
WCP 2 (Upstream)	19.46	32.64	1.45	98.98	7.50	8.16	1.0
WQO (Dry Season)	N/A	29.37-35.90#	N/A	N/A	>4	6.5-8.5	13.2

Notes:

- 1. *Not exceeding 10% of natural ambient level which is the result obtained from the Reference Station.
- 2. Cell shaded yellow / red indicates value exceeding the Action/Limit levels.
- 3. Cell shaded grey indicates value exceeding the WQO.

Table B3: In-situ Monitoring Results for Routine Water Quality Monitoring of ESC CMPs in March 2024

Station	Temp.	Salinity	Turbidity	Dissolve	ed Oxygen	рН
	(°C)	(ppt)	(NTU)	(%)	(mg L ⁻¹)	
RFE (Reference)	19.81	32.25	2.11	96.14	7.25	8.19
IPE (Impact)	19.89	32.26	1.85	96.25	7.25	8.18
INE (Intermediate)	20.00	32.66	1.40	94.52	7.09	8.14
Ma Wan	20.13	33.42	0.94	92.06	6.86	8.10
WQO (Dry Season)	N/A	29.02-35.47#	N/A	N/A	>4	6.5-8.5

Notes:

- 1. *Not exceeding 10% of natural ambient level which is the result obtained from the Reference Station.
- 2. Cell shaded yellow / red indicates value exceeding the Action/Limit levels.
- 3. Cell shaded grey indicates value exceeding the WQO.



Table B4: Laboratory Results for Dissolved Metals and Metalloid in Routine Water Quality Monitoring of ESC CMPs in March 2024

Station	As	Cd	Cr	Cu	Pb	Hg	Ni	Ag	Zn
	(µg/L)								
RFE	1.66	0.02	0.14	0.62	ND	0.001	0.61	ND	0.50
IPE	1.51	0.03	0.15	0.41	ND	0.001	0.58	ND	0.53
INE	1.51	0.02	0.15	0.38	ND	0.001	0.55	ND	0.54
Ma Wan	1.53	0.01	0.13	0.91	0.03	0.001	0.39	ND	0.96

Note:

Table B5: Laboratory Results for Nutrients and Suspended Solid in Routine Water Quality Monitoring of ESC CMPs in March 2024

Station	NH ₃	TIN	BOD ₅	SS
	(mg/L)	(mg/L)	(mg/L)	(mg/L)
RFE	0.08	0.32	0.45	3.1
IPE	0.08	0.32	0.65	2.8
INE	0.10	0.31	0.63	2.2
Ma Wan	0.15	0.29	<lor< th=""><th>3.0</th></lor<>	3.0

WQO of TIN: 0.5 mg/L Dry Season WQO of SS: 13.2 mg/L

Notes:

- 1. "<LOR" indicates the concentrations of contaminants are below the limit of reporting.
- 2. Cell shaded yellow / red indicates value exceeding the Action/Limit levels.
- 3. Cell shaded grey indicates value exceeding the WQO.

^{1. &}quot;ND" indicates the concentrations of metals and metalloids are not detected.

Appendix C. Graphical Presentations

Routine Water Quality Monitoring for ESC CMP V - March 2024




Figure 1: Level of pH recorded during Routine Water Quality Monitoring for disposal operations at ESC CMP V in March 2024

Routine Water Quality Monitoring for ESC CMP V - March 2024




Figure 2: Level of Dissolved Oxygen (DO) (% saturation; mean + SD) recorded during Routine Water Quality Monitoring for disposal operations at ESC CMP V in March 2024

¹ The mean and standard deviation (SD) for in-situ data are the mean and SD for water columns within the area.



Routine Water Quality Monitoring for ESC CMP V - March 2024




Figure 3: Concentration of Dissolved Oxygen (DO) (mg/L; mean + SD) recorded during Routine Water Quality Monitoring for disposal operations at ESC CMP V in March 2024

Routine Water Quality Monitoring for ESC CMP V - March 2024




Figure 4: Level of Temperature (°C; mean + SD) recorded during Routine Water Quality Monitoring for disposal operations at ESC CMP V in March 2024

¹ The mean and standard deviation (SD) for in-situ data are the mean and SD for water columns within the area.






Figure 5: Level of Salinity (ppt; mean + SD) recorded during Routine Water Quality Monitoring for disposal operations at ESC CMP V in March 2024

Routine Water Quality Monitoring for ESC CMP V - March 2024




Figure 6: Level of Turbidity (NTU; mean + SD) recorded during Routine Water Quality Monitoring for disposal operations at ESC CMP V in March 2024

¹ The mean and standard deviation (SD) for in-situ data are the mean and SD for water columns within the area.



Routine Water Quality Monitoring for ESC CMP V March 2024




Figure 7: Concentration of Arsenic, Copper, Nickel, and Zinc (μg/L; mean + SD) in water samples collected from Routine Water Quality Monitoring for disposal operations at ESC CMP V in March 2024

Routine Water Quality Monitoring for ESC CMP V March 2024




Figure 8: Concentration of Cadmium, Chromium, Lead and Mercury, (µg/L; mean + SD) in water samples collected from Routine Water Quality Monitoring for disposal operations at ESC CMP V in March 2024



Routine Water Quality Monitoring for Nutrients - March 2024




Figure 9: Concentration of Total Inorganic Nitrogen (TIN) and Ammonia Nitrogen (NH3-N) (mg/L; mean + SD) in water samples collected from Routine Water Quality Monitoring for disposal operations at ESC CMP V in March 2024

Routine Water Quality Monitoring for Biochemical Oxygen Demand (BOD5) March 2024 0.5 Reference Impact Intermediate Ma Wan Station

Figure 10: Level of Biochemical Oxygen Demand (BOD5) (mg/L; mean + SD) in water samples collected from Routine Water Quality Monitoring for disposal operations at ESC CMP V in March 2024

Routine Water Quality Monitoring for Suspended Solids - March 2024




Figure 11 Concentration of Suspended Solids (SS) (mg/L; mean + SD) in water samples collected from Routine Water Quality Monitoring for disposal operations at ESC CMP V in March 2024

Pit Specific Sediment Chemistry for Metal and Metalloid Contaminants at ESC CMP Vb - March 2024




Figure 12: Concentration of Metals and Metalloid²(Cr, Cu, Ni, Pb, Zn, As; mg/kg dry weight; mean + SD) in sediment samples collected from Pit Specific Sediment Chemistry Monitoring for ESC CMP Vb in March 2024

The LCEL and UCEL of Cadmium, Mercury and Arsenic have been updated according to the standard promulgated starting from 19 January 2024. https://www.cedd.gov.hk/filemanager/eng/content_80/PAH 2022 Chapter 4 Rev 06_240321_Clean.pdf



Pit Specific Sediment Chemistry for Metal Contaminants at ESC CMP Vb - March 2024




Figure 13: Concentration of Metals²(Cd, Hg, Ag; mg/kg dry weight; mean + SD) in sediment samples collected from Pit Specific Sediment Chemistry Monitoring for ESC CMP Vb in March 2024

Pit Specific Sediment Chemistry for Total Organic Carbon (TOC) at ESC CMP Vb - March 2024





Figure 14: Concentration of Total Organic Carbon (TOC) (mg/kg dry weight; mean + SD) in sediment samples collected from Pit Specific Sediment Chemistry Monitoring for ESC CMP Vb in March 2024

The LCEL and UCEL of Cadmium, Mercury and Arsenic have been updated according to the standard promulgated starting from 19 January 2024. https://www.cedd.gov.hk/filemanager/eng/content_80/PAH 2022 Chapter 4 Rev 06_240321_Clean.pdf









Figure 15a Concentration of Low and High Molecular Weight Polycyclic Aromatic Hydrocarbons (µg/kg dry weight; mean + SD) in sediment samples collected from Pit Specific Sediment Chemistry Monitoring for ESC CMP Vb in March 2024

Pit Specific Sediment Chemistry for Low and High Molecular Weight Polycyclic Aromatics Hydrocarbons (PAHs) at ESC CMP Vb - March 2024 25000 ■Low MW PAHs LOR=55, LCEL=550, UCEL=3160 ■ High MW PAHs LOR=100, LCEL=1700, UCEL=9600 20000 Remarks: Concentrations of PAH at ESC-NNCA, ESC-NNCB, ESC-NECA, ESC-NECB and ESC-NPCA are presented in **Figure 15a**. µg/kg dry weight 15000 10000 5000 To be presented in Figure 15a CEL High MW PAHs 0 ESC-NNCA (Near-ESC-NNCB (Near-ESC-NECB (Pit-ESC-NECA (Pit-ESC-NPCA (Active- ESC-NPCB (Active-Station

Figure 15b Concentration of Low and High Molecular Weight Polycyclic Aromatic Hydrocarbons (μg/kg dry weight; mean + SD) in sediment samples collected from Pit Specific Sediment Chemistry Monitoring for ESC CMP Vb in March 2024



Pit Specific Sediment Chemistry for Tributyltin (TBT) at ESC CMP Vb - March 2024



Concentration of Tributyltin (TBT) (μ g TBT/kg; mean + SD) in sediment samples collected from Pit Specific Sediment Chemistry Monitoring for ESC CMP Vb in March Figure 16:

Appendix D. Study Programme

Study Programme

Agreement No. CE 59/2020 (EP) Environmental Monitoring and Audit for Disposal Facility to the East of Sha Chau (2021-2026) - Investigation

Mott MacDonald Hong Kong Limited

