

**Pit Specific Sediment Chemistry for Metal Contaminants at CMP Va
August 2013**




Figure 1: Concentration of Metals (Cr, Cu, Ni, Pb, Zn, As; mean +SD) in sediment samples collected from Pit Specific Sediment Chemistry Monitoring for CMP Va in August 2013.

**Pit Specific Sediment Chemistry for Metal Contaminants at CMP Va
August 2013**




Figure 2: Concentration of Metals (Cd, Hg, Ag; mean +SD) in sediment samples collected from Pit Specific Sediment Chemistry Monitoring for CMP Va in August 2013.

Source: H:\Team\EM\GMS Projects\0175086 CEDD EM&A for South Brothers\02 Deliverable\07 CMP Monthly Report\14th (October 2013)

Date: 14/10/13

**Environmental
Resources
Management**



**Pit Specific Sediment Chemistry for Total Organic Carbon (TOC) at CMP Va
August 2013**




Figure 3: Concentration of Total Organic Carbon (mg/kg dry weight; mean +SD) in sediment samples collected from Pit Specific Sediment Chemistry Monitoring for CMP Va in August 2013.

Pit Specific Sediment Chemistry for Tributyltin (TBT) at CMP Va in August 2013




Figure 4: Concentration of Tributyltin (µg TBT/kg; mean +SD) in sediment samples collected from Pit Specific Sediment Chemistry Monitoring of CMP Va in August 2013.

Pit Specific Sediment Chemistry for Low and High Molecular Weight Polycyclic Aromatics Hydrocarbons (PAHs) at CMP Va in August 2013




Figure 5: Concentration of Low and High Molecular Weight Polycyclic Aromatics Hydrocarbons (PAHs) ($\mu\text{g}/\text{kg}$; mean +SD) in sediment samples collected from Pit Specific Sediment Chemistry Monitoring for CMP Va in August 2013.

Source: H:\Team\EM\GMS Projects\0175086 CEDD EM&A for South Brothers\02 Deliverable\07 CMP Monthly Report\14th (October 2013)

Date: 14/10/13

**Environmental
Resources
Management**



Routine Water Quality Monitoring for CMP 1 - 3 October 2013




Figure 6: Level of pH (mean + SD) recorded during Routine Water Quality Monitoring for disposal operations at CMP 1 on 3 October 2013.

Routine Water Quality Monitoring for CMP 1 - 3 October 2013




Figure 7: Concentration of Dissolved Oxygen (mg/L; mean + SD) recorded during Routine Water Quality Monitoring for disposal operations at CMP 1 on 3 October 2013.

Source: H:\Team\EM\GMS Projects\0175086 CEDD EM&A for South Brothers\02 Deliverable\07 CMP Monthly Report\14th (October 2013)

Date: 14/10/13

**Environmental
Resources
Management**



Routine Water Quality Monitoring for CMP 1 - 3 October 2013




Figure 8: Level of Dissolved Oxygen (% saturation; mean + SD) recorded during Routine Water Quality Monitoring for disposal operations at CMP 1 on 3 October 2013.

Routine Water Quality Monitoring for CMP 1 - 3 October 2013




Figure 9: Level of Salinity (mean + SD) recorded during Routine Water Quality Monitoring for disposal operations at CMP 1 on 3 October 2013.

Routine Water Quality Monitoring for CMP 1 - 3 October 2013




Figure 10: Level of Turbidity (NTU; mean + SD) recorded during Routine Water Quality Monitoring for disposal operations at CMP 1 on 3 October 2013.

Routine Water Quality Monitoring Results for Metals
3 October 2013




Figure 11: Concentration of Copper and Zinc (mean + SD) in water samples collected from Routine Water Quality Monitoring for disposal operations at CMP 1 on 3 October 2013.

Source: H:\Team\EM\GMS Projects\0175086 CEDD EM&A for South Brothers\02 Deliverable\07 CMP Monthly Report\14th (October 2013)

Date: 14/10/13

**Environmental
Resources
Management**



**Routine Water Quality Monitoring Results for Metals
3 October 2013**




Figure 12: Concentration of Lead, Nickel, Arsenic and Chromium (mean + SD) in water samples collected from Routine Water Quality Monitoring for disposal operations at CMP 1 on 3 October 2013.

**Routine Water Quality Monitoring Results for Biochemical Oxygen Demand (BOD₅)
3 October 2013**




Figure 13: Level of Biochemical Oxygen Demand (BOD₅; mean + SD) in water samples collected from Routine Water Quality Monitoring for disposal operations at CMP 1 on 3 October 2013.

Source: H:\Team\EM\GMS Projects\0175086 CEDD EM&A for South Brothers\02 Deliverable\07 CMP Monthly Report\14th (October 2013)

Date: 14/10/13

**Environmental
Resources
Management**






Figure 14: Concentration of Total Inorganic Nitrogen and NH₃-N (mean + SD) in water samples collected from Routine Water Quality Monitoring for disposal operations at CMP 1 on 3 October 2013.




Figure 15: Concentration of Suspended Solids (mean + SD) in water samples collected from Routine Water Quality Monitoring for disposal operations at CMP 1 on 3 October 2013.

Source: H:\Team\EM\GMS Projects\0175086 CEDD EM&A for South Brothers\02 Deliverable\07 CMP Monthly Report\14th (October 2013)

Date: 14/10/13

**Environmental
Resources
Management**



Routine Water Quality Monitoring for CMP 1 - 5 October 2013




Figure 16: Level of pH (mean + SD) recorded during Routine Water Quality Monitoring for disposal operations at CMP 1 on 5 October 2013.

Routine Water Quality Monitoring for CMP 1 - 5 October 2013




Figure 17: Concentration of Dissolved Oxygen (mg/L; mean + SD) recorded during Routine Water Quality Monitoring for disposal operations at CMP 1 on 5 October 2013.

Source: H:\Team\EM\GMS Projects\0175086 CEDD EM&A for South Brothers\02 Deliverable\07 CMP Monthly Report\14th (October 2013)

Date: 14/10/13

**Environmental
Resources
Management**



Routine Water Quality Monitoring for CMP 1 - 5 October 2013




Figure 18: Level of Dissolved Oxygen (% saturation; mean + SD) recorded during Routine Water Quality Monitoring for disposal operations at CMP 1 on 5 October 2013.

Routine Water Quality Monitoring for CMP 1 - 5 October 2013




Figure 19: Level of Salinity (mean + SD) recorded during Routine Water Quality Monitoring for disposal operations at CMP 1 on 5 October 2013.

Routine Water Quality Monitoring for CMP 1 - 5 October 2013




Figure 20: Level of Turbidity (NTU; mean + SD) recorded during Routine Water Quality Monitoring for disposal operations at CMP 1 on 5 October 2013.

Routine Water Quality Monitoring Results for Metals
5 October 2013




Figure 21: Concentration of Copper and Zinc (mean + SD) in water samples collected from Routine Water Quality Monitoring for disposal operations at CMP 1 on 5 October 2013.

Source: H:\Team\EM\GMS Projects\0175086 CEDD EM&A for South Brothers\02 Deliverable\07 CMP Monthly Report\14th (October 2013)

Date: 14/10/13

**Environmental
Resources
Management**



**Routine Water Quality Monitoring Results for Metals
5 October 2013**




Figure 22: Concentration of Lead, Nickel, Arsenic and Chromium (mean + SD) in water samples collected from Routine Water Quality Monitoring for disposal operations at CMP 1 on 5 October 2013.

**Routine Water Quality Monitoring Results for Biochemical Oxygen Demand (BOD₅)
5 October 2013**




Figure 23: Level of Biochemical Oxygen Demand (BOD₅; mean + SD) in water samples collected from Routine Water Quality Monitoring for disposal operations at CMP 1 on 5 October 2013.

Source: H:\Team\EM\GMS Projects\0175086 CEDD EM&A for South Brothers\02 Deliverable\07 CMP Monthly Report\14th (October 2013)

Date: 14/10/13

**Environmental
Resources
Management**






Figure 24: Concentration of Total Inorganic Nitrogen and NH₃-N (mean + SD) in water samples collected from Routine Water Quality Monitoring for disposal operations at CMP 1 on 5 October 2013.




Figure 25: Concentration of Suspended Solids (mean + SD) in water samples collected from Routine Water Quality Monitoring for disposal operations at CMP 1 on 5 October 2013.

Source: H:\Team\EM\GMS Projects\0175086 CEDD EM&A for South Brothers\02 Deliverable\07 CMP Monthly Report\14th (October 2013)

Date: 14/10/13

**Environmental
Resources
Management**



Routine Water Quality Monitoring for CMP 1 - 8 October 2013




Figure 26: Level of pH (mean + SD) recorded during Routine Water Quality Monitoring for disposal operations at CMP 1 on 8 October 2013.

Routine Water Quality Monitoring for CMP 1 - 8 October 2013




Figure 27: Concentration of Dissolved Oxygen (mg/L; mean + SD) recorded during Routine Water Quality Monitoring for disposal operations at CMP 1 on 8 October 2013.

Source: H:\Team\EM\GMS Projects\0175086 CEDD EM&A for South Brothers\02 Deliverable\07 CMP Monthly Report\14th (October 2013)

Date: 14/10/13

**Environmental
Resources
Management**



Routine Water Quality Monitoring for CMP 1 - 8 October 2013




Figure 28: Level of Dissolved Oxygen (% saturation; mean + SD) recorded during Routine Water Quality Monitoring for disposal operations at CMP 1 on 8 October 2013.

Routine Water Quality Monitoring for CMP 1 - 8 October 2013




Figure 29: Level of Salinity (mean + SD) recorded during Routine Water Quality Monitoring for disposal operations at CMP 1 on 8 October 2013.

Routine Water Quality Monitoring for CMP 1 - 8 October 2013




Figure 30: Level of Turbidity (NTU; mean + SD) recorded during Routine Water Quality Monitoring for disposal operations at CMP 1 on 8 October 2013.

Routine Water Quality Monitoring Results for Metals
8 October 2013




Figure 31: Concentration of Copper and Zinc (mean + SD) in water samples collected from Routine Water Quality Monitoring for disposal operations at CMP 1 on 8 October 2013.

Source: H:\Team\EM\GMS Projects\0175086 CEDD EM&A for South Brothers\02 Deliverable\07 CMP Monthly Report\14th (October 2013)

Date: 14/10/13

**Environmental
Resources
Management**



**Routine Water Quality Monitoring Results for Metals
8 October 2013**




Figure 32: Concentration of Lead, Nickel, Arsenic and Chromium (mean + SD) in water samples collected from Routine Water Quality Monitoring for disposal operations at CMP 1 on 8 October 2013.

**Routine Water Quality Monitoring Results for Biochemical Oxygen Demand (BOD₅)
8 October 2013**




Figure 33: Level of Biochemical Oxygen Demand (BOD₅; mean + SD) in water samples collected from Routine Water Quality Monitoring for disposal operations at CMP 1 on 8 October 2013.

Source: H:\Team\EM\GMS Projects\0175086 CEDD EM&A for South Brothers\02 Deliverable\07 CMP Monthly Report\14th (October 2013)

Date: 14/10/13

**Environmental
Resources
Management**



**Routine Water Quality Monitoring Results for Nutrients
8 October 2013**




Figure 34: Concentration of Total Inorganic Nitrogen and NH₃-N (mean + SD) in water samples collected from Routine Water Quality Monitoring for disposal operations at CMP 1 on 8 October 2013.

**Routine Water Quality Monitoring for Suspended Solids
8 October 2013**




Figure 35: Concentration of Suspended Solids (mean + SD) in water samples collected from Routine Water Quality Monitoring for disposal operations at CMP 1 on 8 October 2013.

Source: H:\Team\EM\GMS Projects\0175086 CEDD EM&A for South Brothers\02 Deliverable\07 CMP Monthly Report\14th (October 2013)

Date: 14/10/13

**Environmental
Resources
Management**



Routine Water Quality Monitoring for CMP 1 - 11 October 2013




Figure 36: Level of pH (mean + SD) recorded during Routine Water Quality Monitoring for disposal operations at CMP 1 on 11 October 2013.

Routine Water Quality Monitoring for CMP 1 - 11 October 2013




Figure 37: Concentration of Dissolved Oxygen (mg/L; mean + SD) recorded during Routine Water Quality Monitoring for disposal operations at CMP 1 on 11 October 2013.

Source: H:\Team\EM\GMS Projects\0175086 CEDD EM&A for South Brothers\02 Deliverable\07 CMP Monthly Report\14th (October 2013)

Date: 14/10/13

**Environmental
Resources
Management**



Routine Water Quality Monitoring for CMP 1 - 11 October 2013




Figure 38: Level of Dissolved Oxygen (% saturation; mean + SD) recorded during Routine Water Quality Monitoring for disposal operations at CMP 1 on 11 October 2013.

Routine Water Quality Monitoring for CMP 1 - 11 October 2013




Figure 39: Level of Salinity (mean + SD) recorded during Routine Water Quality Monitoring for disposal operations at CMP 1 on 11 October 2013.

Routine Water Quality Monitoring for CMP 1 - 11 October 2013




Figure 40: Level of Turbidity (NTU; mean + SD) recorded during Routine Water Quality Monitoring for disposal operations at CMP 1 on 11 October 2013.

Routine Water Quality Monitoring Results for Metals
11 October 2013




Figure 41: Concentration of Copper and Zinc (mean + SD) in water samples collected from Routine Water Quality Monitoring for disposal operations at CMP 1 on 11 October 2013.

Source: H:\Team\EM\GMS Projects\0175086 CEDD EM&A for South Brothers\02 Deliverable\07 CMP Monthly Report\14th (October 2013)

Date: 14/10/13

**Environmental
Resources
Management**



Routine Water Quality Monitoring Results for Metals
11 October 2013




Figure 42: Concentration of Lead, Nickel, Arsenic and Chromium (mean + SD) in water samples collected from Routine Water Quality Monitoring for disposal operations at CMP 1 on 11 October 2013.

Routine Water Quality Monitoring Results for Biochemical Oxygen Demand (BOD₅)
11 October 2013




Figure 43: Level of Biochemical Oxygen Demand (BOD₅; mean + SD) in water samples collected from Routine Water Quality Monitoring for disposal operations at CMP 1 on 11 October 2013.

Source: H:\Team\EM\GMS Projects\0175086 CEDD EM&A for South Brothers\02 Deliverable\07 CMP Monthly Report\14th (October 2013)

Date: 14/10/13

**Environmental
Resources
Management**



Routine Water Quality Monitoring Results for Nutrients
11 October 2013




Figure 44: Concentration of Total Inorganic Nitrogen and NH₃-N (mean + SD) in water samples collected from Routine Water Quality Monitoring for disposal operations at CMP 1 on 11 October 2013.

Routine Water Quality Monitoring for Suspended Solids
11 October 2013




Figure 45: Concentration of Suspended Solids (mean + SD) in water samples collected from Routine Water Quality Monitoring for disposal operations at CMP 1 on 11 October 2013.

Source: H:\Team\EM\GMS Projects\0175086 CEDD EM&A for South Brothers\02 Deliverable\07 CMP Monthly Report\14th (October 2013)

Date: 14/10/13

**Environmental
Resources
Management**



Routine Water Quality Monitoring for CMP 1 - 13 October 2013




Figure 46: Level of pH (mean + SD) recorded during Routine Water Quality Monitoring for disposal operations at CMP 1 on 13 October 2013.

Routine Water Quality Monitoring for CMP 1 - 13 October 2013




Figure 47: Concentration of Dissolved Oxygen (mg/L; mean + SD) recorded during Routine Water Quality Monitoring for disposal operations at CMP 1 on 13 October 2013.

Source: H:\Team\EM\GMS Projects\0175086 CEDD EM&A for South Brothers\02 Deliverable\07 CMP Monthly Report\14th (October 2013)

Date: 14/10/13

**Environmental
Resources
Management**



Routine Water Quality Monitoring for CMP 1 - 13 October 2013




Figure 48: Level of Dissolved Oxygen (% saturation; mean + SD) recorded during Routine Water Quality Monitoring for disposal operations at CMP 1 on 13 October 2013.

Routine Water Quality Monitoring for CMP 1 - 13 October 2013




Figure 49: Level of Salinity (mean + SD) recorded during Routine Water Quality Monitoring for disposal operations at CMP 1 on 13 October 2013.

Routine Water Quality Monitoring for CMP 1 - 13 October 2013




Figure 50: Level of Turbidity (NTU; mean + SD) recorded during Routine Water Quality Monitoring for disposal operations at CMP 1 on 13 October 2013.

Routine Water Quality Monitoring Results for Metals
13 October 2013




Figure 51: Concentration of Copper and Zinc (mean + SD) in water samples collected from Routine Water Quality Monitoring for disposal operations at CMP 1 on 13 October 2013.

Source: H:\Team\EM\GMS Projects\0175086 CEDD EM&A for South Brothers\02 Deliverable\07 CMP Monthly Report\14th (October 2013)

Date: 14/10/13

**Environmental
Resources
Management**



Routine Water Quality Monitoring Results for Metals
13 October 2013




Figure 52: Concentration of Lead, Nickel, Arsenic and Chromium (mean + SD) in water samples collected from Routine Water Quality Monitoring for disposal operations at CMP 1 on 13 October 2013.

Routine Water Quality Monitoring Results for Biochemical Oxygen Demand (BOD₅)
13 October 2013




Figure 53: Level of Biochemical Oxygen Demand (BOD₅; mean + SD) in water samples collected from Routine Water Quality Monitoring for disposal operations at CMP 1 on 13 October 2013.

Source: H:\Team\EM\GMS Projects\0175086 CEDD EM&A for South Brothers\02 Deliverable\07 CMP Monthly Report\14th (October 2013)

Date: 14/10/13

**Environmental
Resources
Management**



Routine Water Quality Monitoring Results for Nutrients
13 October 2013




Figure 54: Concentration of Total Inorganic Nitrogen and NH₃-N (mean + SD) in water samples collected from Routine Water Quality Monitoring for disposal operations at CMP 1 on 13 October 2013.

Routine Water Quality Monitoring for Suspended Solids
13 October 2013




Figure 55: Concentration of Suspended Solids (mean + SD) in water samples collected from Routine Water Quality Monitoring for disposal operations at CMP 1 on 13 October 2013.

Source: H:\Team\EM\GMS Projects\0175086 CEDD EM&A for South Brothers\02 Deliverable\07 CMP Monthly Report\14th (October 2013)

Date: 14/10/13

**Environmental
Resources
Management**



Routine Water Quality Monitoring for CMP 1 - 15 October 2013




Figure 56: Level of pH (mean + SD) recorded during Routine Water Quality Monitoring for disposal operations at CMP 1 on 15 October 2013.

Routine Water Quality Monitoring for CMP 1 - 15 October 2013




Figure 57: Concentration of Dissolved Oxygen (mg/L; mean + SD) recorded during Routine Water Quality Monitoring for disposal operations at CMP 1 on 15 October 2013.

Source: H:\Team\EM\GMS Projects\0175086 CEDD EM&A for South Brothers\02 Deliverable\07 CMP Monthly Report\14th (October 2013)

Date: 14/10/13

**Environmental
Resources
Management**






Figure 58: Level of Dissolved Oxygen (% saturation; mean + SD) recorded during Routine Water Quality Monitoring for disposal operations at CMP 1 on 15 October 2013.




Figure 59: Level of Salinity (mean + SD) recorded during Routine Water Quality Monitoring for disposal operations at CMP 1 on 15 October 2013.

Routine Water Quality Monitoring for CMP 1 - 15 October 2013




Figure 60: Level of Turbidity (NTU; mean + SD) recorded during Routine Water Quality Monitoring for disposal operations at CMP 1 on 15 October 2013.

Routine Water Quality Monitoring Results for Metals
15 October 2013




Figure 61: Concentration of Copper and Zinc (mean + SD) in water samples collected from Routine Water Quality Monitoring for disposal operations at CMP 1 on 15 October 2013.

Source: H:\Team\EM\GMS Projects\0175086 CEDD EM&A for South Brothers\02 Deliverable\07 CMP Monthly Report\14th (October 2013)

Date: 14/10/13

**Environmental
Resources
Management**



**Routine Water Quality Monitoring Results for Metals
15 October 2013**




Figure 62: Concentration of Lead, Nickel, Arsenic and Chromium (mean + SD) in water samples collected from Routine Water Quality Monitoring for disposal operations at CMP 1 on 15 October 2013.

**Routine Water Quality Monitoring Results for Biochemical Oxygen Demand (BOD₅)
15 October 2013**




Figure 63: Level of Biochemical Oxygen Demand (BOD₅; mean + SD) in water samples collected from Routine Water Quality Monitoring for disposal operations at CMP 1 on 15 October 2013.

Source: H:\Team\EM\GMS Projects\0175086 CEDD EM&A for South Brothers\02 Deliverable\07 CMP Monthly Report\14th (October 2013)

Date: 14/10/13

**Environmental
Resources
Management**



Routine Water Quality Monitoring Results for Nutrients
15 October 2013




Figure 64: Concentration of Total Inorganic Nitrogen and NH₃-N (mean + SD) in water samples collected from Routine Water Quality Monitoring for disposal operations at CMP 1 on 15 October 2013.

Routine Water Quality Monitoring for Suspended Solids
15 October 2013




Figure 65: Concentration of Suspended Solids (mean + SD) in water samples collected from Routine Water Quality Monitoring for disposal operations at CMP 1 on 15 October 2013.

Source: H:\Team\EM\GMS Projects\0175086 CEDD EM&A for South Brothers\02 Deliverable\07 CMP Monthly Report\14th (October 2013)

Date: 14/10/13

**Environmental
Resources
Management**






Figure 66: Turbidity and pH (mean + SD) recorded during Water Column Profiling for disposal operations at CMP 1 in October 2013.




Figure 67: Dissolved Oxygen (mean + SD) recorded during Water Column Profiling for disposal operations at CMP 1 in October 2013.

Source: H:\Team\EM\GMS Projects\0175086 CEDD EM&A for South Brothers\02 Deliverable\07 CMP Monthly Report\14th (October 2013)

Date: 14/10/13

**Environmental
Resources
Management**



Water Column Profiling for CMP 1 - October 2013




Figure 68: Salinity and Temperature (mean + SD) recorded during Water Column Profiling for disposal operations at CMP 1 in October 2013.

Water Column Profiling for CMP 1 - October 2013




Figure 69: Suspended Solids (mean + SD) recorded during Water Column Profiling for disposal operations at CMP 1 in October 2013.

Source: H:\Team\EM\GMS Projects\0175086 CEDD EM&A for South Brothers\02 Deliverable\07 CMP Monthly Report\14th (October 2013)

Date: 14/10/13

**Environmental
Resources
Management**

