Table C1 Action and Limit Levels of Water Quality for Dredging, Backfilling and Capping Activities

Parameter	Action Level	Limit Level		
Dissolved Oxygen (DO) (1)	Surface and Mid-depth (2) The average of the impact, WSR 45C and WSR 46 station readings are < 5%-ile of baseline data for surface and middle layer = 4.32 mg L-1	Surface and Mid-depth (2) The average of the impact, WSR 45C and WSR 46 station readings are < 4 mg L-1 and		
	and Significantly less than the reference stations mean DO (at the same tide of the same day)	Significantly less than the reference stations mean DO (at the same tide of the same day)		
	Bottom The average of the impact, WSR 45C and WSR 46 station readings are < 5%-ile of baseline data for bottom layers = 3.12 mg L-1	Bottom The average of the impact station, WSR 45C and WSR 46 readings are < 2 mg L-1 and		
	and Significantly less than the reference stations mean DO (at the same tide of the same day)	Significantly less than the reference stations mean DO (at the same tide of the same day)		
Depth-averaged Suspended Solids (SS) (3) (4)	The average of the impact, WSR 45C and WSR 46 station readings are > 95%-ile of baseline data for depth average = 21.60 mg L -1	The average of the impact, WSR 45C and WSR 46 station readings are > 99%-ile of baseline data for depth average = 40.10 mg L -1		
	and 120% of control station's SS at the same tide of the same day	and 130% of control station's SS at the same tide of the same day		
Depth-averaged Turbidity (Tby) (3) (4)	The average of the impact, WSR 45C and WSR 46 station readings are > 95%-ile of baseline data = 25.04 NTU	The average of the impact, WSR 45C and WSR 46 station readings are > 99%-ile of baseline data = 32.68 NTU		
	and 120% of control station's Tby at the same tide of the same day	and 130% of control station's Tby at the same tide of the same day		

Notes:

- (1) For DO, non-compliance of the water quality limits occurs when monitoring result is lower than the limits.
- (2) The Action and Limit Levels for DO for Surface & Middle layers were calculated from the combined pool of baseline surface layer data and baseline middle layer data.
- (3) "Depth-averaged" is calculated by taking the arithmetic means of reading of all three depths.
- (4) For turbidity and SS, non-compliance of the water quality limits occurs when monitoring result is higher than the limits.

Table C2 In-situ Monitoring Results for Routine Water Quality Monitoring of CMP 2 in January 2015

Sampling	Stations	Temp	Salinity	Turbidity	Dissolve	d Oxygen	pН
Period	Stations	(°C)	(ppt)	(NTU)	(%)	(mg L-1)	(mg L-1)
January	RFF (Reference)	17.48	31.63	8.18	91.72	7.25	7.91
2015	IPF (Impact)	17.38	31.61	3.69	89.62	7.11	7.93
	INF (Intermediate)	17.33	31.56	1.90	89.55	7.11	7.95
	Ma Wan	17.15	31.68	1.62	92.64	7.37	7.91
	Shum Shui Kok	17.44	31.70	1.21	91.37	7.23	7.90
	Tai Mo To	17.40	31.67	14.59	89.89	7.12	7.95
	Tai Ho Bay 1	17.38	31.10	12.43	89.68	7.13	7.90
	Tai Ho Bay 2	17.45	30.75	10.49	84.33	6.71	7.81
	WQO	N/A	28.47-34.80#	N/A	N/A	>4	6.5-8.5

Notes:

Table C3 Water Column Profiling Results for CMP 2 on 14 January 2015

Stations	Temp	Salinity	Turbidity	Dissolved Oxygen		pН	Suspended Solids
	(°C)	(ppt)	(NTU)	(%)	(mg L-1)	(mg L-1)	(mg L-1)
WCP 1 (Downstream)	17.10	30.93	4.56	89.07	7.13	7.92	6.60
WCP 2 (Upstream)	17.66	31.58	1.27	88.01	6.94	7.92	4.65
WQO (dry season)	N/A	28.13- 34.73#	N/A	N/A	>4	6.5-8.5	13.7

Note: *Not exceeding 10% of natural ambient level which is the result obtained from the Reference Station.

 $^{^{\#}}$ Not exceeding 10% of natural ambient level which is the result obtained from the Reference Station. Cell shaded yellow / red indicate value exceeding the Action/Limit levels.