Table B1 Summary Table of DO, Turbidity and SS Levels Recorded in December 2015

| Sampling Date | Tidal Period | Station | _ | Average DO Levels (mg/L) | | Average SS Level |
|------------------|-----------------|---------|--------|-----------------------------|----------------|---------------------|
| | | | Bottom | Surface and Mid Depth | Level (NTU) | (mg/L) |
| 2015/12/30 | Mid-Ebb | DS1 | 7.07 | 7.07 | 5.98 | 8.40 |
| | | DS2 | 7.01 | 6.98 | 6.02 | 8.95 |
| | | DS3 | 7.01 | 6.95 | 5.27 | 9.82 |
| | | DS4 | 7.08 | 7.03 | 5.32 | 7.03 |
| | | DS5 | 7.05 | 6.99 | 5.62 | 5.80 |
| | | US1 | 6.98 | 6.95 | 4.90 | 6.92 |
| | | US2 | 7.04 | 7.07 | 5.09 | 7.62 |
| | | MW1 | 6.77 | 6.78 | 3.17 | 4.92 |
| | Mid-Flood | DS1 | 6.94 | 6.96 | 12.95 | 16.23 |
| | | DS2 | 6.99 | 6.96 | 9.50 | 10.58 |
| | | DS3 | 7.00 | 7.00 | 9.06 | 9.27 |
| | | DS4 | 6.95 | 6.96 | 8.96 | 11.27 |
| | | DS5 | 6.92 | 6.93 | 9.11 | 9.90 |
| | | US1 | 6.97 | 6.95 | 8.86 | 9.52 |
| | | US2 | 7.08 | 6.96 | 9.15 | 9.90 |
| | | MW1 | 6.66 | 6.72 | 5.05 | 6.07 |

- 1. Please refer to Table C2 below for the Action and Limit Levels for dredging activities.
- 2. Cell shaded yellow indicated value exceeding the Action Level criteria.
- 3. Cell shaded red indicated value exceeding the Limit Level criteria.

Table B2 Action and Limit Levels of Water Quality for Dredging, Backfilling and Capping Activities at ESC CMPs

| Parameter | Action Level | Limit Level | | |
|--|--|--|--|--|
| Dissolved Oxygen (DO) (1) | Surface and Mid-depth (2) | Surface and Mid-depth (2) | | |
| | 5%-ile of baseline data for surface and | 1%-ile of baseline data for surface and | | |
| | middle layer = 3.76 mg L ⁻¹ | middle layer = 3.11 mg L -1 (3) | | |
| | and | and | | |
| | Significantly less than the reference | Significantly less than the reference | | |
| | stations mean DO (at the same tide of | stations mean DO (at the same tide of | | |
| | the same day) | the same day) | | |
| | Bottom | Bottom | | |
| | 5%-ile of baseline data for bottom | The average of the impact station | | |
| | layers = 2.96 mg L -1 | readings are <2 mg/L-1 | | |
| | and | and | | |
| | Significantly less than the reference | Significantly less than the reference | | |
| | stations mean DO (at the same tide of | stations mean DO (at the same tide of | | |
| | the same day) | the same day) | | |
| Depth-averaged Suspended | 95%-ile of baseline data for depth | 99%-ile of baseline data for depth | | |
| Solids (SS) (4) (5) | average = 37.88 mg L-1 | average = 61.92 mg L^{-1} | | |
| | and | | | |
| | | and | | |
| | 120% of control station's SS at the same | 130% of control station's SS at the same | | |
| | tide of the same day | tide of the same day | | |
| Depth-averaged Turbidity (Tby) (4) (5) | 95%-ile of baseline data = 28.14 NTU | 99%-ile of baseline data = 38.32 NTU | | |
| · •/ | and | and | | |
| | 120% of control station's Tby at the same tide of the same day | 130% of control station's Tby at the same tide of the same day | | |

- (1) For DO, non-compliance of the water quality limits occurs when monitoring result is lower than the limits.
- (2) The Action and Limit Levels for DO for Surface & Middle layers were calculated from the combined pool of baseline surface layer data and baseline middle layer data.
- (3) Given the Action Level for DO for Surface & Middle layers has already been lower than 4 mg L-1, it is proposed to set the Limit Level at 3.11 mg L-1 which is the first percentile of the baseline data.
- (4) "Depth-averaged" is calculated by taking the arithmetic means of reading of all three depths.
- (5) For turbidity and SS, non-compliance of the water quality limits occurs when monitoring result is higher than the limits.

Table B3 Monitoring Results for Water Quality Monitoring during Capping of ESC on 10 December 2015

| Sampling | Stations | Temp | Salinity | Turbidity | Dissolved Oxygen | | pН | SS |
|----------|--------------------|-------|--------------|-----------|------------------|----------|----------|----------|
| Period | Stations | (°C) | (ppt) | (NTU) | (%) | (mg L-1) | (mg L-1) | (mg L-1) |
| December | RFF (Reference) | 21.62 | 32.13 | 6.75 | 91.74 | 6.70 | 7.99 | 8.19 |
| 2015 | IPF (Impact) | 21.65 | 32.84 | 11.06 | 93.06 | 6.77 | 8.04 | 12.3 |
| | INF (Intermediate) | 21.50 | 32.40 | 10.04 | 94.29 | 6.89 | 8.01 | 13.5 |
| | Ma Wan | 22.29 | 33.35 | 5.22 | 86.81 | 6.22 | 8.02 | 8.07 |
| | WQO | N/A | 28.92-35.35* | N/A | N/A | >4 | 6.5-8.5 | 13.5 |

[#] Not exceeding 2°C of change of the results from the Reference Station.

[#]Not exceeding 10% of natural ambient level which is the result obtained from the Reference Station.

Cell shaded yellow / red indicate value exceeding the Action/Limit levels.

Cell shaded grey indicate value exceeding the WQO.

Table B4 Action and Limit Levels of Water Quality for Dredging, Backfilling and Capping Activities for SB CMPs

| Parameter | Action Level | Limit Level |
|---|--|--|
| Dissolved Oxygen (DO) (1) | Surface and Mid-depth (2) The average of the impact, WSR 45C and WSR 46 station readings are < 5%-ile of baseline data for surface and | Surface and Mid-depth (2) The average of the impact, WSR 45C and WSR 46 station readings are < 4 |
| | middle layer = 4.32 mg L-1 | mg L-1 |
| | Significantly less than the reference stations mean DO (at the same tide of the same day) | Significantly less than the reference stations mean DO (at the same tide of the same day) |
| | Bottom The average of the impact, WSR 45C and WSR 46 station readings are < 5%-ile of baseline data for bottom layers = 3.12 mg L-1 | $\frac{\text{Bottom}}{\text{The average of the impact station,}}$ WSR 45C and WSR 46 readings are < 2 mg L^{-1} |
| | and Significantly less than the reference | and Significantly less than the reference stations mean DO (at the same tide of |
| | stations mean DO (at the same tide of the same day) | the same day) |
| Depth-averaged Suspended Solids (SS) (3) (4) | The average of the impact, WSR 45C and WSR 46 station readings are > 95%-ile of baseline data for depth average = 21.60 mg L-1 | The average of the impact, WSR 45C and WSR 46 station readings are > 99%-ile of baseline data for depth average = 40.10 mg L-1 |
| | and | and |
| | 120% of control station's SS at the same tide of the same day | 130% of control station's SS at the same tide of the same day |
| Depth-averaged Turbidity (Tby) (3) (4) | The average of the impact, WSR 45C and WSR 46 station readings are > 95%-ile of baseline data = 25.04 NTU | The average of the impact, WSR 45C and WSR 46 station readings are > 99%-ile of baseline data = 32.68 NTU |
| | and | and |
| | 120% of control station's Tby at the same tide of the same day | 130% of control station's Tby at the same tide of the same day |

- (1) For DO, non-compliance of the water quality limits occurs when monitoring result is lower than the limits.
- (2) The Action and Limit Levels for DO for Surface & Middle layers were calculated from the combined pool of baseline surface layer data and baseline middle layer data.
- (3) "Depth-averaged" is calculated by taking the arithmetic means of reading of all three depths.
- (4) For turbidity and SS, non-compliance of the water quality limits occurs when monitoring result is higher than the limits.

Table B5 Monitoring Results for Water Quality Monitoring during Capping of SB CMP 1 on 2 December 2015

| Sampling Period | Stations | Temp | Salinity | Turbidity | _ | solved xygen | pН | SS | NH3 | TIN | BOD ₅ |
|--------------------|---------------------------------|-------|------------------|-----------|-------|-----------------|----------|----------|----------|----------|------------------|
| renou | | (°C) | (ppt) | (NTU) | (%) | (mg L-1) | (mg L-1) | (mg L-1) | (mg L-1) | (mg L-1) | (mg L-1) |
| December | RFF (Reference) | 23.65 | 27.14 | 16.90 | 87.86 | 6.37 | 7.92 | 15.37 | 0.06 | 0.71 | 0.94 |
| 2015 | IPF (Impact) INF (Intermediate) | 23.68 | 27.43 | 10.20 | 88.06 | 6.37 | 7.91 | 14.42 | 0.08 | 0.70 | 1.03 |
| | | 23.92 | 29.38 | 8.60 | 85.31 | 6.08 | 7.91 | 11.83 | 0.08 | 0.54 | 0.99 |
| | Ma Wan | 23.95 | 29.79 | 8.40 | 84.85 | 6.03 | 7.92 | 10.93 | 0.08 | 0.46 | 1.20 |
| | Sham Shui Kok | 23.68 | 27.83 | 8.36 | 86.73 | 6.26 | 7.93 | 11.28 | 0.06 | 0.62 | 1.03 |
| | Tai Mo To Tai Ho Bay 1 | 23.71 | 28.08 | 17.10 | 86.29 | 6.22 | 7.91 | 18.12 | 0.08 | 0.63 | 0.83 |
| | | 23.69 | 26.84 | 39.91 | 86.55 | 6.29 | 7.88 | 26.77 | 0.08 | 0.75 | 1.03 |
| | Tai Ho Bay 2 | 24.01 | 25.76 | 10.15 | 87.73 | 6.37 | 7.80 | 11.50 | 0.06 | 0.73 | 1.10 |
| | WQO | N/A | 24.43- 29.86* | N/A | N/A | >4 | 6.5-8.5 | 13.5 | N/A | 0.50 | N/A |

Cell shaded grey indicate value exceeding the WQO.

 Table B6
 Water Column Profiling Results for SB CMP 2 in December 2015

| Stations | Temp | Salinity | Turbidity | Dissolved Oxygen | | тН | |
|------------------|-------|-------------------|-----------|---------------------|------|----------|----------|
| | (°C) | (ppt) | (NTU) | (%) (mg L-1) | | (mg L-1) | (mg L-1) |
| WCP 1 | | | | | | | _ |
| (Downstream) | 23.62 | 27.14 | 11.89 | 84.63 | 6.14 | 7.88 | 9.60 |
| WCP 2 | | | | | | | |
| (Upstream) | 23.69 | 26.87 | 7.31 | 86.37 | 6.27 | 7.89 | 7.35 |
| WQO (Dry season) | N/A | 24.31 - 29.56# | N/A | N/A | >4 | 6.5-8.5 | 13.5 |

Note:

#Not exceeding 10% of natural ambient level which is the result obtained from the Reference Station.

Cell shaded yellow / red indicate value exceeding the Action/Limit levels.

Cell shaded grey indicate value exceeding the WQO.

[#] Not exceeding 2°C of change of the results from the Reference Station.

[#]Not exceeding 10% of natural ambient level which is the result obtained from the Reference Station.

Cell shaded yellow / red indicate value exceeding the Action/Limit levels.