



Environmental Monitoring and Audit for Contaminated Mud Pits to the South of The Brothers and at East Sha Chau (2012-2017) – Investigation *Agreement No. CE 23/2012(EP)*

49th Monthly Progress Report for Contaminated Mud Pits to the South of The Brothers and at East Sha Chau – September 2016

Draft (Revision 0)

12 October 2016

Environmental Resources Management

16/F Berkshire House 25 Westlands Road Quarry Bay, Hong Kong Telephone (852) 2271 3000 Facsimile (852) 2723 5660 www.erm.com







Dredging, Management and Capping of Contaminated Sediment Disposal Facility to the South of The Brothers

Environmental Certification Sheet EP-427/2011/A

Reference Document/Plan

Document/Plan to be Certified/ Verified:

 $49^{\text{th}}\,\text{Monthly}$ Progress Report for Contaminated Mud Pits to

the South of The Brothers and at East Sha Chau -

September 2016

Date of Report:

12 October 2016

Date prepared by ET:

12 October 2016

Date received by IA:

12 October 2016

Reference EP Condition

Environmental Permit Condition:

Condition No.: 4.4

4 hard copies and 1 electronic copy of monthly EM&A Report shall be submitted to the Director within 2 weeks after the end of the reporting month. The EM&A Reports shall include a summary of all non-compliance (exceedances) of the environmental quality performance limits (Action and Limit Levels). The submissions shall be certified by the ET Leader and verified by the Independent Auditor. Additional copies of the submission shall be provided to the Director upon request by the Director.

ET Certification

I hereby certify that the above referenced document/ $\frac{1}{plan}$ complies with the above referenced condition of EP-427/2011/A

Craig A. Reid,

Environmental Team Leader:

Date:

12/10/2016

IA Verification

I hereby verify that the above referenced document/plan complies with the above referenced condition of

EP-427/2011/A

Dr Wang Wen Xiong, Independent Auditor: Date

12/10/2016

Environmental Monitoring and Audit for Contaminated Mud Pits to the South of The Brothers and at East Sha Chau (2012-2017) – Investigation

49th Monthly Progress Report for Contaminated Mud Pits to the South of The Brothers and at East Sha Chau – September 2016

Draft (Revision 0)

Document Code: 0175086 Monthly September 2016 v0.doc

Environmental Resources Management

16/F Berkshire House 25 Westlands Road Quarry Bay Hong Kong

Telephone: (852) 2271 3000 Facsimile: (852) 2723 5660 E-mail: post.hk@erm.com http://www.erm.com

Client:		Project N	o:		
Civil Eng	gineering and Development Department (CEDD)	017508	6		
Summary		Date: 12 Octo	ber 2016	ì	
	ument presents the 49 th monthly progress report for nated Mud Pits at the South of The Brothers and at East u.	Approved Craig A Partner	-		
		Tartro			
v0	49 th Monthly Progress Report for ESC CMPs and SB CMPs	RC	JT	CAR	12/10/16
Revision	Description	Ву	Checked	Approved	Date
'ERM Hong- Contract with taking accou	has been prepared by Environmental Resources Management the trading name of Kong, Limited', with all reasonable skill, care and diligence within the terms of the h the client, incorporating our General Terms and Conditions of Business and ant of the resources devoted to it by agreement with the client.	Distributi	on ernal		8 18001:2007 No. OHS 515956
scope of the		⊠ Pu	blic		BSI
third parties	s confidential to the client and we accept no responsibility of whatsoever nature to to whom this report, or any part thereof, is made known. Any such party relies on their own risk.	☐ Co	nfidential	100	001 : 2008 2 No. FS 32515



CONTENTS

1.1	BACKGROUND	1
1.2	REPORTING PERIOD	2
1.3	DETAILS OF SAMPLING AND LABORATORY TESTING ACTIVITIES	2
1.4	DETAILS OF OUTSTANDING SAMPLING AND/OR ANALYSIS	3
1.5	BRIEF DISCUSSION OF THE MONITORING RESULTS FOR ESC CMPS	3
1.6	ACTIVITIES SCHEDULED FOR THE NEXT MONTH	6
1.7	STUDY PROGRAMME	6
	ANNEXES	
	ANNEX A SAMPLING SCHEDULE	

ANNEX A	SAMPLING SCHEDULE
ANNEX B	WATER QUALITY MONITORING RESULTS
ANNEX C	GRAPHICAL PRESENTATIONS
ANNEX D	STUDY PROGRAMME

Agreement No. CE 23/2012 (EP) Environmental Monitoring and Audit

for Contaminated Mud Pits to the South of The Brothers and at East Sha Chau (2012-2017) - Investigation

49TH MONTHLY PROGRESS REPORT FOR SEPTEMBER 2016

1.1 BACKGROUND

- 1.1.1 Since early 1990s, contaminated sediment (1) arising from various construction works (e.g. dredging and reclamation projects) in Hong Kong has been disposed of at a series of seabed pits at East of Sha Chau (ESC). In late 2008, a review indicated that the existing and planned facilities at ESC would not be able to meet the disposal demand after 2012. In order to meet this demand, the Hong Kong Special Administrative Region Government (HKSARG) decided to implement a new contained aquatic disposal (CAD) (2) facility at the South of The Brothers (SB CMPs) which had been under consideration for a number of years.
- 1.1.2 The environmental acceptability of the construction and operation of the Project had been confirmed by findings of the associated Environmental Impact Assessment (EIA) study completed in 2005 under *Agreement No. CE* 12/2002(EP) ⁽³⁾. The Director of Environmental Protection (DEP) approved this EIA report under the *Environmental Impact Assessment Ordinance* (Cap. 499) (EIAO) in September 2005 (EIA Register No.: AEIAR-089/2005).
- 1.1.3 In accordance with the EIA recommendation, prior to commencement of construction works for the SB CMPs, the Civil Engineering and Development Department (CEDD) undertook a detailed review and update of the EIA findings for the SB site (4). Findings of the EIA review undertaken in 2009/2010 confirmed that the construction and operation of the SB site had been predicted to be environmentally acceptable.

- According to the Management Framework of Dredged/ Excavated Sediment of ETWB TC(W) No. 34/2002, contaminated sediment in general shall mean those sediment requiring Type 2 - Confined Marine Disposal as determined according to this TC(W).
- (2) CAD options may involve use of excavated borrow pits, or may involve purpose-built excavated pits. CAD sites are those which involve filling a seabed pit with contaminated mud and capping it with uncontaminated material such that the original seabed level is restored and the contaminated material is isolated from the surrounding marine environment.7
- (3) Detailed Site Selection Study for a Proposed Contaminated Mud Disposal Facility within the Airport East/ East of Sha Chau Area (Agreement No. CE 12/2002(EP))
- (4) Under the CEDD study Contaminated Sediment Disposal Facility to the South of The Brothers (Agreement No. FM 2/2009)

- 1.1.4 Environmental Permits (EPs) (EP-312/2008/A and EP-427/2011/A) were issued by the Environmental Protection Department (EPD) to the CEDD, the Permit Holder, on 28 November 2008 for ESC CMP V and on 23 December 2011 for SB CMPs, respectively. Under the requirements of the EPs, an Environmental Monitoring and Audit (EM&A) programme as set out in the EM&A Manuals (1) (2) is required to be implemented for the CMPs.
- 1.1.5 The present EM&A programme under *Agreement No. CE 23/2012 (EP)* covers the dredging, disposal and capping operations of the SB CMPs as well as ESC CMPs. Detailed works schedule for ESC CMPs and SB CMPs is shown in *Figure 1.1.* In September 2016, the following works were being undertaken:
 - Disposal of contaminated mud at ESC CMP Vd; and
 - Capping operation at SB CMP 2.

Figure 1.1 Works Schedule for ESC CMPs and SB CMPs

Pit	Operation		20	12	_						:	20	13						I						20)14	ī					ĺ						2	01	5						I						2	01	6						2	01	7
FIL	Operation	s	0	N	D	J	F	N	I	N	1	J	J	Α	s	0	N	D	Į,	J	F	VI	Α	M	J	J	Α	. 5	6	1	N I	D	J	F	M	Α	N	ı	ı,	J	Α	s	0	N	Г	,	J	F	M	Α	M	J	,	J	١ 5	S	0	N	D	J	П	₹
	Dredging																																																				Ī									
ESC CMP	Backfilling																																																													
	Capping																																																													
	Dredging																																																													
SB CMP 1	Backfilling																																																													
	Capping																																																													
	Dredging																																																													
SB CMP 2	Backfilling																																																													
	Capping																				Ī						ľ										ľ																									

1.2 REPORTING PERIOD

1.2.1 This 49th Monthly Progress Report covers the EM&A activities for the reporting month of September 2016.

1.3 DETAILS OF SAMPLING AND LABORATORY TESTING ACTIVITIES

- 1.3.1 The following monitoring activities have been undertaken for ESC CMPs in September 2016:
 - *Pit Specific Sediment Chemistry of ESC CMP Vd* was undertaken on 1 September 2016; and
 - Water Column Profiling of ESC CMP Vd was undertaken on 2 September 2016.

⁽¹⁾ ERM (2012) Environmental Monitoring and Audit (EM&A) Manual. Final First Review. Environmental Monitoring and Audit for Contaminated Mud Pits to the South of the Brothers and at East Sha Chau (2012-2017) – Investigation. Agreement No. CE 23/2012(EP). Submitted to EPD in November 2012.

⁽²⁾ ERM (2010) Environmental Monitoring and Audit (EM&A) Manual. Final Second Review. Environmental Monitoring and Audit for Contaminated Mud Pit at Sha Chau (2009-2013) – Investigation. Agreement No. CE 4/2009(EP). Submitted to EPD in November 2010.


- 1.3.2 No monitoring activities were scheduled to be undertaken for SB CMPs in September 2016.
- 1.4 DETAILS OF OUTSTANDING SAMPLING AND/OR ANALYSIS
- 1.4.1 No outstanding sampling and analysis remained for September 2016.
- 1.5 Brief Discussion of the Monitoring Results for ESC CMPs
- 1.5.1 Brief discussion of the monitoring results of the following activities for ESC CMPs is presented in this 49th Monthly Progress Report:
 - Water Column Profiling of ESC CMP Vd in September 2016;
 - Pit Specific Sediment Chemistry of ESC CMP Vd in August and September 2016; and
 - Cumulative Impact Sediment Chemistry of ESC CMPs in August 2016.
- 1.5.2 Water Column Profiling of ESC CMP Vd September 2016
- 1.5.3 Water Column Profiling was undertaken at a total of two sampling stations (Upstream and Downstream stations) on 1 September 2016. The monitoring results have been assessed for compliance with the Water Quality Objectives (WQOs) set by Environmental Protection Department (EPD). This consists of a review of the EPD routine water quality monitoring data for the wet season period (April to October) of 2006 2015 from stations in the Northwestern Water Control Zone (WCZ), where the ESC CMPs are located (1). For Salinity, the averaged value obtained from the Reference stations was used for the basis as the WQO. Levels of Dissolved Oxygen (DO) and Turbidity were also assessed for compliance with the Action and Limit Levels (see Table B1 of Annex B for details).

In-situ Measurements

1.5.4 Analyses of results for September 2016 indicated that levels of Salinity, DO and pH complied with the WQOs at both Downstream and Upstream stations (*Table B2* of *Annex B*). In addition, DO and Turbidity at all stations complied with the Action and Limit Levels (*Table B1* of *Annex B*).

Laboratory Measurements for Suspended Solids (SS)

- 1.5.5 Analyses of results for September 2016 indicated that the SS levels were higher than the WQO at both Upstream and Downstream stations. However, both Upstream and Downstream stations complied with the Action and Limit Levels (*Table B1* of *Annex B*).
- 1.5.6 Overall, the monitoring results indicated that the mud disposal operation at ESC CMP Vd did not appear to cause any deterioration in water quality during this reporting period.
- 1.5.7 Pit Specific Sediment Chemistry of ESC CMP Vd August and September 2016
- 1.5.8 Monitoring locations for *Pit Specific Sediment Chemistry for ESC CMP Vd* are shown in *Figure 1.2*. A total of six (6) monitoring stations were sampled in August and September 2016.
- 1.5.9 The concentrations of all inorganic contaminants were lower than the Lower Chemical Exceedance Level (LCEL) at all stations in August and September 2016 (*Figures 1, 2, 5* and *6* of *Annex C*).
- 1.5.10 For organic contaminants, the concentrations of Total Organic Carbon (TOC) were similar amongst the stations in August and September 2016 (*Figures 3* and 7 of *Annex C*). In August 2016, Tributyltin (TBT) concentrations were higher at Active Pit station ESC-NPAB and Pit Edge station ESC-NEAA whilst TBT concentrations were higher at Active Pit ESC-NPAA station in September 2016 (*Figures 4* and *8* of *Annex C*). Low and High Molecular Weight Polycyclic Aromatic Hydrocarbons (PAHs), Total Polychlorinated Biphenyls (PCBs), Total dichlorodiphenyltrichloroethane (DDT) and 4,4′-dichlorodiphenyldichloroethylene (DDE) concentrations were below the limit of reporting at all stations in August and September 2016.
- 1.5.11 Overall, there is no evidence indicating any unacceptable environmental impacts to sediment quality as a result of the contaminated mud disposal operations at ESC CMP Vd in August and September 2016. Statistical analysis will be undertaken and presented in the quarterly report to investigate whether there are any unacceptable impacts in the area caused by the contaminated mud disposal.




File: CMPV\0103262_SQMS_pit specific.mxd Date: 29/10/2009

Pit Specific Sediment Quality Monitoring Stations for CMPV



- 1.5.12 Cumulative Impact Sediment Chemistry of ESC CMPs August 2016
- 1.5.13 Monitoring locations for *Cumulative Impact Sediment Chemistry for ESC CMPs* are shown in *Figure 1.3*. A total of nine (9) monitoring stations were sampled in August 2016.
- 1.5.14 Analyses of results for the *Cumulative Impact Sediment Chemistry Monitoring* indicated that the concentrations of all inorganic contaminants were below the LCEL in August 2016 (*Figures 9* and 10 of *Annex C*).
- 1.5.15 For organic contaminants, concentrations of TOC were observed to be similar among all stations (*Figure 11* of *Annex C*). Concentrations of TBTs were recorded to be higher at Ma Wan station and Capped Pit station ESC-RCA (*Figure 12* of *Annex C*). Total DDT, 4,4'-DDE, Total PCBs as well as Low and High Molecular Weight PAHs were recorded below the limit of reporting at all stations.
- 1.5.16 Overall, there is no evidence indicating any unacceptable environmental impacts to sediment quality as a result of the contaminated mud disposal operations at ESC CMP Vd in August 2016. Statistical analysis will be undertaken and presented in the quarterly report to investigate whether there are any unacceptable impacts in the area caused by the contaminated mud disposal.



File: 0103262_SQMS_cum impact.mxd Date: 29/10/2009

Management



1.6 ACTIVITIES SCHEDULED FOR THE NEXT MONTH

- 1.6.1 The following monitoring activities will be conducted in the next monthly period of October 2016 for ESC CMPs:
 - Water Column Profiling of ESC CMP Vd;
 - Routine Water Quality Monitoring of ESC CMP Vd;
 - Water Quality Monitoring During Dredging of ESC CMP Vb; and
 - Pit Specific Sediment Chemistry of ESC CMP Vd.
- 1.6.2 No monitoring activities will be scheduled in the next monthly period of October 2016 for SB CMPs.
- 1.6.3 The sampling schedule is presented in *Annex A*.
- 1.7 STUDY PROGRAMME
- 1.7.1 A summary of the Study programme is presented in *Annex D*.

Annex A

Sampling Schedule

Annex A1 - Environmental Monitor	ing unu Auuit su	mpun		ie Jor	East of S	Snu Cnuu	i (Septer			uurg 2017)						204																	204.6				
Dit CoopiCi - C. 11 (Cl. 1)	C-1	C	2012	В	7 7	N.C.	3.6	2013			E	т	F 3.6		3.4	2014			0 3	D	T 7	1.	3.5	2015			N.T.	D	т .	E 3.5			2016			NT T	201
Pit Specific Sediment Chemistry	Code	S	O N	D	J F	M A	. M	J J	AS	O N	D	J	F M	Α	M	J	J A		O N	D	J F	M A	M	J	A	S O	N	D	J .	F M	Α	M J] 	A S	0	N D)]]
Active-Pit				.										-		_															<u> </u>		 	 	+		
	ESC-NPDA	*	* *			* *		* *							\vdash															*		* *		* *	*	* *	
	ESC-NPDB	*	* *	*	* *	* *	*	* *	*						\vdash															*	*	* *	*	* *	*	* *	* *
Pit-Edge							\perp								\vdash																		<u> </u>	+-+	++		
	ESC-NEDA	*	* *		* *		+	* *		\bot					\vdash								_							*		* *		* *	*	* *	
	ESC-NEDB	*	* *	*	* *	* *	*	* *	*																					*	*	* *	*	* *	*	* *	* *
Near-Pit																																			\perp		
	ESC-NNDA	*	* *	*	* *	* *	*	* *	*																					*	*	* *	*	* *	*	* *	
	ESC-NNDB	*	* *	*	* *	* *	*	* *	*																					*	*	* *	*	* *	*	* *	* *
Cumulative Impact Sediment Che	mistry	S	O N	D	J F	M A	. M	JJ	A S	ON	D	J	F M	A	M	J]	J A	S	O N	D	J F	M A	M	JJ	A	S O	N	D	J :	F M	Α	M J	J	AS	0	N D) J
Near-field Stations																																			\Box		
	ESC-RNA			*	*			*	*																							*		*		*	+
	ESC-RNB			*	*			*	*																							*		*	+	*	ŧ.
Mid-field Stations							1 1																										 		+		
	ESC-RMA			*	*			*	*																							*	 	*	+	*	+
	ESC-RMB			*	*	+ +		*	*	+ +														 		 						*	+	*	+	*	+
Capped Pit Stations	200 10010			 	- -	+ +	++		+ +	+ +	+			+	 	\dashv	+			+			+	 		 		$\overline{}$	\dashv	+			+		+		+
empress in outnoise	ESC-RCA			*	*	+ +	++	*	*	+ +				+	 	\dashv	\dashv			+			+	 		 		$\overline{}$	\dashv	+	1	*	+	*	+	*	<u> </u>
	ESC-RCA ESC-RCB			*	*	+ +	++	*	*	+	+			+	+	+	+			+						 		-+	+	- 	1	*	+	*	+-+	*	ķ.
Far-Field Stations	LUC-ICD			╁		+ + -			+	+	+									+				 		 			+				+		+		
1 at-1 icia Jianolis	ESC-RFA	\vdash		*	*	+ +	+	*	*	+ +				1	\vdash	+								 		 			+	-		*	+	*	+	*	<u> </u>
	ESC-RFA ESC-RFB			*	*	+ +		*	*	+	+	\vdash		+	 	+	-			+	 		-	 		 		-+	+			*	+	*	+	*	<u> </u>
Ma Mara Chatian	ESC-KFD					+ +	+								\vdash																		+	+	++		
Ma Wan Station	3. ATA7-1			*	*			*	*						\vdash																	+	+	+	++	4	<u>,</u>
	MW1			Î	, °			<u> </u>	, î																											n	`
																																			—		
Sediment Toxicity Tests		S	O N	D	J F	M A	. M	J J	AS	ON	D	J	F M	A	M	J]	J A		O N	D	J F	M A	M	JJ	A	S O	N	D	J .	F M	Α	M J	J	AS	O	N D) J
Near-Field Stations							\perp																										<u> </u>		+		
	ESC-TDA				*				*																									*	$\downarrow \downarrow \downarrow$		
	ESC-TDB				*				*																									*	\bot		
Reference Stations																																			\perp		
	ESC-TRA				*				*																								<u> </u>	*			
	ESC-TRB				*				*																									*			
Ma Wan Station																																					
	MW1				*				*																									*			
						11 -	1 1													_								_									
Tissue/ Whole Body Sampling		S	O N	D	J F	M A	. M	J J	A	O N	D	J	F M	A	M	J]	J A	S	O N	D	J F	M A	M	JJ	A	S O	N	D	J .	F M	A	M J	J	A S	0	N D) J
Impact Stations																																	'		\bot		
	ESC-INA				*				*																								<u> </u>	*	\perp		
	ESC-INB				*				*																								<u> </u>	*	igsquare		
Reference																																					
	ESC-TNA				*				*																									*			
	ESC-TNB				*				*																									*			
	ESC-TSA				*				*																									*			
	ESC-TSB				*				*																				_					*			
		<u> </u>				•			•							-					-					-			•								
Demersal Trawling		S	O N	D	J F	M A	. M	JI	A	ON	D	J	F M	A	M	J	J A	S	O N	D	JF	M A	M	J	A	S O	N	D	J :	F M	A	MJ	I	A S	0	N D) II
Impact Stations																																					
*	ESC-INA				* *	+ +	+ +	*	*	 	1					+													\top	 			*	*	+		*
	ESC-INB				* *	+ +	+	*	*	+ +				†			\dashv	†		1			1					\dashv	\top				*	*	+		*
Reference Stations						+ +	++		+ +	++				†			_	+		1				 		 		\dashv	\dashv				†		+		
	ESC-TNA			1 1	* *	+ + -	+	*	*	+ +						+				+				 		 			+	 			*	*	+		*
	ESC-TNB			 	* *	+ +	++	*	*	+ +	+			1	 	+					1			 					+	 			*	*	+		*
	TOC-11AD			╁		+			+ +	+	+				\vdash	-				+				\vdash		 			+	- 			+		+		
	ESC-TSA			╂	* *	+ +	+	*	*	+ +				+	\vdash		-	+					-	 		 			-	-			*	*	+		*
	ESC-TSA ESC-TSB			╂	* *	+ +	++	*		+		\vdash		+	\vdash	+	-			+	 		+	 		 		\dashv	+				*		+		*
	E3C-13D														<u> </u>									<u> </u>		<u> </u>									<u>ш</u>		
			0		T .			T .							3.5	T				I -		3.5		- I		6		_	T			7.7				3.7	
		S	O N		-	M A		J J		ON	D	J	F M	A	M	J]	J A	S	O N	D	J F	M A	M	JJ	A	S O	N	D	J :		Α			A S	_) J
Water Column Profiling Plume Stations	WCP1 WCP2	S *	O N * *	*	* *	* *	*	J J * *	*	O N	D	J	F M	A	M	J]	J A	S	O N	D	J F	M A	M	J J	A	S O	N	D	J I	F M *	*	M J * *	*	A S * *	*	* *	

Annex A1 - Environmental Monito	oring and Audit S	Samplin			r East	of Sha	Chau ((Septe		2 - Februa	ry 201	7)					01.4							20	24 5						-	001.6				2015
Benthic Recolonisation Studies		S	2012 O N		Ţ	F M	Γ Λ	M	2013	A C	0	N D	T	E M	Λ		014	A .	s C	N	DI		М)15	C	O N	D I	EM			016	S 0	NI	D	2017
	X 7	5	U	V D	J	r W	A	IVI	JJ	A 5	0 .	N D	J	F M	A	M J	J	A	S C	, IN	D J	F I	M A	M J	JA	S	O N	D J	r M	A M	ı J	J A	S O	IN	D	J F
Capped Contaminated Mud Pits I																																				
	ESC-CPA			*						*		*						*			*				*			*								
	ESC-CPB			*						*		*						*			*				*			*								
	ESC-CPC			*						*		*						*			*				*			*								
Reference Stations																																				
	ESC-RBA			*						*		*						*			*				*			*								
	ESC-RBB			*						*		*						*			*				*			*								
	ESC-RBC			*						*		*						*			*				*			*								
								<u>1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 </u>																						<u> </u>						l
Impact Monitoring for Dredging		S	O N	J D	T	F M	Γ A	M	тТ	AS	0	N D	ī	F M	Α	M J	I	A !	s C	N	D I	F	МА	МІІ	JA	S	O N	D J	F M	A	r T	JA	S O	N	D	I F
Upstream/Reference Stations				, 2				-112	<i>y y</i>							, ,	,						.,	, ,	,		0 11				- ,)		- 1		, -
Opstream/ Reference Stations	US1	*	* *	* *	*	* *	*	*							+					+				+ + -		*	* *	* *	*				*	*	*	
					*																					*			*				*		*	
	US2			`		<u> </u>	<u> </u>	<u> </u>																		,								<u> </u>		
Downstream/Impact Stations								\sqcup																												
	DS1	*		* *		* *	*	*																		*	* *		*				*	*	*	
	DS2	*	* *	* *	*	* *	*	*																		*	* *		*				*	*	*	
	DS3	*	* *	* *	*	* *	*	*								<u> </u>	<u> </u>	[<u> </u>		<u></u>		*	* *	* *	*	<u> </u>			*	*	*	
	DS4	*	* *	* *	*	* *	*	*																		*	* *	* *	*				*	*	*	
	DS5	*	* *	* *	*	* *	*	*																		*	* *	* *	*				*	*	*	
Ma Wan Station																	 			1 1		1 1		† †					1 1	1 1				1		<u> </u>
	MW1	*	* *	* *	*	* *	*	*																		*	* *	* *	*				*	*	*	
	111111							<u> </u>																												<u> </u>
Capping		S	O N	J D	T	F M	ГА	M	I I	AS	O 3	N D	T	F M	A	MJ	ī	A	$\mathbf{S} \mid \mathbf{C}$	N	DI	F	M A	MJ	J A	S	O N	D]	F M	A	f T	J A	S O	N	D	I F
Ebb Tide					,	1 142	1 11	141	<i>J J</i>				,	1 111	11	141)	,						11	111)	<i>j</i> 11		0 11		1 111	11 14	<u> </u>) 11				, <u>-</u>
					1		-								-					++++				+ +					+ + -							
Impact Station	T00 TDT1			_	1		-	-							+	 		*		+		.		 					 							
	ESC-IPE1			_								*		*		*					*	*		*	*			*	*							
	ESC-IPE2											*		*		*		*			*	*		*	*			*	*							
	ESC-IPE3											*		*		*		*			*	*		*	*			*	*							
	ESC-IPE4											*		*		*		*			*	*		*	*			*	*							
	ESC-IPE5											*		*		*		*			*	*		*	*			*	*							
Intermediate Station																																				
	ESC-INE1											*		*	1	*		*			*	*		*	*			*	*							
	ESC-INE2						+	\Box			+	*		*		*		*			*	*		*	*			*	*							
	ESC-INE3				1		+	\vdash			-+	*		*		*	+ +	*			*	*		*	*			*	*					-		
								\vdash				*		*	+	*		*		+	*	*		*	*			*	*							
	ESC-INE4							+				*		*		*		*			*	*			*			*	*							
	ESC-INE5				1			\vdash				^		*		*		*			*	*		*	^			*	*							
Reference Station								\sqcup																												
	ESC-RFE1							\sqcup				*		*	1	*		*			*	*		*	*			*	*							
	ESC-RFE2							igsqcut				*		*		*		*			*	*		*	*			*	*							
	ESC-RFE3									<u> </u>		*		*		*		*			*	*		*	*			*	*							
	ESC-RFE4											*		*		*		*			*	*		*	*			*	*							
	ESC-RFE5											*		*		*		*			*	*		*	*			*	*							
Ma Wan Station																																				
	MW1			1			1					*		*	1	*	1	*			*	*		*	*			*	*	1				1		
Flood Tide			<u> </u>		1				L	<u> </u>				ı	<u> </u>	. 1	<u>, l</u>		-	1	$\neg \vdash$	<u>. l</u>	1	<u>, </u>		1			1 1	<u>, l</u>	I	. 1	<u> </u>		+ +	
Impact Station																																				
-F 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	ESC-IPF1	-							Ī		T	*		*		*	1	*			*	*	I	*	*			*	*					1	1	Ī
1				-	+ +			+		\vdash		*		*		*	+	*		\rightarrow	*	, , ,	_		*			*	*	 			\vdash	+		
	ESC-IPF2			_	+	_	+	\vdash				*	+		+		+	<u>"</u>	-	\rightarrow			_	*						+ +	+	 		+-	1 1	
	ESC-IPF3							\vdash		\vdash		*		*		*	+-+	^		+	*	*		*	*			*	*				 	+		
Intermediate Station								$\downarrow \downarrow \downarrow$									\bot			\perp		\bot							\bot						+	
	ESC-INF1											*		*		*		*			*	*		*	*			*	*							
	ESC-INF2											*		*		*		*			*	*		*	*			*	*							
	ESC-INF3											*		*		*		*			*	*		*	*			*	*							
Reference Station							Ì								Ì																					
	ESC-RFF1						1					*		*		*	 	*		+ +	*	*		*	*			*	*	 					 	
	ESC-RFF2			+			+	\vdash				*		*		*	+ +	*	-	+	*	*		*	*			*	*	+ +					1	
	ESC-RFF3			+			+	+			-+	*	+	*	+	*	+ +	*			*	*		*	*			*	*	+ +	+		+ +	+	+ +	
Ma Wan Station	LJC-MTJ							+		 	+					 	+ +			+ +		+ +		+ + -					+ + -	+ +	+		 	+		-
ivia vvaii StatiOII	እ	-					+	-	-			*		*		*	+	*			*	*		*	*			*	*	+ +				+	+	
	MW1	1								1 1 1			i l			*						^		*		1		"	1 "			1 1	î l	1		

Annex A1 - Environmental Monitoring and Audit Sampling Schedule for East of Sha Chau (September 2012 - February 2017)

Timex III Environmental Ivion	· ·		2012		,				13								2014								2015						201	.6				2017	
Routine Water Quality Monito	ring	S	O N	I D	JF	M	A	м Ј	J	A S	O N	D	J F	M	Α	M	J]	A	S	0 1	l D	J	FN	A A M	ГЈЈ	A S	O N	D J	F M	A M	J	J.	A S	0	N D	J F	
Ebb Tide		П										П																									٦
Impact Station																																					
1 1	ESC-IPE1		* *		* *		*	*	*	*																				* *		*	*	*	*	* *	1
	ESC-IPE2		* *		* *		*	*	*	*																			1	* *		*	*	*	*	* *	1
	ESC-IPE3		* *		* *		*	*	*	*									1											* *		*	*	*	*	* *	1
	ESC-IPE4		* *		* *		*	*	*	*																				* *		*	*	*	*	* *	1
	ESC-IPE5		* *		* *		*	*	*	*																				* *		*	*	*	*	* *	
Intermediate Station																																				+	٦
	ESC-INE1		* *		* *		*	*	*	*																				* *		*	*	*	*	* *	٦
	ESC-INE2		* *		* *		*	*	*	*																				* *		*	*	*	*	* *	٦
	ESC-INE3		* *		* *		*	*	*	*																			1	* *		*	*	*	*	* *	┪
	ESC-INE4		* *		* *		*	*	*	*																				* *		*	*	*	*	* *	
	ESC-INE5		* *		* *		*	*	*	*		 								† †				+ +	 	1			1 1	* *	\dagger	*	*	*	*	* *	1
Reference Station																				1										1 1	1 1						٦
	ESC-RFE1		* *		* *		*	*	*	*																			 	* *		*	*	*	*	* *	٦
	ESC-RFE2		* *		* *		*	*	*	*																			1	* *		*	*	*	*	* *	٦
	ESC-RFE3		* *		* *		*	*	*	*										1										* *	1 1	*	*	*	*	* *	٦
	ESC-RFE4		* *		* *		*	*	*	*																				* *		*	*	*	*	* *	٦
	ESC-RFE5		* *		* *		*	*	*	*																				* *		*	*	*	*	* *	٦
Ma Wan Station																																					٦
	MW1		* *		* *		*	*	*	*																				* *		*	*	*	*	* *	
Flood Tide				•									<u>'</u>		<u> </u>		<u> </u>			<u>'</u>			<u>'</u>	<u> </u>	<u> </u>	<u>'</u>	<u> </u>	<u> </u>			<u> </u>						
Impact Station																																					
	ESC-IPF1		* *		* *		*	*	*	*																				* *		*	*	*	*	* *	٦
	ESC-IPF2		* *		* *		*	*	*	*																				* *		*	*	*	*	* *	٦
	ESC-IPF3		* *		* *		*	*	*	*																				* *		*	*	*	*	* *	
Intermediate Station												 													1						† †						1
	ESC-INF1		* *		* *		*	*	*	*		1 1																		* *	1 1	*	*	*	*	* *	٦
	ESC-INF2		* *		* *		*	*	*	*		 										1				1				* *	† †	*	*	*	*	* *	1
	ESC-INF3		* *		* *		*	*	*	*																				* *		*	*	*	*	* *	
Reference Station																																					
	ESC-RFF1		* *		* *		*	*	*	*		 																		* *	1 1	*	*	*	*	* *	
	ESC-RFF2		* *		* *		*	*	*	*		 																		* *	1 1	*	*	*	*	* *	1
	ESC-RFF3		* *		* *		*	*	*	*		1 1																		* *		*	*	*	*	* *	7
Ma Wan Station												1 1																			1 1						
	MW1		* *		* *		*	*	*	*		1 1																		* *		*	*	*	*	* *	7
				1		-								1																							_

Annex A2 - Environmental Monitoring and Audit Sampling Schedule for South of The Brothers (July 2012 - February 2017)

				2012							2013									203	14									2015										20	016					
Baseline Monitoring Prior to Dredging	Code	Frequency	I A	S 0		D	J F	M	Α				S	0 1	N D	J	F	M A	M			A	$\mathbf{S} \mid \mathbf{O}$	O N	D	J	FIN	и А	M		A	S	0	N	D	Ţ	FIN	Л А	M		010 J	A	$\mathbf{s} \mid \mathbf{o}$	N	D	
ar Field Stations	2000		, ,				-				, ,									,	,					, -				, .						,				+	+	—	+	+-	_	一
	SB-WFA	3 days per week for 4 weeks	* *	1																																			+	+	\vdash	\neg	+	+	+	十
	SB-WFB	3 days per week for 4 weeks	* *																																				\top	+	\vdash	-	\top	+		十
Mid Field Stations		T T T T T T T T T T T T T T T T T T T											t																1 1			1							+	+	+	-	+	+	+	十
	SB-WMA	3 days per week for 4 weeks	* *																										1 1			1							+	+	+	-	+	+	+	十
	SB-WMB	3 days per week for 4 weeks	* *	+ +				+			+		t														_					+					_		+	+	+	-	$\overline{}$	+	+	十
Near Field Stations	OD WIND	5 days per week for 1 weeks		+ +	+			1	\vdash		+		+		+		-+	-	+			-	+	+	+		-					╁	1	\vdash			-	-	+	+-	+	-	+	+	+	十
vear rela stations	SR_W/NI A A	3 days per week for 4 weeks	* *	+ +				+			+		\vdash		\dashv		-+	-	+			-	+				+		1 1	-		╁	<u> </u>	\vdash			+	-	+	+-	+	-+	+	+	+	+
			* *	+ + -							+		\vdash				-										+					1					+	-	+	+-	+-+	-+	$\overline{}$	+	+	+
	SB-WNBA	3 days per week for 4 weeks	* *						\vdash		-		+		+		-		-				-	+	+		-					+	<u> </u>	\vdash				-	+	+	+	-+	+	+	+	+
		3 days per week for 4 weeks	* *		+	\vdash		+			-		\vdash			-	-					-	_	+	+		-					-		\vdash			-	-	+	+	+	-	+	+	+	+
Reference Stations	3D-WINDD	3 days per week for 4 weeks	\vdash	+	+						-		\vdash			-	-					-	_	+	+		-					+		\vdash			-	-	+	+	+	-+	+	+	+	+
Reference Stations	NM1	2 dans man areal, for 4 areals	* *		-						-					-	-						-		1		-					1							+	+-	+	-+	+	$+\!\!-$	+	+
		3 days per week for 4 weeks			_	\vdash			\vdash		_		\vdash			-			-			_	_		+		_		+			1			_		_		+	+	+	-	+	+	+	+
	NM2	3 days per week for 4 weeks	* *								_		\vdash									_		-	-		_		1			<u> </u>					_		+	+	+	-	+	$+\!\!-$	—	+
	NM3	3 days per week for 4 weeks	* *																					_					1 1										—		+	$-\!\!\!+$	+			_
	NM5	3 days per week for 4 weeks	* *										\sqcup														_					<u> </u>					_			┷	\bot			—		4
	NM6	3 days per week for 4 weeks	* *	\bot	1	$oxed{oldsymbol{eta}}$		1	\sqcup				\sqcup			$\downarrow \downarrow \downarrow$			1						$oxed{igspace}$		\perp		+			<u> </u>	1				\perp		4	—	+		\bot		4	
Sensitive Receiver Stations									igsquare				\sqcup																					igsqcut						\bot	\sqcup	\bot	\bot	Д_		
	MW1	3 days per week for 4 weeks	* *						$\coprod J$				ШĬ												$oldsymbol{ol{ol{ol}}}}}}}}}}}}}}}}$									ШĬ							$oxed{oxed}$					
	THB1	3 days per week for 4 weeks	* *																																											
	THB2	3 days per week for 4 weeks	* *																																					T						П
	WSR45C	3 days per week for 4 weeks	* *										\sqcap																										\top		\Box	\top	\top	\top	T	\top
	WSR46	3 days per week for 4 weeks	* *					1			\neg		1 1			1 1			1			\neg		\neg	1 1		\neg		1 1		i	1	1				\neg	\neg	\top	T	\Box	\neg	\top	\top	1	\top
		7 1	-					-								-								•				ı.			·	-														
mpact Monitoring for Dredging			JA	SO	N	D	J F	M	A	M	JI	Α	S	0	N D	J	F 1	M A	M	J	J	A S	$\mathbf{S} \mid \mathbf{C}$	O N	D	JI	FIN	И А	M	J i	A	S	О	N	D	J	FIN	Л А	M	[]	I	A	$S \mid O$	N	D	
Jpstream Stations											, ,										,			_		,	_			,						,	_		$\overline{}$	+	 	-	$\overline{}$	$\overline{}$	$\overline{}$	干
5 post-cum c unito 110	US1	3 days per week			*	*	* *	*	*	*	* *	*	*	*	* *	*	*	* *	*	*	*	* :	* *	* *			-		1 1			1					-		+	+	+	-	+	+	+	十
	US2	3 days per week		+ +	*			*		*	* *	*	*	*	* *	*	*	* *	*	*	*	* :	* *	* *	+ +		+		+ +			+	<u> </u>	\vdash			-	-	+	+	+	-+	+	+	+	十
Downstream Stations	032	3 days per week	\vdash	+ +	+	\vdash		+	\vdash		-		+		_		-		+			-	-	-	+		+		+			+		\vdash	-	-	+	-	+	+-	+	-	+	+	+	+
Jownstream Stations	DC1	2 dans managas	\vdash		*	*	* *	*	*	*	* *	*	*	*	* *	*	*	* *	*	*	*	* ;	* *	* *	-				+			1				_			+	+-	+	-+	+	+-	+	+
	DS1	3 days per week	\vdash	+ +			 						*		* *	*		* *		*	*			4 4	1		-		1 1			-		\vdash			_	_	+	+-	+	-+	-	+	+	+
	DS2	3 days per week		+	*		* *					*			* *	*						* '	* *	* *					1 1												+	$-\!\!\!+$	+	—		_
	DS3	3 days per week			*		* *					*	*		* *	*			*		*	* ;	* *	* *																	\bot					
	DS4	3 days per week			*	*							*	*	* *	*	*				*	* :	* *	* *																Ш_	\perp					Ш.
	DS5	3 days per week			*	*	* *	*	*	*	* *	*	*	*	* *	*	*	* *	*	*	*	* :	* *	* *																						
Sensitive Receiver Stations																																														
	MW1	3 days per week			*	*	* *	*	*	*	* *	*	*	*	* *	*	*	* *	*	*	*	* :	* *	* *																1				T		
	THB1	3 days per week			*	*	* *	*	*	*	* *	*	*	*	* *	*	*	* *	*	*	*	* :	* *	* *															\top	\top	1			\top	\top	十
	THB2	3 days per week			*	*	* *	*	*	*	* *	*	*	*	* *	*	*							* *															\top		\vdash	\neg	\top	\top	_	\top
	WSR45C	3 days per week		† †		*							*			*			*			* :		* *					1 1										+	+	+	-	+	+	+	十
	WSR46	3 days per week					* *					*	*	*	* *	*	*		*		*	* :	* *	* *			_												+	+	+	-	+	+	+	+
		o mayor per meet																														1														<u> </u>
Pit Specific Sediment Chemistry			I A	S O) N	D	I F	M	Α	M	тIт	Α		0	N D	J	F 1	ΜΙА	М	T	Ţ	A	$S \mid C$) N	D	I I	FΙN	Л А	М	Ţ l	· A	LS	0	N	D	T	FIN	ЛΙА	ТМ	[]	T	Α	s o	IN	I D	
SB CMP 1 Active			, ,	+				+			, , ,										,					, -			+	,		+	+		_				_	+	1		+	+	+	干
Near-Pit				+ +					 		\dashv		+ +			+	_					-	+	+	+ +		\dashv		+	-			1	 	-	-+	\dashv	+	+	+	++	+	+	+	+	十
1 10m2 1 1t	SB-NNAA	Monthly		+ +	+	 		+	 	-	+	12	12	12 1	12 12	2 12	12	12 12) 12	12	12	12 1	12 12	2 12	+	-	+		+	-+		+	1	 	-+	+	+	+	+	+-	+	+	+	+	+	+
	SB-NNAB		\vdash	+		\vdash		-	\vdash		+	12	12	12 1	12 12	2 12	12 -	12 12	12	12	12	12 1	12 12	2 12	+		+	-	+	$ \vdash$		+		\vdash	-	+	+	+	+	+	++	+	+	+	+	+
Dit Edge	JU-ININAD	MOILIN		+ +	+	\vdash	_	+	\vdash		+	12	12	14	14 12	12	14 .	12 12	12	12	14 .	14 I	12 12	12	+	_	+		+	-+		+	1	$\vdash \vdash$		+	+	+	+	+-	+	+	+	+-	+-	+
Pit-Edge	OD 3.77	N		+-		-			\vdash		+			12	10	1	12	10	.	1.	4.2	10	10	2 7 -	+		+		+			-	-	$\vdash \vdash$			+	_	+	+-	+	+	+	+-	4	+
	SB-NEAA		\vdash	+	1	igspace		_	\sqcup			12	12	12 1	12 12	2 12	12 1	12 12	2 12	12	12	12 1	12 12	2 12					\bot			<u> </u>	<u> </u>	$\sqcup \downarrow$					4	—	+	—	—			
	SB-NEAB	Monthly							igsquare			12	12	12 1	12 12	2 12	12	12 12	2 12	12	12	12 1	12 12	2 12										igsqcut						\bot	\sqcup	\bot	\bot	Щ.		
Active-Pit													oxed							Ш							ot										ot	\bot	\bot	\bot	$oxed{oxed}$		\bot	\bot		
	SB-NPAA								$\coprod I$			12				2 12													$oldsymbol{ol}}}}}}}}}}}}}}}}}$					\coprod							$oldsymbol{\bot}$					
	SB-NPAB	Monthly										12	12	12 1	12 12	2 12	12	12 12	2 12	12	12	12 1	12 12	2 12															\bot						\perp	
B CMP 2 Active																																							\top	\top		\Box	\top	\top	T	丁
Near-Pit				1				1			\neg		\Box		\neg		$\overline{}$		1						1 1		\dashv					1	1				\dashv		\top	\top	\Box	\top	\top	\top	T	十
	SB-NNBA	Monthly						1			\dashv		1 1	-	\dashv		$\overline{}$	\dashv	1	1 1		\dashv	\dashv	\top	12	12 1	2 1	2 12	12	12 1	2 12	12	12	12	12	12 1	2 1	2	+	+	+	+	+	+	1	+
	SB-NNBB			+ +		 			 		+		+ +		\dashv		-+	+		1		\dashv	\dashv	+	12	12 1	2 1	2 12	12	12 1	2 12	12	12	12	12	12 1	2 1	2	+	+	+	+	+	+	+	十
	OPTNINDD	14101111111		+ +	+	╁	_	+	 	-	+	-	+ +	-+	\dashv	1	+	-+	+	1		\dashv	+	+	14	14 1	L	- 12	14	14 1	_ 12	12	14	14	14	14	L	_	+	+	+	+	+	+	+	+
Pit-Edge		Mondal		+ +	+	\vdash		+	\vdash		-	-	+	-+	_	+	-+	_	+			-	_	-	12	10 1	12 4	2 12	10	10 4	2 42	10	10	10	12	10 -	12 4	2	+	+-	+	+	+	+-	+-	+
Pit-Edge	CD NIEDA		. 1		1	ı I		1	1 1		- 1		1 1												12	12 1	ι ∠ Ι	Z 12	12	14 1	z <u>j 1</u> 2	12	12	12	14	14	14 1	4	1	1	1 1		- 1			4
Pit-Edge		Monthly		+ +		 			1				 															A	4.0	10 -	3	4.0	4.0	10	10	10	<u> </u>	_	+-	$\overline{}$	+	-	+-	$\overline{}$	$\overline{}$	-
		Monthly																				_		_	12	12 1	12 1	2 12	12	12 1	2 12	12	12	12	12	12 1	12 1	2	工	T	텎	丰	士	工	工	4
Pit-Edge Active-Pit	SB-NEBB	Monthly																												12 1	2 12	12	12	12	12	12 1	12 1	2	\pm	\equiv	\blacksquare	丰	丰	$oxed{T}$	Ŧ	\pm
		Monthly Monthly																							12	12 1	12 1	2 12	12 12 12	12 1 12 1	2 12 2 12	12	12	12 12	12	12 1 12 1	12 1	2	Ŧ			<u> </u>	\pm		$ar{\pm}$	\pm

Annex A2 - Environmental Monitoring and Audit Sampling Schedule for South of The Brothers (July 2012 - February 2017)

					012					2013								2014						2015					201	6			2
Cumulative Impact Sediment Chen	nistry		J	A S		N D	J	F	M A	M J J	AS	0	N D	J	F	M A	M		A	S O N D	J F	MA	M			S O	N I	D J F M A			S) N	
Near-field Stations	·																																
	SB-RNA	4 times per year									12		12	2	12			12	12	12	12			12	12		1	2 12					
	SB-RNB	4 times per year									12		12		12			12	12	12	12			12	12		1	2 12					
Mid-field Stations																																	
	SB-RMA	4 times per year									12		12		12			12	12	12	12			12	12		1						
	SB-RMB	4 times per year									12		12	2	12			12	12	12	12			12	12		1	2 12					
Far-Field Stations																																	
	SB-RFA	4 times per year									12		12		12			12	12	12	12			12	12		1						
	SB-RFB	4 times per year									12		12	2	12			12	12	12	12			12	12		1	2 12					
Capped Pit Stations																																	
	SB-RCA	4 times per year									12		12		12			12	12	12	12			12	12			2 12					
	SB-RCB	4 times per year									12		12	2	12			12	12	12	12			12	12		1	2 12					
Sensitive Receiver Stations																																	
	MW1	4 times per year									12		12		12			12	12	12	12			12	12		1						
	THB1	4 times per year									12		12		12		_	12	12	12	12		_	12	12		1						
	THB2	4 times per year									12		12	-	12			12	12	12	12			12	12		1	2 12					
Sediment Toxicity Tests			1 7 1	A		NIL) T	Е	MILA	MITIT			NI I D	T	Б	M	M	т		S O N D	ı L	M	3.7	T 1 3			NT .		MIT	T A) I at I	рГт
SB CMP 1 Active			J	A 5		IN L	J	Г	A A	1V1 J J	A 5		N D	J	r	A A	IVI	J	A	3 O N D	J F	IVI A	IVI	J	A	3 0	1N	D J F M A	IVI J	JA	3 (N	D J
Reference					+ +			 		+ + +	+ +	+ +	+	1 +	_		 		+	 		 	+ +		+ +	_		1 1 1 1	++		 		
	SB-TRA	2 times per year			+ +			 		+ + +	5	+ +		1 1		5			5	- 		 	+ +		+ +	_		 	++				
	SB-TRB	2 times per year			+ +			 		+ + +	5	+ +	+	1 +		5	 		5	 		 	+ +		+ +	_		1 1 1 1	++		 		
Near-Field	02 III	- miss per year			+ +			 		 	+ - + -	+ +			-		\vdash		+ + +	- 		 	+		+ +	_		 	++				
	SB-TAA	2 times per year		\dashv	\dagger	-		+		 	5	+ +	\dashv	+		5			5	 		 	+		+ +			1 1 1 1	++		\vdash		
	SB-TAB	2 times per year		\dashv	1 1	\dashv	1	\vdash		 	5	+ +	\dashv	1 1		5			5	 		 	+ +		+ +	_		 	++				
Sensitive Receiver Stations		2 times per year								1 1 1									+ -				1					 					
Seriora to receive a surrection	MW1	2 times per year								1 1 1	5					5			5									 					
	THB1	2 times per year			+ +			 		+ + +	5	+ +				5	\vdash		5	- 		 	+ +		+ +	_		 	++				
	THB2	2 times per year									5	+ +		+ +		5			5				+ +										
SB CMP 2 Active		j		_	+	\dashv		\vdash		+ + +	+ - + -	+ +	\dashv	+	\dashv	-	\vdash	_	+ + + +			 	+	-	+ +	_			++	1	\vdash	+	
Reference				\dashv	\dagger	-		+		 	+ +	+ +	\dashv	+	-				+	 		 	+		+ +			1 1 1 1	++		\vdash		
	SB-TRA	2 times per year		\dashv	+ +	-		+		 	+ +	+ +	\dashv	+	_				+	- 	5	 	+	-	5			5	++				
		2 times per year		_	1 1	\dashv				 		1 1	\dashv	1 1	\dashv				+ +	 	5		1 1		5	\top		5	++			\top	
Near-Field		- territor p or y our			1 1	\dashv		\vdash					\dashv		\dashv													 					
	SB-TBA	2 times per year		\dashv	1 1	\dashv		\vdash		 	+ +	+ +	\dashv	+	_				+	 	5	 			5	_		5	+				
	SB-TBB	2 times per year				_				1 1 1			+		<u> </u>						5				5			5					
Sensitive Receiver Stations	-	F == <i>y</i> ===								1 1 1			_															 					
	MW1	2 times per year				_				1 1 1			+		<u> </u>						5				5			5					
	THB1	2 times per year									1 1			1 1							5		1 1		5			5					
	THB2	2 times per year				_				1 1			+								5				5			5					
		1 /							ı																					I			
Tissue/ Whole Body Sampling			J	A S	0	N D	J	F	M A	M J J	A S	0	N D	J	F I	M A	M	J J	A	S O N D	J F	M A	M	J J	A	S O	N I	J F M A	M J	J A	S) N	D J
Near-Pit Stations	CD INIA	2.1								+					*				4		<u>.</u>				*			*			\vdash		
	SB-INA SB-INB	2 times per year			-						1				*				*		*		+										
	SK-INB										1 1	1 1	1			1	oxdot		_ ^ [*		\perp		*	_		*	++	-	\vdash	-	
Defener es Newth	3D-11 \ D	2 times per year			+			\vdash		+ + +	 	+ +		+	-	-		ı	7 7		1					1		1			1 I		
Reference North															*				*		*				*			*	+			+-	
Reference North	TNA	2 times per year																	*		*			\downarrow	*			*					
															*				*									*					
	TNA TNB	2 times per year 2 times per year													*				* *														
	TNA TNB TSA	2 times per year2 times per year2 times per year																	* * *						*			*					
	TNA TNB	2 times per year 2 times per year													*				* * * *						*			*					
Reference South	TNA TNB TSA	2 times per year2 times per year2 times per year		A S	0	N D	D J	F	M A	MJJ	AS	6 0	N D		* *	M A	M	<u>J</u> J	*	S O N D	*	MA	M	J	* *	S O	N 1	*	M J	J A	S C	D N	DJ
Reference South Demersal Trawling	TNA TNB TSA TSB	2 times per year 2 times per year 2 times per year 2 times per year	J	A S	0	N D) J	F	M A	M J J		6 0	N D	J	* * * F 1	M A	M	JJ	*		* * * J F	M A	M	J	* * * * *	S O	N	*	M J	J A	S	D N	D J
Reference South Demersal Trawling	TNA TNB TSA TSB	2 times per year 2 times per year 2 times per year 2 times per year 5 4 times per year	J	A S	0	N D	D J	F	M A	M J J	5	5 O	N D	J 5	* * * * * * * * * * * * * * * * * * *	M A	M	J J	*		* *	M A	M M		* * * * * 5 5 5	S O	N	*	M J	J A	S	D N	D J
Reference South Demersal Trawling Impact	TNA TNB TSA TSB	2 times per year 2 times per year 2 times per year 2 times per year	J	A S	0	N D) J	F	M A	M J J		5 O	N D	J 5	* * * * * * * * * * * * * * * * * * *	M A	M	J J 5 5 5	*		* * * J F	M A	M		* * * * *	S O	N 1	*	M J	J A	S	D N	D J
Reference South Demersal Trawling Impact	TNA TNB TSA TSB SB-INA 1-5	2 times per year 2 times per year 2 times per year 2 times per year 4 times per year 4 times per year	J	A S	0	N D		F	M A	M J J	5 5	6 O	N D	5 5	* * * * * * * * * * * * * * * * * * *	M A	M	J J 5 5	*		* * * * * 5 5 5 5	M A	M	5	* * * * * 5 5 5 5	S O	N	* * * * * * * * * * * * * * * * * * *	M J	J A	S	D N	D J
Reference South Demersal Trawling Impact	TNA TNB TSA TSB SB-INA 1-5 TNA 1-5	2 times per year 2 times per year 2 times per year 2 times per year 4 times per year 4 times per year	J	A S	0	N D	D J	F	M A	M J J	5 5 5	6 0	N D	5 5 5	* * * * * * * 5 5 5 5	M A	M	J J 5 5 5	* *		* * * * * * 5 5 5 5 5 5 5	M A	M	5	* * * * * 5 5 5 5 5 5	S O	N 1	* * * * * * * * * * * * * * * * * * *	M J	J A	S	D N	D J
Reference North Reference South Demersal Trawling Impact Reference North	TNA TNB TSA TSB SB-INA 1-5	2 times per year 2 times per year 2 times per year 2 times per year 4 times per year 4 times per year	J	A S	0	N D	D J	F	M A	M J J	5 5	5 O	N D	5 5	* * * * * * * 5 5 5 5	M A	M	J J 5 5 5 5 5 5	* *		* * * * * 5 5 5 5	M A	M	5	* * * * * 5 5 5 5	S O	N I	* * * * * * * * * * * * * * * * * * *	M J	J A	S	D N	D J
Reference South Demersal Trawling Impact	TNA TNB TSA TSB SB-INA 1-5 SB-INB 1-5 TNA 1-5 TNB 1-5	2 times per year 2 times per year 2 times per year 2 times per year 4 times per year 4 times per year 4 times per year 4 times per year	J	A S	0	N D	D J	F	M A	M J J	5 5 5 5	5 O	N D	5 5 5	* * * * * * * * * * * * * * * * * * *	M A	M	5	* *		* * * * * 5 5 5 5 5 5 5 5 5		M	5	* * * * * * * 5 5 5 5 5 5 5 5 5 5	S O	N	* * * * * * * * * * * * * * * * * * *	M J	J A	S	D N	D J
Reference South Demersal Trawling Impact Reference North	TNA TNB TSA TSB SB-INA 1-5 TNA 1-5	2 times per year 2 times per year 2 times per year 2 times per year 4 times per year 4 times per year	J	A S	0	N D		F	M A	M J J	5 5 5	6 O	N D	5 5 5	* * * * * * 5 5 5 5 5 5 5 5 5 5 5 5 5 5	M A	M	5	* *		* * * * * * 5 5 5 5 5 5 5		M	5	* * * * * 5 5 5 5 5 5	S O	N	* * * * * * * * * * * * * * * * * * *	M J	J A	S	D N	D J

Annex A2 - Environmental Monitoring and Audit Sampling Schedule for South of The Brothers (July 2012 - February 2017)

					2012					20	013								2014								2015	5								2	2016					2017
Routine Water Quality Monitoring			Ţ			N D	I F	F M	A	M J		A S	0	N D) I	F	M	A M		A	$s \mid 0$	N	D	F	M	A M			S	0	N	ρп	F	М	AN			A	S	O N		
Ebb Tide			j		5 0	11 2	, , ,	1112		111	,	11 0		11 2	,	_	111	1112	, ,		0			, -	112	11 111	,	<u>, , , , , , , , , , , , , , , , , , , </u>					+				+			7		干
Impact Stations Downcurrent																																	+	+	十		+	\vdash	+	+	-	+
r	SB-IPE1	8 times per year								_		8	8	8	8	8	8	8 8	8	8	8	8	8	3 8	1 1	8 8		8 8	3	8	8	8	8	\vdash	十	+	+	\vdash	\neg	+	-	+
	SB-IPE2	8 times per year										8	8	8	8	8	8	8 8	8	8	8	8	8	3 8		8 8		8 8	;	8	8	8	8		\top	+	+		\top	+	\neg	+
	SB-IPE3	8 times per year										8	8	8	8	8	8	8 8		8	8	8	8	3 8	_	8 8		8 8	;	8	8		8		\top	+	+		\top	+	\neg	+
	SB-IPE4	8 times per year										8	8	8	8	8	8	8 8		8	8	8	8	3 8		8 8		8 8	;	8			8		\top	+	+		\neg	+	-	+
	SB-IPE5	8 times per year										8	8	8	8		8	8 8		8	8	8	8	3 8		8 8		8 8	;	8		8	_		\top	+	+		\top	+	\neg	+
Intermediate Stations Downcurrent		1 5																															+-		\neg		+	\vdash		+		\top
	SB-INE1	8 times per year										8	8	8	8	8	8	8 8	8	8	8	8	8	3 8	1 1	8 8		8 8	;	8	8	8	8		\top	+	+		-	+	\neg	+
	SB-INE2	8 times per year										8	8	8	8	8	8	8 8	8	8	8	8		3 8	1 1	8 8		8 8	3	8	8	8	8		\top	+	+	\vdash	\neg	+	-	\top
	SB-INE3	8 times per year										8	8	8	8	8	8	8 8	8	8	8	8		3 8	1 1	8 8		8 8	;	8	8	8	8		\neg	+	\vdash	\vdash	\neg	+	-	+
	SB-INE4	8 times per year										8	8	8	8	8	8	8 8	8	8	8	8		3 8	1 1	8 8		8 8	3	8	8	8	8		\top	+	+	\vdash	\neg	+	-	\top
	SB-INE5	8 times per year										8	8	8	8	8	8	8 8		8	8	8	8	3 8	1 1	8 8		8 8	3	8	8		8		\top	+	+	\vdash	\neg	+	-	\top
Reference Stations Upcurrent		r - J		\vdash				+			1 1		+ + +		1				+		 	+ +	-	 				\top	\top	1		一广	+-		+	+	+	\vdash	+	+	+	+
· r	SB-RFE1	8 times per year		\vdash				+			1 1	8	8	8	8	8	8	8 8	8	8	8	8		3 8	+	8 8	\vdash	8 8	-	8	8	8	8		+	+	+	\vdash	+	++	\top	+
	SB-RFE2	8 times per year										8	8	8	8	8	8	8 8		8	8	8	8	3 8		8 8		8 8	;	8	8	8	8		-	+-	+	\vdash	+	+	-	+
	SB-RFE3	8 times per year								1		8	8	8	8			8 8		8	8	8	8	3 8		8 8		8 8	;	8		8			十	+	+	\vdash	\neg	+	-	+
	SB-RFE4	8 times per year										8	8	8	8	8	8	8 8		8	8	8	8	3 8	1 1	8 8		8 8	;	8		8	8		+	+	+	\vdash	-	+ +	-	+
	SB-RFE5	8 times per year						+				8	8	8	8			8 8		8	8	8		3 8		8 8		8 8	-	8			8	+	+	+	+	\vdash	+	+	-	+
Sensitive Receiver Stations		r						+					+ +									+ +				Ť			+	+		Ť	+-	++	+	+	+	\vdash	+	+	-	十
	MW1	8 times per year						+				8	8	8	8	8	8	8 8	8	8	8	8		3 8		8 8		8 8		8	8	8	8	++	+	+	+	\vdash	+	+	-	十
	THB1	8 times per year										8	8	8	8	8	8	8 8	8	8	8	8		8 8	+ +	8 8		8 8		8	8	8	8	\vdash	-	+	+	\vdash	+	+	-	+
	THB2	8 times per year										8	8	8	8		8	8 8		8	8	8		8 8		8 8		8 8		_	8	8	_	\vdash	十	+	+	\vdash	+	+	-	+
	WSR45C	8 times per year										8	8	8	8		8	8 8		8	8	8		8 8	+ +	8 8		8 8		8	_	8	8	\vdash	+	+-	+	\vdash	+	+	-	+
	WSR46	8 times per year						+				8	8	8	8			8 8		8	8	8		3 8		8 8		8 8	-	8			8	++	+	+	+	\vdash	+	+	-	十
Flood Tide		1 1 1 1								+															+ +								+	\vdash	+	+-	+	\vdash	_	+	-	+
Impact Stations Downcurrent																																	+	\vdash	十	+	+	\vdash	+	+	-	+
	SB-IPF1	8 times per year										8	8	8	8	8	8	8 8	8	8	8	8		3 8	+ +	8 8		8 8		8	8	8	8	\vdash	+	+-	+	\vdash	+	+	-	+
	SB-IPF2	8 times per year										8	8	8	8			8 8		8	8	8		8 8		8 8		8 8		8			8	\vdash	+	+-	+	\vdash	+	+	-	+
	SB-IPF3	8 times per year										8	8	8	8			8 8		8	8	8	5	8 8		8 8		8 8		8		8	_	\vdash	+	+-	+	\vdash	+	+	-	+
Intermediate Stations Downcurrent	02 11 10	o times per year											+ -								- U				+ +			0 0				Ü	+ - '	\vdash	+	+	+	\vdash	+	+	-	+
intermediate Stations Downearrent	SB-INF1	8 times per year								+		8	8	8	8	8	8	8 8	8	8	8	8	,	3 8	+ +	8 8		8 8		8	8	8	8	\vdash	+	+	+	\vdash	-+	+	-	+
	SB-INF2	8 times per year										8	+ +	8	_	8		8 8		8	8	8		8 8	+ +	8 8		8 8		8		_	8	\vdash	+	+-	+	\vdash	+	+	-	+
	SB-INF3	8 times per year										8	8		8			8 8		8	8	8		3 8		8 8		8 8		8			8	\vdash	+	+	+	\vdash	+	+	-	+
Reference Stations Upcurrent	32 11 (10	o times per year								+											Ů	Ü			+ +			0 0				Ü	+ - '	\vdash	+	+	+	\vdash	-+	+	-	+
openien	SB-RFF1	8 times per year								_		8	8	8	8	8	8	8 8	8	8	8	8	5	8 8	+ +	8 8	 	8 8	:	8	8	8	8	+	+	+	+	\vdash	+	+	+	+
	SB-RFF2	8 times per year								+	1 1	8	8		8			8 8		8	8	8		8 8		8 8	 	8 8	-	8			8	+	+	+	+	\vdash	+	+	+	+
	SB-RFF3	8 times per year			+					 		8	8		8			8 8		8	8	8		3 8		8 8	+	8 8	-	8			8	+	+	+	+	\vdash	-	+	一十	+
Sensitive Receiver Stations	22 1410	o mines per year		\vdash				+	\vdash	-	1 1		+ + +				+		+	+ +			———		+ +		\vdash		+			+	+	+	+	+	+	\vdash	+	+	+	+
Sending Checker Change	MW1	8 times per year		\vdash				+		-		8	8	8	8	8	9	8 8	8	8	8	8		8 8	+ +	8 8	 	8 8	+	8	8	R	8	+	+	+	+	+	+	+	+	+
	THB1	8 times per year		\vdash				+	\vdash	-		8	8		8			8 8		8	_	8		8 8		8 8		8 8		8			8	+	+	+	+	\vdash	+	+	+	+
	THB2	8 times per year		\vdash				+	\vdash	-	1 1	8			8			8 8		8		8		8 8		8 8		8 8		8			8	++	+	+	+	\vdash	+	+	+	+
	WSR45C	8 times per year			\dashv					-		8	8	8	8			8 8		8	8	8		8 8		8 8	 	8 8		8			8	+	+	+	+	\vdash	+	+	+	+
	WSR46	8 times per year		\vdash				+	\vdash	-	\dagger	8	_	8	8	_		8 8		8	8	8		8 8		8 8	\vdash	8 8		8			8	+	+	+	+	\vdash	+	+	+	+
	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	o mines per yeur			<u> </u>					1		Ŭ	1 0 1	Ü	Ü	Ŭ				l ~ l	- 1	Ü			1 1		<u> </u>	J (<u> </u>	U	Ü						ш					—
Water Column Profiling			Ţ	Α	$S \mid O \mid$	N D	I F	Е М	Α	M J	I	AS	0	N D) I I	F	M	A M	I I I	Α	$\mathbf{S} \mid \mathbf{O}$	N	D	I F	M	A M	Ţ	T I A	S	0	N	DI	F	M	AIN	л I	I	A	$S \mid C$	O N	D	
Plume Stations	WCP1	Monthly	,					-7-		-	,							4 4	-																—		+		1	+	一	一
	WCP2	Monthly		\vdash				+		-	1 1	4 4						4 4		4						4 4		_		4			4		+	+	+	+	+	+	+	+
	11012	1/10111111										. 1	1			•			- 1 ·	- 1	- I	1 *	-	· '				* '		1	•			للثلا			لسل	للسلا				

Annex A2 - Environmental Monitoring and Audit Sampling Schedule for South of The Brothers (July 2012 - February 2017)

				201	2				2013	3							201	14							2015							2016	}				2017
Capping Water Quality Monitoring			ΤΔ			DI	F M	А М			S	0 N	ı D	I F	М				A S (D I	F	M A	М		Δ	s o	N	D 1	I F M				S) N	D	
Ebb Tide			J	1 3	O N	D J	I IVI	A WI	J .	JA	3	O I		J I	141	A	J	J	A 5 (D J	T	IVI A	141	J J	Α	3 0	14		1 141	A W	J	JA	3 (J N		J 1
Impact Stations Downcurrent				+ +															+ +	+ +										++-	++-						
1	SB-IPE1	4 times per year																			3	3			3	3		1 1	3	3		3	3			3	\neg
	SB-IPE2	4 times per year																			3	3			3	3			3	3	+	3	3			3	
	SB-IPE3	4 times per year																			3	3			3	3			3	3	+	3	3			3	
	SB-IPE4	4 times per year																			3	3			3	3			3	3	+	3	3			3	
	SB-IPE5	4 times per year		1	_		+ + +														3	3			3	3		1 1	3	3	1 	3	3			3	
Intermediate Stations Downcurrent		F <i>y</i>									1				1 1		1 1									+ +					++	+ +					
	SB-INE1	4 times per year									1				1 1		1 1				3	3			3	3			3	3	++	3	3			3	-
	SB-INE2	4 times per year																			3	3		1	3	3		1 1	3	3	++	3	3			3	\rightarrow
	SB-INE3	4 times per year		+	-	+ +	+ + +						+ +		+		+			++++	3	3		+	3	3			3	3	++	3	3			3	-
	SB-INE4	4 times per year		+++			+ + +				+ +		+ +				+ +				3	3			3	3		+ +	3	3	++-	3	3			3	$\overline{}$
	SB-INE5			-		+	+ + +				+ +		-				+ +				2	2		-	2	3		+ +	2	3	+	3	2			2	-
Defended Claffer Historian	SD-IIVES	4 times per year		- 			+ + +				+ +						+ +				3	3			3	3		 	3	3	+-+	3	3			3	-+-
Reference Stations Upcurrent	CD DEE4	4		+	_	+					+		_				+				2	- 2			2	+		+	_		++	1 2		-	-		-
	SB-RFE1	4 times per year		+							+				+		+		+	\dashv	3	3			3	3		+	3	3	++	3	3		_	3	\longrightarrow
	SB-RFE2	4 times per year		\dashv		 	+				\downarrow		+		\perp	$oxed{oxed}$	$\downarrow \downarrow \downarrow$		+	\dashv	3	3		\perp	3	3		\bot	3	3	+	3	3	$oxed{oxed}$		3	\longrightarrow
	SB-RFE3	4 times per year		\perp															\bot	\rightarrow	3	3			3	3			3	3	\bot	3	3		\bot	3	\longrightarrow
	SB-RFE4	4 times per year																			3	3			3	3			3	3		3	3			3	
	SB-RFE5	4 times per year																			3	3			3	3			3	3		3	3			3	
Sensitive Receiver Stations																																					
	MW1	4 times per year																			3	3			3	3			3	3		3	3			3	
	THB1	4 times per year																			3	3			3	3			3	3		3	3			3	
	THB2	4 times per year		1 1			1 1				1 1						1 1			1 1	3	3		1	3	3		1 1	3	3	+	3	3			3	
	WSR45C	4 times per year					1 1 1														3	3			3	3			3	3	++-	3	3			3	
	WSR46	4 times per year		+ +	-		+ + +		-		+ +		+ +				+ +			+ +	3	3		1	3	3		+ +	3	3	++	3	3			3	
Flood Tide	***************************************	r tillies per year		+ +	-		+ + +				+ +																	+ +			+						
Impact Stations Downcurrent				+	-	+	+ + +	_			+ +		+ +		+		+	_		++++	-	+		+ +	-	+		+ +	-		++	+		\vdash	-		
impact stations Downcurrent	CD IDE1	4.6		- 			+ + +				+ +						+ +				_	-			2	+ - +		 	2	3	+-+-	3				2	'
	SB-IPF1	4 times per year		+	_						+						+ +				3	3			3	3		+	3	3	++	3	3		-	3	'
	SB-IPF2	4 times per year				+ +					+										3	3			3	3			3	3	+	3	3			3	
	SB-IPF3	4 times per year									+										3	3			3	3			3	3	++	3	3			3	
Intermediate Stations Downcurrent																										\perp			_		\bot						
	SB-INF1	4 times per year																			3	3			3	3			3	3	\perp	3	3			3	
	SB-INF2	1 3																			3	3			3	3			3	3		3	3			3	
	SB-INF3	4 times per year																			3	3			3	3			3	3		3	3			3	
Reference Stations Upcurrent																																					
	SB-RFF1	4 times per year																			3	3			3	3			3	3		3	3			3	
	SB-RFF2	4 times per year																			3	3			3	3			3	3		3	3			3	
	SB-RFF3	4 times per year			\neg						1 1						1 1		1 1	\neg	3	3		1 1	3	3			3	3		3	3			3	\neg
Sensitive Receiver Stations		• •		1 1	1			1			1 1								1	1 1						 					+						\neg
	MW1	4 times per year		+ +	1	+ +	+ + +				1 1		+ +				\dagger		++	+ +	3	3		+ +	3	3		1 1	3	3	++	3	3		1	3	
	THB1	4 times per year		+ +	 		+ + +	-			+ +	 	+ +				+		++	++	3	3		+ +	3	3		1 1	3	3	++	3	3	 	1	3	$\overline{}$
	THB2	4 times per year		++	\dashv	+ +	+ + +	_		_	+ +	+	+ +		+ +		+ +		++	++	3	3		+ +	3	3	_	+	3	3	++	3	3	 	+	3	+
	WSR45C	4 times per year 4 times per year	 	+	-+	+ +	+ + +	 		_	+ +	-+	+ +		+ -	\vdash	+		+	+	3	3		+ +	3	2	_	+	3	3	+	3	2	 	-	3	+
	WSR46			+	\dashv	+	+ + +				+	+	+ +		+	\vdash	+		+	+	3	2		+	3	3	-	+ $+$	3	3	+	3	2	\vdash	+	3	+
	VV 31\40	4 times per year																			J	J			J	J			J	3		3	3			J	
Benthic Recolonisation Studies			I T I A	1 E I	O L N	DI	EIM	A I M	T I	тІл	c		I D	I E	M	A 1 3 /	т	Ţ	1 C L (O NT I	ד ת	Е	M	M	тІт	Ι Δ	e I o	NT.	י 1 ח	I E I M	A DA	т	T I A) I M	D	I E
			J P	1 3	UN	D J	F M	A W	J .	j A	3	UN	עיי	J F	IVI	A IV	J	J	A S C	J N	υJ	ľ	IVI A	IVI	JJ	A	3 0	IN	J	F M	AM	J	JA	3 (JN	D	JF
Capped Contaminated Mud Pits	CD CD :	2.11		+						_	+				+		+		+	\rightarrow						1.3		 			++	+			-	1	$-\!$
	SB-CPA	2 times per year		+			1 1				$\downarrow \downarrow$		+		\vdash		4		+	\dashv						12			12		+	+	12			12	\longrightarrow
	SB-CPB	2 times per year		\perp											igspace		\bot			\rightarrow						12			12		+		12			12	
				\perp															\bot	\rightarrow											\bot						
Reference Stations				$oldsymbol{ol}}}}}}}}}}}}}}}}}}$																$oldsymbol{oldsymbol{oldsymbol{\sqcup}}}$											<u> </u>						
	RBA	2 times per year																								12			12				12			12	
	RBB	2 times per year																								12		1	12				12			12	
	RBC	2 times per year																								12		1	12				12			12	
				-			•	•	•			-		•			_				-	-	•	-	•		_										

Notes:

[&]quot;*" = Number of replicates depends on parameters

Naming of stations are tentative only and will be subjected to changes

Annex B

Water Quality Monitoring Results

Table B1 Action and Limit Levels of Water Quality for Dredging, Backfilling and Capping Activities at ESC CMPs

Parameter	Action Level	Limit Level
Dissolved Oxygen (DO) (1)	Surface and Mid-depth (2)	Surface and Mid-depth (2)
	5%-ile of baseline data for surface and	1%-ile of baseline data for surface and
	middle layer = 3.76 mg L-1	middle layer = 3.11 mg L^{-1} (3)
	and	and
	Significantly less than the reference	Significantly less than the reference
	stations mean DO (at the same tide of	stations mean DO (at the same tide of
	the same day)	the same day)
	Bottom	Bottom
	5%-ile of baseline data for bottom	The average of the impact station
	layers = 2.96 mg L-1	readings are <2 mg/L-1
	and	and
	Significantly less than the reference	Significantly less than the reference
	stations mean DO (at the same tide of the same day)	stations mean DO (at the same tide of the same day)
Depth-averaged Suspended	95%-ile of baseline data for depth	99%-ile of baseline data for depth
Solids (SS) (4) (5)	average = 37.88 mg L-1	average = 61.92 mg L-1
	and	
		and
	120% of control station's SS at the same	130% of control station's SS at the same
	tide of the same day	tide of the same day
Depth-averaged Turbidity (Tby) (4) (5)	95%-ile of baseline data = 28.14 NTU	99%-ile of baseline data = 38.32 NTU
	and	and
	120% of control station's Tby at the same tide of the same day	130% of control station's Tby at the same tide of the same day

Notes:

- (1) For DO, non-compliance of the water quality limits occurs when monitoring result is lower than the limits.
- (2) The Action and Limit Levels for DO for Surface & Middle layers were calculated from the combined pool of baseline surface layer data and baseline middle layer data.
- (3) Given the Action Level for DO for Surface & Middle layers has already been lower than 4 mg L-1, it is proposed to set the Limit Level at 3.11 mg L-1 which is the first percentile of the baseline data.
- (4) "Depth-averaged" is calculated by taking the arithmetic means of reading of all three depths.
- (5) For turbidity and SS, non-compliance of the water quality limits occurs when monitoring result is higher than the limits.

Table B2 Water Column Profiling Results for ESC CMP Vd in September 2016

Stations	Temp	Salinity	Turbidity	Dissolved Oxygen		pН	Suspended Solids
	(°C)	(ppt)	(NTU)	(%)	(mg L-1)	(mg L-1)	(mg L-1)
WCP 1							
(Downstream) WCP 2	28.00	24.76	29.32	64.83	4.42	7.63	22.00
(Upstream)	28.27	23.53	15.46	67.15	4.59	7.61	14.85
WQO (Wet season)	N/A	21.73 <i>–</i> 25.89#	N/A	N/A	>4	6.5-8.5	11.0

Note:

[#]Not exceeding 10% of natural ambient level which is the result obtained from the Reference Station.

Cell shaded yellow / red indicate value exceeding the Action/Limit levels.

Cell shaded grey indicate value exceeding the WQO.

Annex C

Graphical Presentations




Figure 1: Concentration of Metals and Metalloid (Cr, Cu, Ni, Pb, Zn, As; mg/kg dry weight; mean +SD) in sediment samples collected from Pit Specific Sediment Chemistry Monitoring for ESC CMP Vd in August 2016.




Figure 2: Concentration of Metals (Cd, Hg, Ag; mg/kg dry weight; mean +SD) in sediment samples collected from Pit Specific Sediment Chemistry Monitoring for ESC CMP Vd in August 2016.

Date: 7/10/2016






Figure 3: Concentration of Total Organic Carbon (TOC) (mg/kg dry weight; mean +SD) in sediment samples collected from Pit Specific Sediment Chemistry Monitoring for ESC CMP Vd in August 2016.




Figure 4: Concentration of Tributyltin (TBT) (μg TBT/kg; mean +SD) in sediment samples collected from Pit Specific Sediment Chemistry Monitoring for ESC CMP Vd in August 2016.

Date: 7/10/2016






Figure 5: Concentration of Metals and Metalloid (Cr, Cu, Ni, Pb, Zn, As; mg/kg dry weight; mean +SD) in sediment samples collected from Pit Specific Sediment Chemistry Monitoring for ESC CMP Vd in September 2016.




Figure 6: Concentration of Metals (Cd, Hg, Ag; mg/kg dry weight; mean +SD) in sediment samples collected from Pit Specific Sediment Chemistry Monitoring for ESC CMP Vd in September 2016.

Date: 7/10/2016






Figure 7: Concentration of Total Organic Carbon (TOC) (mg/kg dry weight; mean +SD) in sediment samples collected from Pit Specific Sediment Chemistry Monitoring for ESC CMP Vd in September 2016.




Figure 8: Concentration of Tributyltin (TBT) (μg TBT/kg; mean +SD) in sediment samples collected from Pit Specific Sediment Chemistry Monitoring for ESC CMP Vd in September 2016.

Deliverable\07 CMP Monthly Report\49th (September 2016 7/10/2016

Date:






Figure 9: Concentration of Metals and Metalloid (Cr, Cu, Ni, Pb, Zn, As; mean +SD) in sediment samples collected from Cumulative Impact Sediment Chemistry Monitoring for ESC CMPs in August 2016.




Figure 10: Concentration of Metals (Cd, Hg, Ag; mean +SD) in sediment samples collected from Cumulative Impact Sediment Chemistry Monitoring for ESC CMPs in August 2016.

Date: 7/10/2016






Figure 11: Concentration of Total Organic Carbon (TOC) (mg/kg dry weight; mean +SD) in sediment samples collected from Cumulative Impact Sediment Chemistry Monitoring for ESC CMPs in August 2016.




Figure 12: Concentration of Tributyltin (µg TBT/kg; mean +SD) in sediment samples collected from Cumulative Impact Sediment Chemistry Monitoring for ESC CMPs in August 2016.

Date: 7/10/2016



Annex D

Study Programme

