



Monthly EM&A Report for Contaminated
Mud Pits to the East of Sha Chau and the
South of The Brothers – August 2017

Revision 1

29 September 2017

Environmental Resources Management
16/F Berkshire House
25 Westlands Road
Quarry Bay, Hong Kong
Telephone (852) 2271 3000
Facsimile (852) 2723 5660

www.erm.com

**Dredging, Management and Capping of Contaminated Sediment Disposal
Facility at Sha Chau and to the South of The Brothers**

**Environmental Certification Sheet
EP-312/2008/A & EP-427/2011/A**

Reference Document/Plan

Document/ Plan to be Certified/ Verified:	Monthly EM&A Report for Contaminated Mud Pits to the East of Sha Chau and the South of The Brothers - August 2017
Date of Report:	14 September 2017
Date prepared by ET:	14 September 2017
Date received by IA:	14 September 2017

Reference EP Condition

Environmental Permit Condition:

Condition 3.4 of EP-312/2008/A and Condition 4.4 of EP-427/2011/A:
4 hard copies and 1 electronic copy of monthly EM&A Report shall be submitted to the Director within 2 weeks after the end of the reporting month. The EM&A Reports shall include a summary of all non-compliance (exceedances) of the environmental quality performance limits (Action and Limit Levels). The submissions shall be certified by the ET Leader and verified by the Independent Auditor. Additional copies of the submission shall be provided to the Director upon request by the Director.

ET Certification

I hereby certify that the above referenced document/~~plan~~ complies with the above referenced condition of EP-312/2008/A and EP-427/2011/A

Jovy Tam,
Environmental Team Leader:




Date: 14/9/2017

IA Verification

I hereby verify that the above referenced document/~~plan~~ complies with the above referenced condition of EP-312/2008/A and EP-427/2011/A

Dr Wang Wen Xiong,
Independent Auditor:



Date: 14/9/2017

**Agreement No. CE 63/2016 (EP)
Environmental Monitoring and Audit for
Disposal Facility to the East of Sha Chau
(2017-2020) – Investigation**




**Monthly EM&A Report for Contaminated Mud Pits to
the East of Sha Chau and the South of The
Brothers – August 2017**

Revision 1

**Environmental Resources
Management**

16/F
Berkshire House
25 Westlands Road
Quarry Bay
Hong Kong
Telephone: (852) 2271 3000
Facsimile: (852) 2723 5660
E-mail: post.hk@erm.com
http://www.erm.com

Document Code: 0400720_Monthly August 2017_v1.doc

Client: Civil Engineering and Development Department (CEDD)		Project No: 0400720			
Summary: This document presents the Monthly EM&A Report for <i>Environmental Monitoring and Audit for Disposal Facility to the East of Sha Chau and the South of The Brothers.</i>		Date: 29 September 2017			
		Approved by:  Craig A. Reid Partner			
v1	Monthly EM&A Report for ESC CMPs and SB CMPs	RC	JT	CAR	29/9/17
v0	Monthly EM&A Report for ESC CMPs and SB CMPs	RC	JT	CAR	14/9/17
Revision	Description	By	Checked	Approved	Date
<p>This report has been prepared by Environmental Resources Management the trading name of 'ERM Hong-Kong, Limited', with all reasonable skill, care and diligence within the terms of the Contract with the client, incorporating our General Terms and Conditions of Business and taking account of the resources devoted to it by agreement with the client.</p> <p>We disclaim any responsibility to the client and others in respect of any matters outside the scope of the above.</p> <p>This report is confidential to the client and we accept no responsibility of whatsoever nature to third parties to whom this report, or any part thereof, is made known. Any such party relies on the report at their own risk.</p>		<p>Distribution</p> <p><input type="checkbox"/> Internal</p> <p><input checked="" type="checkbox"/> Public</p> <p><input type="checkbox"/> Confidential</p> <div style="text-align: right;">   </div>			

CONTENTS

1.1	<i>BACKGROUND</i>	1
1.2	<i>REPORTING PERIOD</i>	2
1.3	<i>DETAILS OF SAMPLING AND LABORATORY TESTING ACTIVITIES</i>	2
1.4	<i>DETAILS OF OUTSTANDING SAMPLING AND/OR ANALYSIS</i>	3
1.5	<i>BRIEF DISCUSSION OF THE MONITORING RESULTS FOR ESC CMP V</i>	3
1.6	<i>BRIEF DISCUSSION OF THE MONITORING RESULTS FOR SB CMPs</i>	10
1.7	<i>ACTIVITIES SCHEDULED FOR THE NEXT MONTH</i>	12
1.8	<i>STUDY PROGRAMME</i>	12

ANNEXES

<i>ANNEX A</i>	<i>SAMPLING SCHEDULE</i>
<i>ANNEX B</i>	<i>WATER QUALITY MONITORING RESULTS</i>
<i>ANNEX C</i>	<i>DREDGING RECORD FOR ESC CMP VB</i>
<i>ANNEX D</i>	<i>GRAPHICAL PRESENTATIONS</i>
<i>ANNEX E</i>	<i>STUDY PROGRAMME</i>

Agreement No. CE 63/2016 (EP)
Environmental Monitoring and Audit
for Disposal Facility to the East of Sha Chau (2017-2020) - Investigation

MONTHLY EM&A REPORT FOR AUGUST 2017

1.1 BACKGROUND

1.1.1 The Civil Engineering and Development Department (CEDD) is managing a number of marine disposal facilities in Hong Kong waters, including the Contaminated Mud Pits (CMPs) to the South of The Brothers (SB) and to the East of Sha Chau (ESC) for the disposal of contaminated sediment, and open-sea disposal grounds located to the South of Cheung Chau (SCC), East of Tung Lung Chau (ETLC) and East of Ninepins (ENP) for the disposal of uncontaminated sediment. Two Environmental Permits (EPs), EP-312/2008/A and EP-427/2011/A, were issued by the Environmental Protection Department (EPD) to the CEDD, the Permit Holder, on 28 November 2008 and 23 December 2011 for the Dredging, Management and Capping of Contaminated Sediment Disposal Facilities at ESC CMP V and SB CMPs, respectively.

1.1.2 Under the requirements of the two EPs for ESC CMP V and SB CMPs, EM&A programmes which encompass water and sediment chemistry, fisheries assessment, tissue and whole body analysis, sediment toxicity and benthic recolonisation studies as set out in the EM&A Manuals are required to be implemented. EM&A programmes have been continuously carried out during the operation of the CMPs at ESC and SB. A review of the collection and analysis of such environmental data from the monitoring programme demonstrated that there had not been any adverse environmental impacts resulting from disposal activities ⁽¹⁾ ⁽²⁾. The current programme will assess the impacts resulting from dredging, disposal and capping operations of CMP V as well as capping operations of SB CMPs.

1.1.3 The present EM&A programme under *Agreement No. CE 63/2016 (EP)* covers the dredging, disposal and capping operations of the ESC CMP V as well as the capping operations of the SB CMPs (see *Annex A* for the EM&A programme). Detailed works schedule for ESC CMP V and SB CMPs is shown in *Figure 1.1*. In August 2017, the following works were being undertaken:

- Dredging operation at ESC CMP Vb;
- Disposal of contaminated mud at ESC CMP Vd; and
- Capping operation at SB CMP 2.

(1) ERM (2013) Final Report. Submitted under Agreement No. CE 4/2009 (EP) Environmental Monitoring and Audit for Contaminated Mud Pit at East Sha Chau. For CEDD.

(2) ERM (2017) Final Report. Submitted under Agreement No. CE 23/2012 (EP) Environmental Monitoring and Audit for Contaminated Mud Pits to the South of The Brothers and at East Sha Chau (2012 - 2017). For CEDD.

- *Water Quality Monitoring During Capping of SB CMPs* was undertaken on 17 August 2017.

1.4 DETAILS OF OUTSTANDING SAMPLING AND/OR ANALYSIS

1.4.1 No outstanding sampling remained for August 2017.

1.4.2 The following laboratory analyses are in progress during the preparation of this monthly report and will be presented in the next monthly report once the data are available:

- Laboratory analyses of sediment samples collected for *Sediment Chemistry after a Major Storm of ESC CMP V* in August 2017.

1.4.3 The following analyses are in progress and will be presented in the corresponding quarterly report:

- Species identification of the biota samples collected from *Demersal Trawling for ESC CMP V* in August 2017;
- Laboratory analyses of sediment samples collected for *Benthic Recolonisation Studies of SB CMPs* in August 2017; and
- Laboratory analyses for *Sediment Toxicity Test of ESC CMP V* in August 2017.

1.5 BRIEF DISCUSSION OF THE MONITORING RESULTS FOR ESC CMP V

1.5.1 Brief discussion of the monitoring results of the following activities for ESC CMP V is presented in this *Monthly EM&A Report for August 2017*:

- *Water Quality Monitoring During Dredging of ESC CMP Vb* in August 2017;
- *Water Column Profiling of ESC CMP Vd* in August 2017;
- *Routine Water Quality Monitoring of ESC CMP V* in August 2017;
- *Pit Specific Sediment Chemistry of ESC CMP Vd* in August 2017;
- *Cumulative Impact Sediment Chemistry of ESC CMP V* in August 2017; and
- *Sediment Chemistry after a Major Storm of ESC CMP V* in July 2017.

- 1.5.2 ***Impact Water Quality Monitoring during Dredging Operations of ESC CMP Vb - August 2017***
- 1.5.3 Dredging activities were carried out on 1 - 11, 17 - 22, 25 - 26, 28 - 31 August 2017 during this reporting period and monitoring was conducted on 2, 4, 7, 9, 11, 21, 25, 28 and 30 August 2017. During each survey day, monitoring was conducted during both mid-ebb and mid-flood tides at two Reference (Upstream) stations and five Impact (Downstream) stations around the dredging operations at ESC CMP Vb. Monitoring was also conducted at one Sensitive Receiver station situated in Ma Wan. A total of eight (8) stations were monitored and locations of the sampling stations are shown in *Figure 1.2*. Levels of Dissolved Oxygen (DO), Turbidity and Suspended Solid (SS) were assessed for compliance with the Action and Limit Levels (see *Table B1 of Annex B* for details) set in the *Baseline Monitoring Report* ⁽¹⁾.
- 1.5.4 Monitoring results are presented in *Table B2 of Annex B*. Daily dredging volume in August 2017 is reported in *Annex C*. Levels of DO, Turbidity and SS generally complied with the Action and Limit Levels (see *Table B1 of Annex B* for details) set in the *Baseline Monitoring Report* ⁽²⁾, except for the following occasions discussed in *Table 1.1* below.
- 1.5.5 The results indicated that the dredging operations at ESC CMP Vb did not appear to cause any unacceptable deterioration in water quality during this reporting period. Therefore, no further action, except for those recommended in the Environmental Permit (*EP-312/2008/A*), are considered necessary for the dredging operations.

(1) ERM - Hong Kong, Ltd (2009) Baseline Monitoring Report. For the Civil Engineering & Development Department, Hong Kong SAR Government.

(2) ERM - Hong Kong, Ltd (2009) Baseline Monitoring Report. For the Civil Engineering & Development Department, Hong Kong SAR Government.




Figure 1.2

Indicative Dredging Impact Sampling Stations for CMPV

Note: The locations of sampling stations will be determined on site based on current direction and position of dredging activities.

Table 1.1 *Details of Exceedances Recorded at ESC CMP Vb between 2 and 30 August 2017*

Date	Tide	Parameter	Station	Type of Exceedance	Remarks
2 August 2017	Mid-Ebb	Bottom DO	DS4	Action	<p>These exceedances were not considered as indicating any unacceptable impacts from the dredging operations to WSRs outside the works area due to the following reasons:</p> <ul style="list-style-type: none"> Stations DS4 and MW1 are located further away from the works area of CMP Vb when compared to stations DS1-3 at which the levels of Bottom DO did not exceed the Action and Limit Levels during the same tidal period.
2 August 2017	Mid-Ebb	Bottom DO	MW1	Action	
2 August 2017	Mid-Flood	Bottom DO	MW1	Action	
4 August 2017	Mid-Ebb	Bottom DO	DS4	Action	
25 August 2017	Mid-Ebb	Turbidity	DS3	Action	<p>These exceedances were not considered as indicating any unacceptable impacts from the dredging operations to WSRs outside the works area due to the following reason:</p> <ul style="list-style-type: none"> The exceedance was not considered as indicating any unacceptable impacts from the dredging operations to Water Sensitive Receivers (WSRs) outside the works area because Stations DS3, DS4 and DS5 are located further away from the works area of CMP Vd when compared to stations DS1-2 at which the levels of Turbidity did not exceed the Action and Limit Levels during the same tidal period. In addition, levels of SS at all stations complied with the Action and Limit levels. Therefore, it is considered that the dredging operations did not cause adverse water quality impact in terms of SS levels, which are more representative to determine the effects of dredging operation to nearby sensitive receivers (e.g. fisheries).
25 August 2017	Mid-Ebb	Turbidity	DS5	Action	
25 August 2017	Mid-Flood	Turbidity	DS3	Action	
25 August 2017	Mid-Flood	Turbidity	DS4	Action	

1.5.6 *Water Column Profiling of ESC CMP Vd - August 2017*

1.5.7 *Water Column Profiling* was undertaken at a total of two sampling stations (Upstream and Downstream stations) on 12 August 2017. The monitoring results have been assessed for compliance with the Water Quality Objectives (WQOs) set by Environmental Protection Department (EPD). This consists of a review of the EPD routine water quality monitoring data for the wet season period (April to October) of 2006 - 2015 from stations in the Northwestern Water Control Zone (WCZ), where the ESC CMPs are located ⁽¹⁾. For Salinity, the averaged value obtained from the Reference (Upstream) station was used for the basis as the WQO. Levels of DO and Turbidity were also assessed for compliance with the Action and Limit Levels (see *Table B1 of Annex B* for details).

In-situ Measurements

1.5.8 Analyses of results for August 2017 indicated that levels of DO, Salinity and pH complied with the WQOs at both Downstream and Upstream stations (*Table B3 of Annex B*). In addition, levels of DO and Turbidity at all stations complied with the Action and Limit Levels (*Tables B1 and B3 of Annex B*).

Laboratory Measurements for Suspended Solids (SS)

1.5.9 Analyses of results for August 2017 indicated that the SS levels complied with the WQO and the Action and Limit Levels at both Upstream and Downstream stations (*Tables B1 and B3 of Annex B*).

1.5.10 Overall, the monitoring results indicated that the mud disposal operation at ESC CMP Vd did not appear to cause any deterioration in water quality during this reporting period.

⁽¹⁾ <http://epic.epd.gov.hk/EPICRIVER/marine/?lang=en>

1.5.11 ***Routine Water Quality Monitoring of ESC CMP V – August 2017***

1.5.12 *Routine Water Quality Monitoring of ESC CMP V* was undertaken on 15 August 2017. The monitoring results have been assessed for compliance with the WQOs (see *Section 1.5.7* for details). The monitoring results are shown in *Tables B4 and B5 of Annex B* and *Figures 1 - 10 of Annex D*. A total of ten (10) monitoring stations were sampled in August 2017 as shown in *Figure 1.3*.

In-situ Measurements

1.5.13 Graphical presentation of the monitoring results (Temperature, DO, pH, Salinity and Turbidity) is shown in *Figures 1 - 6 of Annex D*. Analyses of results for August 2017 indicated that the levels of pH and DO complied with the WQOs at all stations (Impact, Intermediate, Reference and Ma Wan stations) in August 2017 (*Table B4 of Annex B; Figures 1 and 3 of Annex D*). Levels of Salinity at most stations also complied with WQO, except for Ma Wan station (*Table B4 of Annex B; Figure 5 of Annex D*). The higher Salinities recorded at Ma Wan station are likely to be caused by the larger separation distance to Pearl River mouth, which release a large amount of freshwater runoff in the area during flooding, when compared to the Reference stations.

1.5.14 The levels of DO and Turbidity complied with the Action and Limit Levels at all stations (*Table B4 of Annex B; Figures 3 and 6 of Annex D*).

1.5.15 Overall, *in-situ* measurement results of the *Routine Water Quality Monitoring* indicated that the disposal operation at ESC CMP Vd did not appear to cause any unacceptable impacts in water quality in August 2017.

Laboratory Measurements

1.5.16 Laboratory analysis of August 2017 results indicated that concentrations of Cadmium, Silver and Mercury were below their limit of reporting at all stations. Arsenic, Chromium, Nickel, Lead, Copper and Zinc were detected in August 2017 samples and the concentrations of these metals and metalloids were similar amongst stations (*Table B5 of Annex B; Figure 7 of Annex D*).

1.5.17 For nutrients, concentrations of Total Inorganic Nitrogen (TIN) at all stations in August 2017 were higher than the WQO (0.5 mg/L) (*Table B5 of Annex B; Figure 8 of Annex D*). It should be noted that due to the effect of Pearl River, the North Western WCZ has historically experienced higher levels of TIN⁽¹⁾. Therefore, the exceedances of TIN WQO at these stations are unlikely to be caused by the disposal operation at ESC CMP Vd. Concentrations of Ammonia Nitrogen (NH₃-N) were relatively similar amongst all stations in August 2017 (*Table B5 of Annex B; Figure 8 of Annex D*). Levels of 5-day Biochemical Oxygen Demand (BOD₅) were higher at Ma Wan station in August 2017 (*Table B5 of Annex B; Figure 9 of Annex D*).

(1) http://www.epd.gov.hk/epd/misc/marine_quality/1986-2005/textonly/eng/index.htm




Figure 1.3

Routine & Capping Water Quality Sampling Stations (Flood-Tide) for ESC CMPs

- 1.5.18 Analyses of results for August 2017 indicated that the SS levels complied with the WQO (11.0 mg/L for wet season) and the Action and Limit Levels at all stations (*Tables B1 and B4 of Annex B; Figure 10 of Annex D*).
- 1.5.19 Overall, results of the *Routine Water Quality Monitoring* indicated that the disposal operation at ESC CMP Vd did not appear to cause any unacceptable deterioration in water quality in August 2017. Detailed statistical analysis will be presented in the Quarterly Report to investigate any spatial and temporal trends of potential concern.

- 1.5.20 ***Pit Specific Sediment Chemistry of ESC CMP Vd - August 2017***
- 1.5.21 Monitoring locations for *Pit Specific Sediment Chemistry for ESC CMP Vd* are shown in *Figure 1.4*. A total of six (6) monitoring stations were sampled in August 2017.
- 1.5.22 The concentrations of most inorganic contaminants were lower than the Lower Chemical Exceedance Level (LCEL) at all stations in August 2017, except Silver and Copper in August 2017 (*Figures 11 and 12 of Annex D*). In August 2017, concentrations of Silver and Copper exceeded the LCEL at Active Pit station ESC-NPAB (*Figures 11 and 12 of Annex D*).
- 1.5.23 For organic contaminants, the concentrations of Total Organic Carbon (TOC) were higher at Active Pit station ESC-NPAB in August 2017 (*Figure 13 of Annex D*). The concentrations of Tributyltin (TBT) were higher at Active Pit stations ESC-NPAA and ESC-NPAB in August 2017 (*Figure 14 of Annex D*). Low and High Molecular Weight Polycyclic Aromatic Hydrocarbons (PAHs), Total Polychlorinated Biphenyls (PCBs), Total dichloro-diphenyl-trichloroethane (DDT) and 4,4'-dichlorodiphenyldichloroethylene (DDE) concentrations were below the limit of reporting at all stations in August 2017.
- 1.5.24 Overall, there is no evidence indicating any unacceptable environmental impacts to sediment quality as a result of the contaminated mud disposal operations at ESC CMP Vd in August 2017. Statistical analysis will be undertaken and presented in the corresponding quarterly report to investigate whether there are any unacceptable impacts in the area caused by the contaminated mud disposal.
- 1.5.25 ***Cumulative Impact Sediment Chemistry of ESC CMP V - August 2017***
- 1.5.26 Monitoring locations for *Cumulative Impact Sediment Chemistry for ESC CMP V* are shown in *Figure 1.5*. A total of nine (9) monitoring stations were sampled in August 2017.
- 1.5.27 Analyses of results for the *Cumulative Impact Sediment Chemistry Monitoring* indicated that the concentrations of all inorganic contaminants were below the LCEL in August 2017 (*Figures 15 and 16 of Annex D*).
- 1.5.28 For organic contaminants, concentrations of TOC and TBT were recorded to be higher at Ma Wan station (*Figures 17 and 18 of Annex D*). Low and High Molecular Weight PAHs, PCBs, DDT and DDE concentrations were recorded below the limit of reporting at all stations.
- 1.5.29 Overall, there is no evidence indicating any unacceptable environmental impacts to sediment quality as a result of the contaminated mud disposal operations at ESC CMP Vd in August 2017. Statistical analysis will be undertaken and presented in the corresponding quarterly report to investigate whether there are any unacceptable impacts in the area caused by the contaminated mud disposal.




Figure 1.4

Pit Specific Sediment Quality Monitoring Stations for CMPV





Figure 1.5

Cumulative Impacts Sediment Quality Monitoring Stations for ESC CMPs

1.5.30 *Sediment Chemistry after a Major Storm of ESC CMP V – July 2017*

1.5.31 Sampling for Sediment Chemistry after a Major Storm Event was conducted at nine (9) monitoring stations (*Figure 1.5*) on 25 July 2017 after the visit of tropical cyclone Roke, which led to the issue of Gale or Storm Wind Signal No.8 on 23 July 2017. The track of Roke is shown in *Figure 1.6*.

Figure 1.6 *Track of Tropical Cyclone Roke from 21 to 23 July 2017 (Source: Hong Kong Observatory)*



1.5.32 Analyses of results for the *Sediment Chemistry after a Major Storm* indicated that the concentrations of all inorganic contaminants were below the LCEL (*Figures 19 and 20 of Annex D*).

1.5.33 Overall, there appeared to be no evidence showing the failure of ESC CMP V in retaining disposed mud or causing contamination of sediments after the major storm event in July 2017.

1.6 *BRIEF DISCUSSION OF THE MONITORING RESULTS FOR SB CMPs*

1.6.1 Brief discussion of the monitoring results of the following activities for SB CMPs is presented in this *Monthly EM&A Report for August 2017*:

- *Water Quality Monitoring during Capping Operations of SB CMPs in August 2017.*

1.6.2 *Water Quality Monitoring during Capping of SB CMPs – August 2017*

1.6.3 Capping works at SB CMP 2 were conducted in August 2017 to supplement and revert the portion of consolidated capping layer to design level and is expected to be completed by December 2017. The monitoring results obtained during August 2017 sampling in the wet season have been assessed for compliance with the WQOs (see *Section 1.5.7* for details). Levels of DO and Turbidity were also assessed for compliance with the Action and Limit Levels (see *Table B6* of *Annex B* for details). A total of fourteen (14) monitoring stations were sampled in August 2017 as shown in *Figure 1.7*. Graphical presentation of the monitoring results is shown in *Figures 21 - 30* of *Annex D*.

In-situ Measurements

1.6.4 The levels of pH at all stations in August 2017 complied with the WQO (*Table B7* of *Annex B*; *Figure 21* of *Annex D*). The levels of Turbidity at all stations complied with the Action and Limit levels in August 2017 (*Table B7* of *Annex B*; *Figure 22* of *Annex D*). The levels of DO at all stations complied with the WQO and the Action and Limit levels in August 2017, except for Sham Shui Kok station (*Table B7* of *Annex B*; *Figure 24* of *Annex D*). The level of DO at Sham Shui Kok station is lower than the WQO, however this station is located further away from the works area of CMP 2 when compared to the Impact, Intermediate and Reference stations at which the levels of DO complied with the WQO and the Action and Limit Levels during the same tidal period. The levels of Salinity at Impact, Intermediate, Ma Wan, Sham Shui Kok and Tai Mo To stations are higher than the WQO_{max} in August 2017 (*Table B7* of *Annex B*; *Figure 26* of *Annex D*). The Salinities at these stations were higher than the WQO_{max} as they were located further away from the Tai Ho Bay and Reference stations, thus experiencing less freshwater runoff from the nearby streams. The levels of Salinity at Tai Ho Bay 1 and 2 stations are lower than the WQO_{min} in August 2017 (*Table B7* of *Annex B*; *Figure 26* of *Annex D*). The lower Salinity levels at Tai Ho Bay 1 and 2 stations are likely to be caused by the freshwater runoff from the nearby streams.

Laboratory Measurements

1.6.5 The concentrations of SS were higher than the WQO (11.0 mg/L for wet season) at Intermediate, Sham Shui Kok, Tai Mo To and Tai Ho Bay 1 station in August 2017 (*Table B7* of *Annex B*; *Figure 27* of *Annex D*). However, levels of SS at most stations complied with the Action and Limit Levels, except at Sham Shui Kok and Tai Ho Bay 1 stations (*Tables B6 and B7* of *Annex B*). Sham Shui Kok and Tai Ho Bay 1 stations are located further away from the works area of CMP 2 when compared to Impact, Intermediate and Reference stations at which the levels of SS did not exceed the Action and Limit Levels during the same tidal period.




Figure 1.7

Routine & Capping Water Quality Sampling Stations (Flood-Tide) for South Brothers Facility

1.6.6 For nutrients, concentrations of NH₃-N were relatively similar amongst all stations, except the concentrations of NH₃-N recorded at Impact station was lower than the other stations (*Table B7 of Annex B; Figure 28 of Annex D*). The levels of TIN at all stations were higher the WQO of 0.5 mg/L (*Table B7 of Annex B; Figure 29 of Annex D*), except for Ma Wan station. It is important to note that due to the effect of the Pearl River, the North Western WCZ has historically experienced higher levels of TIN ⁽¹⁾. The exceedances of TIN WQO at these stations are unlikely to be caused by the capping operation at CMP 2. Levels of BOD₅ were higher at Tai Mo To and Tai Ho Bay 2 stations in August 2017 (*Table B7 of Annex B; Figure 30 of Annex D*).

1.6.7 Overall, the monitoring results indicated that the capping operation at CMP 2 did not appear to cause any unacceptable deterioration in water quality in August 2017. Statistical analysis will be undertaken and presented in the quarterly report to investigate whether the capping operations at CMP 2 is causing any unacceptable impacts in water quality of the area.

1.7 *ACTIVITIES SCHEDULED FOR THE NEXT MONTH*

1.7.1 The following monitoring activities will be conducted in the next monthly period of September 2017 for ESC CMP V (see *Annex A* for the sampling schedule):

- *Water Quality Monitoring During Dredging of ESC CMP Vb;*
- *Water Column Profiling of ESC CMP Vd; and*
- *Pit Specific Sediment Chemistry of ESC CMP Vd.*

1.7.2 No monitoring activities are scheduled in the next monthly period of September 2017 for SB CMPs.

1.8 *STUDY PROGRAMME*

1.8.1 A summary of the Study programme is presented in *Annex E*.

(1) http://www.epd.gov.hk/epd/misc/marine_quality/1986-2005/textonly/eng/index.htm

Annex A

Sampling Schedule

Annex A2 - Environmental Monitoring and Audit Sampling Schedule for South of The Brothers (April 2017 - December 2018)

			2017												2018											
			A	M	J	J	A	S	O	N	D	J	F	M	A	M	J	J	A	S	O	N	D			
Capping Water Quality Monitoring																										
<i>Ebb Tide</i>																										
Impact Stations Downcurrent	SB-IP1	4 times per year																								
	SB-IP2	4 times per year	3	3			3				3															
	SB-IP3	4 times per year	3	3			3				3															
	SB-IP4	4 times per year	3	3			3				3															
	SB-IP5	4 times per year	3	3			3				3															
Intermediate Stations Downcurrent	SB-INE1	4 times per year																								
	SB-INE2	4 times per year	3	3			3				3															
	SB-INE3	4 times per year	3	3			3				3															
	SB-INE4	4 times per year	3	3			3				3															
	SB-INE5	4 times per year	3	3			3				3															
Reference Stations Upcurrent	SB-RFE1	4 times per year																								
	SB-RFE2	4 times per year	3	3			3				3															
	SB-RFE3	4 times per year	3	3			3				3															
	SB-RFE4	4 times per year	3	3			3				3															
	SB-RFE5	4 times per year	3	3			3				3															
Sensitive Receiver Stations	MW1	4 times per year																								
	THB1	4 times per year	3	3			3				3															
	THB2	4 times per year	3	3			3				3															
	WSR45C	4 times per year	3	3			3				3															
	WSR46	4 times per year	3	3			3				3															
<i>Flood Tide</i>																										
Impact Stations Downcurrent	SB-IPF1	4 times per year																								
	SB-IPF2	4 times per year	3	3			3				3															
	SB-IPF3	4 times per year	3	3			3				3															
Intermediate Stations Downcurrent	SB-INF1	4 times per year																								
	SB-INF2	4 times per year	3	3			3				3															
	SB-INF3	4 times per year	3	3			3				3															
Reference Stations Upcurrent	SB-RFF1	4 times per year																								
	SB-RFF2	4 times per year	3	3			3				3															
	SB-RFF3	4 times per year	3	3			3				3															
Sensitive Receiver Stations	MW1	4 times per year																								
	THB1	4 times per year	3	3			3				3															
	THB2	4 times per year	3	3			3				3															
	WSR45C	4 times per year	3	3			3				3															
	WSR46	4 times per year	3	3			3				3															
Benthic Recolonisation Studies																										
Capped Contaminated Mud Pits	SB-CPA	2 times per year																								
	SB-CPB	2 times per year					12				12								12				12			
Reference Stations	RBA	2 times per year																								
	RBB	2 times per year					12				12								12				12			
	RBC	2 times per year					12				12								12				12			

Notes:
 The number shown in each cell represents the numbers of replicates per monitoring station
 Capping works are planned to be conducted between May and December 2017.

Annex B

Water Quality Monitoring Results

Table B1 *Action and Limit Levels of Water Quality for Dredging, Disposal and Capping Activities at ESC CMP V*

Parameter	Action Level	Limit Level
Dissolved Oxygen (DO) ⁽¹⁾	<u>Surface and Mid-depth</u> ⁽²⁾ 5%-ile of baseline data for surface and middle layer = 3.76 mg L⁻¹	<u>Surface and Mid-depth</u> ⁽²⁾ 1%-ile of baseline data for surface and middle layer = 3.11 mg L⁻¹ ⁽³⁾
	and	and
	Significantly less than the reference stations mean DO (at the same tide of the same day)	Significantly less than the reference stations mean DO (at the same tide of the same day)
	<u>Bottom</u> 5%-ile of baseline data for bottom layers = 2.96 mg L⁻¹	<u>Bottom</u> The average of the impact station readings are <2 mg/L⁻¹
	and	and
	Significantly less than the reference stations mean DO (at the same tide of the same day)	Significantly less than the reference stations mean DO (at the same tide of the same day)
Depth-averaged Suspended Solids (SS) ⁽⁴⁾⁽⁵⁾	95%-ile of baseline data for depth average = 37.88 mg L⁻¹	99%-ile of baseline data for depth average = 61.92 mg L⁻¹
	and	and
	120% of control station's SS at the same tide of the same day	130% of control station's SS at the same tide of the same day
Depth-averaged Turbidity (Tby) ⁽⁴⁾⁽⁵⁾	95%-ile of baseline data = 28.14 NTU	99%-ile of baseline data = 38.32 NTU
	and	and
	120% of control station's Tby at the same tide of the same day	130% of control station's Tby at the same tide of the same day

Notes:

- (1) For DO, non-compliance of the water quality limits occurs when monitoring result is lower than the limits.
- (2) The Action and Limit Levels for DO for Surface & Middle layers were calculated from the combined pool of baseline surface layer data and baseline middle layer data.
- (3) Given the Action Level for DO for Surface & Middle layers has already been lower than 4 mg L⁻¹, it is proposed to set the Limit Level at 3.11 mg L⁻¹ which is the first percentile of the baseline data.
- (4) "Depth-averaged" is calculated by taking the arithmetic means of reading of all three depths.
- (5) For turbidity and SS, non-compliance of the water quality limits occurs when monitoring result is higher than the limits.

Table B2 *Summary Table of DO, Turbidity and SS Levels Recorded in August 2017 for Impact Water Quality Monitoring during Dredging Operations of ESC CMP Vb*

Sampling Date	Tidal Period	Station	Average DO Levels (mg/L)		Average Turbidity Level (NTU)	Average SS Level (mg/L)	
			Bottom	Surface and Mid Depth			
2017/08/02	Mid-Ebb	DS1	3.81	5.78	7.06	9.62	
		DS2	3.82	5.79	5.90	6.92	
		DS3	4.04	5.45	5.61	5.62	
		DS4	2.92	4.50	6.45	6.63	
		DS5	4.26	6.34	5.26	4.92	
		US1	4.25	6.38	8.01	5.55	
		US2	4.39	6.44	4.33	5.40	
		MW1	2.81	4.86	3.06	5.13	
		Mid-Flood	DS1	4.27	6.02	9.42	7.87
	DS2		4.71	6.08	8.25	7.38	
	DS3		4.56	6.06	9.42	8.77	
	DS4		4.72	5.89	8.48	7.22	
	DS5		4.50	5.18	9.28	6.63	
	US1		5.17	6.52	6.98	6.07	
	US2		5.43	6.78	6.16	5.82	
	MW1		2.87	4.36	5.71	5.62	
	2017/08/04		Mid-Ebb	DS1	3.41	4.73	7.03
		DS2		3.40	4.65	7.11	7.43
DS3		3.58		4.71	6.66	8.07	
DS4		2.79		4.09	9.63	10.72	
DS5		3.37		4.63	6.60	7.32	
US1		3.45		4.72	9.00	6.73	
US2		3.50		4.88	4.96	5.85	
MW1		3.13		5.01	3.13	4.08	
Mid-Flood		DS1		3.85	4.65	12.42	13.03
		DS2	3.70	4.66	9.05	8.08	
		DS3	4.06	4.79	7.12	8.38	
		DS4	3.85	4.60	7.00	7.62	
		DS5	3.70	4.26	7.63	8.12	
		US1	3.72	4.83	7.75	7.23	
		US2	3.99	4.98	7.28	8.97	
		MW1	3.10	3.76	5.48	6.85	
		2017/08/07	Mid-Ebb	DS1	4.47	5.11	9.00
DS2				4.16	4.99	13.99	13.72
DS3	4.45			5.06	11.54	13.48	
DS4	3.54			4.78	12.20	14.82	
DS5	4.26			4.98	21.61	18.40	
US1	4.11			5.04	18.53	17.20	
US2	4.05			5.07	13.37	15.32	
MW1	3.74			5.28	4.98	9.20	
Mid-Flood	DS1			4.07	4.77	13.66	16.12
	DS2		4.37	5.12	13.59	13.75	
	DS3		4.23	5.25	15.11	13.07	
	DS4		4.27	5.03	11.72	13.23	
	DS5		3.92	5.02	11.92	13.83	
	US1		4.31	5.43	8.65	9.98	
	US2		4.37	5.49	7.53	8.43	
	MW1		3.54	4.08	7.37	8.23	

Sampling Date	Tidal Period	Station	Average DO Levels (mg/L)		Average Turbidity Level (NTU)	Average SS Level (mg/L)
			Bottom	Surface and Mid Depth		
2017/08/09	Mid-Ebb	DS1	4.58	5.50	11.90	13.58
		DS2	5.24	5.59	8.43	9.12
		DS3	5.35	5.50	9.35	10.23
		DS4	4.66	5.41	12.49	13.58
		DS5	5.38	5.47	11.34	13.33
		US1	5.00	5.44	14.00	17.13
		US2	5.07	5.54	9.03	9.72
		MW1	5.19	5.35	6.26	6.40
	Mid-Flood	DS1	4.15	4.96	17.16	19.50
		DS2	4.71	5.17	25.17	19.75
		DS3	5.30	5.29	10.79	14.38
		DS4	5.04	5.29	10.35	15.20
		DS5	4.96	5.09	17.49	20.28
		US1	4.57	4.80	6.82	8.00
		US2	4.67	4.93	7.47	8.78
		MW1	3.31	4.41	4.88	6.68
2017/08/11	Mid-Ebb	DS1	5.06	5.63	7.68	8.75
		DS2	3.87	5.21	15.39	18.35
		DS3	4.75	5.20	12.14	14.37
		DS4	3.41	5.16	21.03	15.65
		DS5	4.93	5.35	15.12	13.75
		US1	4.97	5.61	13.53	12.08
		US2	4.90	5.77	10.13	11.00
		MW1	5.11	5.24	5.26	6.68
	Mid-Flood	DS1	4.56	5.07	13.52	19.93
		DS2	4.90	5.19	22.46	17.90
		DS3	5.05	5.29	15.41	7.52
		DS4	5.21	5.53	11.39	8.87
		DS5	5.27	5.69	11.75	6.33
		US1	4.70	4.83	9.45	11.63
		US2	4.91	5.09	6.53	7.40
		MW1	3.55	4.68	5.49	4.25
2017/08/21	Mid-Ebb	DS1	5.07	6.64	10.12	11.68
		DS2	5.15	6.21	14.72	20.02
		DS3	4.82	5.58	21.84	21.20
		DS4	4.69	5.12	23.58	20.00
		DS5	4.89	5.13	22.57	21.32
		US1	4.78	6.13	15.59	15.10
		US2	4.49	5.95	15.07	21.75
		MW1	5.26	6.62	5.06	7.05
	Mid-Flood	DS1	5.38	5.81	16.09	16.05
		DS2	5.73	5.85	13.27	12.88
		DS3	5.79	5.83	14.47	14.38
		DS4	5.74	5.88	12.58	13.17
		DS5	5.40	5.64	14.35	11.23
		US1	5.57	6.00	12.94	16.35
		US2	5.23	6.05	15.97	19.90
		MW1	4.58	5.06	13.04	11.95
2017/08/25	Mid-Ebb	DS1	5.07	5.16	43.22	18.25
		DS2	5.09	5.18	40.73	12.17
		DS3	5.00	5.09	50.26	11.90
		DS4	4.96	5.17	33.39	12.37
		DS5	5.00	5.13	50.68	20.88

Sampling Date	Tidal Period	Station	Average DO Levels (mg/L)		Average Turbidity Level (NTU)	Average SS Level (mg/L)
			Bottom	Surface and Mid Depth		
	Mid-Flood	US1	5.06	5.33	48.54	18.37
		US2	5.11	5.34	34.91	17.83
		MW1	5.15	5.22	7.98	8.30
		DS1	4.80	5.08	27.12	9.90
		DS2	4.78	5.04	28.82	11.78
		DS3	4.92	5.15	35.98	11.38
		DS4	5.17	5.30	37.86	10.27
		DS5	5.23	5.29	29.84	12.45
		US1	5.04	5.12	19.79	14.80
		US2	4.75	5.00	33.06	20.13
		MW1	4.56	5.04	12.37	10.13
2017/08/28	Mid-Ebb	DS1	5.35	5.59	8.80	9.02
		DS2	5.39	5.56	8.47	9.15
		DS3	5.41	5.61	7.77	8.82
		DS4	5.37	5.63	10.79	11.97
		DS5	5.42	5.61	7.55	8.57
		US1	5.38	5.55	9.45	9.68
		US2	5.35	5.65	7.02	6.75
		MW1	5.28	5.69	4.38	5.00
	Mid-Flood	DS1	5.42	5.76	14.17	11.47
		DS2	5.45	5.71	16.77	12.37
		DS3	5.45	5.54	10.38	11.07
		DS4	5.46	5.48	10.22	10.87
		DS5	5.20	5.40	8.53	9.38
		US1	5.31	5.57	10.90	11.57
		US2	5.15	5.47	14.79	16.28
		MW1	5.06	5.51	6.75	8.85
2017/08/30	Mid-Ebb	DS1	4.75	5.21	6.03	8.28
		DS2	4.65	5.14	7.35	8.53
		DS3	4.77	5.28	5.51	5.82
		DS4	4.54	5.19	16.42	13.47
		DS5	4.66	5.31	7.20	9.33
		US1	4.74	5.17	6.28	6.88
		US2	5.03	5.23	6.23	7.97
		MW1	4.88	5.49	4.68	5.42
	Mid-Flood	DS1	4.69	5.24	8.07	9.03
		DS2	4.86	5.15	6.62	8.40
		DS3	4.79	5.31	7.75	8.68
		DS4	4.83	5.13	6.31	7.75
		DS5	4.83	5.29	6.75	6.67
		US1	4.63	5.20	6.62	8.48
		US2	4.68	5.31	6.21	5.87
		MW1	4.77	5.26	7.61	10.12

Notes:

1. Please refer to Table B1 for the Action and Limit Levels for dredging activities.
2. Cell shaded yellow indicated value exceeding the Action Level criteria.
3. Cell shaded red indicated value exceeding the Limit Level criteria.

Table B3 *Water Column Profiling Results for ESC CMP Vd in August 2017*

Stations	Temp (°C)	Salinity (ppt)	Turbidity (NTU)	Dissolved Oxygen (%) (mg L ⁻¹)		pH	Suspended Solids (mg L ⁻¹)
WCP 1 (Downstream)	29.06	20.35	4.70	75.00	5.15	7.80	3.83
WCP 2 (Upstream)	29.49	19.20	8.67	77.96	5.35	7.79	7.83
WQO (Wet season)	N/A	17.28 – 21.12 [#]	N/A	N/A	>4	6.5-8.5	11.0

Note:

[#]Not exceeding 10% of natural ambient level which is the result obtained from the Reference Station.

Cell shaded yellow / red indicate value exceeding the Action/Limit levels.

Cell shaded grey indicate value exceeding the WQO.

Table B4 *In-situ Monitoring Results for Routine Water Quality Monitoring of ESC CMPs in August 2017*

Sampling Period	Stations	Temp (°C)	Salinity (ppt)	Turbidity (NTU)	Dissolved Oxygen (%) (mg L ⁻¹)		pH (mg L ⁻¹)
August 2017	RFE (Reference)	28.69	20.36	4.73	78.14	5.40	7.80
	IPE (Impact)	28.88	19.45	4.36	78.86	5.46	7.74
	INE (Intermediate)	28.97	18.80	4.92	77.28	5.36	7.71
	Ma Wan	27.41	25.39	2.77	68.28	4.69	7.66
	WQO	N/A	18.32 – 22.39 [#]	N/A	N/A	>4	6.5-8.5

Notes:

[#]Not exceeding 10% of natural ambient level which is the result obtained from the Reference Station.

Cell shaded yellow / red indicate value exceeding the Action/Limit levels.

Cell shaded grey indicate value exceeding the WQO.

Table B5 *Laboratory Results for Routine Water Quality Monitoring of ESC CMPs in August 2017*

Sampling Period	Stations	As (µg/L)	Cd (µg/L)	Cr (µg/L)	Cu (µg/L)	Pb (µg/L)	Hg (µg/L)	Ni (µg/L)	Ag (µg/L)	Zn (µg/L)	NH ₃ (mg/L)	TIN (mg/L)	BOD ₅ (mg/L)	SS (mg/L)
August 2017	RFE	2.73	<LOR	0.76	1.19	0.50	<LOR	2.01	<LOR	36.37	0.06	0.99	0.78	5.74
	IPE	3.02	<LOR	0.53	0.50	0.50	<LOR	1.44	<LOR	33.58	0.07	1.06	0.92	5.60
	INE	2.84	<LOR	0.95	1.95	0.74	<LOR	2.38	<LOR	31.38	0.08	1.13	0.53	5.74
	Ma Wan	2.63	<LOR	0.94	1.33	0.58	<LOR	1.62	<LOR	50.31	0.07	0.73	1.40	4.15

WQO of TIN: 0.5 mg/L

Wet Season WQO of SS : 11.0 mg/L

Notes:

Cell shaded yellow / red indicate value exceeding the Action/Limit levels.

Cell shaded grey indicate value exceeding the WQO.

Table B6 Action and Limit Levels of Water Quality for Dredging, Backfilling and Capping Activities for SB CMPs

Parameter	Action Level	Limit Level
Dissolved Oxygen (DO) ⁽¹⁾	<u>Surface and Mid-depth</u> ⁽²⁾ The average of the impact, WSR 45C and WSR 46 station readings are < 5%-ile of baseline data for surface and middle layer = 4.32 mg L⁻¹ and Significantly less than the reference stations mean DO (at the same tide of the same day)	<u>Surface and Mid-depth</u> ⁽²⁾ The average of the impact, WSR 45C and WSR 46 station readings are < 4 mg L⁻¹ and Significantly less than the reference stations mean DO (at the same tide of the same day)
	<u>Bottom</u> The average of the impact, WSR 45C and WSR 46 station readings are < 5%-ile of baseline data for bottom layers = 3.12 mg L⁻¹ and Significantly less than the reference stations mean DO (at the same tide of the same day)	<u>Bottom</u> The average of the impact station, WSR 45C and WSR 46 readings are < 2 mg L⁻¹ and Significantly less than the reference stations mean DO (at the same tide of the same day)
Depth-averaged Suspended Solids (SS) ⁽³⁾⁽⁴⁾	The average of the impact, WSR 45C and WSR 46 station readings are > 95%-ile of baseline data for depth average = 21.60 mg L⁻¹ and 120% of control station's SS at the same tide of the same day	The average of the impact, WSR 45C and WSR 46 station readings are > 99%-ile of baseline data for depth average = 40.10 mg L⁻¹ and 130% of control station's SS at the same tide of the same day
Depth-averaged Turbidity (Tby) ⁽³⁾⁽⁴⁾	The average of the impact, WSR 45C and WSR 46 station readings are > 95%-ile of baseline data = 25.04 NTU and 120% of control station's Tby at the same tide of the same day	The average of the impact, WSR 45C and WSR 46 station readings are > 99%-ile of baseline data = 32.68 NTU and 130% of control station's Tby at the same tide of the same day

Notes:

- (1) For DO, non-compliance of the water quality limits occurs when monitoring result is lower than the limits.
- (2) The Action and Limit Levels for DO for Surface & Middle layers were calculated from the combined pool of baseline surface layer data and baseline middle layer data.
- (3) "Depth-averaged" is calculated by taking the arithmetic means of reading of all three depths.
- (4) For turbidity and SS, non-compliance of the water quality limits occurs when monitoring result is higher than the limits.

Table B7 *Monitoring Results for Water Quality Monitoring during Capping of SB CMP in August 2017*

Sampling Period	Stations	Temp	Salinity	Turbidity	Dissolved Oxygen		pH	SS	NH3	TIN	BOD ₅
		(°C)	(ppt)	(NTU)	(%)	(mg L ⁻¹)	(mg L ⁻¹)	(mg L ⁻¹)	(mg L ⁻¹)	(mg L ⁻¹)	(mg L ⁻¹)
August 2017	RFF (Reference)	28.84	19.71	3.43	95.00	6.57	7.98	4.71	0.15	1.20	1.09
	IPF (Impact)	28.29	22.08	7.41	90.37	6.23	7.97	10.86	0.08	0.83	1.11
	INF (Intermediate)	25.86	29.65	11.83	58.78	4.05	7.90	12.28	0.18	0.67	0.90
	Ma Wan	25.02	31.89	6.52	59.05	4.07	7.96	9.23	0.13	0.42	0.87
	Sham Shui Kok	26.13	28.98	14.13	55.98	3.85	7.85	23.72	0.19	0.83	0.90
	Tai Mo To	27.02	26.08	9.13	64.60	4.45	7.90	13.17	0.14	0.85	1.37
	Tai Ho Bay 1	29.85	17.00	12.37	109.03	7.53	7.83	30.70	0.14	1.30	1.17
	Tai Ho Bay 2	31.11	16.86	13.85	127.71	8.64	8.20	8.93	0.16	0.88	1.57
	WQO	N/A	17.73-21.68*	N/A	N/A	>4	6.5-8.5	11.0	N/A	0.50	N/A

Notes:

Not exceeding 2°C of change of the results from the Reference Station.

#Not exceeding 10% of natural ambient level which is the result obtained from the Reference Station.

Cell shaded yellow / red indicate value exceeding the Action/Limit levels.

Cell shaded grey indicate value exceeding the WQO.

Annex C

Dredging Record for ESC CMP Vb

Table C1 Dredging Record at ESC CMP Vb

Date	Daily Dredging Volume (m ³)	Weekly Dredging Volume (m ³) (From Sunday to Saturday)
01-Aug-2017	2,000	15,000
02-Aug-2017	3,000	
03-Aug-2017	4,000	
04-Aug-2017	2,500	
05-Aug-2017	3,500	
06-Aug-2017	3,500	18,000
07-Aug-2017	3,000	
08-Aug-2017	3,500	
09-Aug-2017	3,500	
10-Aug-2017	3,000	
11-Aug-2017	1,500	
12-Aug-2017	0	7,000
13-Aug-2017	0	
14-Aug-2017	0	
15-Aug-2017	0	
16-Aug-2017	0	
17-Aug-2017	500	
18-Aug-2017	3,000	
19-Aug-2017	3,500	7,500
20-Aug-2017	1,000	
21-Aug-2017	1,500	
22-Aug-2017	1,000	
23-Aug-2017	0	
24-Aug-2017	0	
25-Aug-2017	2,500	
26-Aug-2017	1,500	9,500
27-Aug-2017	0	
28-Aug-2017	1,000	
29-Aug-2017	2,000	
30-Aug-2017	3,500	
31-Aug-2017	3,000	

Annex D

Graphical Presentations




Figure 1: Level of pH recorded during Routine Water Quality Monitoring for disposal operations at ESC CMP V in August 2017.




Figure 2: Level of Dissolved Oxygen (DO) (% saturation; mean + SD) recorded during Routine Water Quality Monitoring for disposal operations at ESC CMP V in August 2017.

Source: H:\Team\EM\GMS Projects\0400720 CEDD CMP EM&A 2017-2020\02 Deliverable\05 CMP Monthly Report\August 2017

Date: September 2017

**Environmental
Resources
Management**






Figure 3: Concentration of Dissolved Oxygen (DO) (mg/L; mean + SD) recorded during Routine Water Quality Monitoring for disposal operations at ESC CMP V in August 2017.




Figure 4: Level of Temperature (°C; mean + SD) recorded during Routine Water Quality Monitoring for disposal operations at ESC CMP V in August 2017.

Source: H:\Team\EM\GMS Projects\0400720 CEDD CMP EM&A 2017-2020\02 Deliverable\05 CMP Monthly Report\August 2017

Date: September 2017

**Environmental
Resources
Management**






Figure 5: Level of Salinity (ppt; mean + SD) recorded during Routine Water Quality Monitoring for disposal operations at ESC CMP V in August 2017.




Figure 6: Levels of Turbidity (NTU; mean + SD) recorded during Routine Water Quality Monitoring for disposal operations at ESC CMP V in August 2017.

Source: H:\Team\EM\GMS Projects\0400720 CEDD CMP EM&A 2017-2020\02 Deliverable\05 CMP Monthly Report\August 2017

Date: September 2017

**Environmental
Resources
Management**






Figure 7: Concentration of Arsenic, Chromium, Nickel, Lead, Copper and Zinc ($\mu\text{g/L}$; mean + SD) in water samples collected from Routine Water Quality Monitoring for disposal operations at ESC CMP V in August 2017.




Figure 8: Concentration of Total Inorganic Nitrogen (TIN) and Ammonia Nitrogen ($\text{NH}_3\text{-N}$) ($\mu\text{g/L}$; mean + SD) in water samples collected from Routine Water Quality Monitoring for disposal operations at ESC CMP V in August 2017.

Source: H:\Team\EM\GMS Projects\0400720 CEDD CMP EM&A 2017-2020\02 Deliverable\05 CMP Monthly Report\August 2017

Date: September 2017

**Environmental
Resources
Management**



**Routine Water Quality Monitoring Results for Biochemical Oxygen Demand (BOD₅)
August 2017**




Figure 9: Level of Biochemical Oxygen Demand (BOD₅) (mg/L; mean + SD) in water samples collected from Routine Water Quality Monitoring for disposal operations at ESC CMP V in August 2017.

**Routine Water Quality Monitoring for Suspended Solids
August 2017**




Figure 10: Concentration of Suspended Solids (SS) (mg/L; mean + SD) in water samples collected from Routine Water Quality Monitoring for disposal operations at ESC CMP V in August 2017.

Source: H:\Team\EM\GMS Projects\0400720 CEDD CMP EM&A 2017-2020\02 Deliverable\05 CMP Monthly Report\August 2017

Date: September 2017

**Environmental
Resources
Management**



Pit Specific Sediment Chemistry for Metal and Metalloid Contaminants at ESC CMP Vd August 2017




Figure 11: Concentration of Metals and Metalloid (Cr, Cu, Ni, Pb, Zn, As; mg/kg dry weight; mean +SD) in sediment samples collected from Pit Specific Sediment Chemistry Monitoring for ESC CMP Vd in August 2017.

Pit Specific Sediment Chemistry for Metal Contaminants at ESC CMP Vd August 2017




Figure 12: Concentration of Metals (Cd, Hg, Ag; mg/kg dry weight; mean +SD) in sediment samples collected from Pit Specific Sediment Chemistry Monitoring for ESC CMP Vd in August 2017.

Source: H:\Team\EM\GMS Projects\0400720 CEDD CMP EM&A 2017-2020\02 Deliverable\05 CMP Monthly Report\August 2017

Date: September 2017

Environmental Resources Management






Figure 13: Concentration of Total Organic Carbon (TOC) (mg/kg dry weight; mean +SD) in sediment samples collected from Pit Specific Sediment Chemistry Monitoring for ESC CMP Vd in August 2017.




Figure 14: Concentration of Tributyltin (TBT) (µg TBT/kg; mean +SD) in sediment samples collected from Pit Specific Sediment Chemistry Monitoring for ESC CMP Vd in August 2017.

Source: H:\Team\EM\GMS Projects\0400720 CEDD CMP EM&A 2017-2020\02 Deliverable\05 CMP Monthly Report\August 2017

Date: September 2017

**Environmental
Resources
Management**






Figure 15: Concentration of Metals and Metalloid (Cr, Cu, Ni, Pb, Zn, As; mean +SD) in sediment samples collected from Cumulative Impact Sediment Chemistry Monitoring for ESC CMPs in August 2017.




Figure 16: Concentration of Metals (Cd, Hg, Ag; mean +SD) in sediment samples collected from Cumulative Impact Sediment Chemistry Monitoring for ESC CMPs in August 2017.

Source: H:\Team\EM\GMS Projects\0400720 CEDD CMP EM&A 2017-2020\02 Deliverable\05 CMP Monthly Report\August 2017

Date: September 2017

**Environmental
Resources
Management**






Figure 17: Concentration of Total Organic Carbon (TOC) (mg/kg dry weight; mean +SD) in sediment samples collected from Cumulative Impact Sediment Chemistry Monitoring for ESC CMPs in August 2017.




Figure 18: Concentration of Tributyltin ($\mu\text{g TBT/kg}$; mean +SD) in sediment samples collected from Cumulative Impact Sediment Chemistry Monitoring for ESC CMPs in August 2017.

Source: H:\Team\EM\GMS Projects\0400720 CEDD CMP EM&A 2017-2020\02 Deliverable\05 CMP Monthly Report\August 2017

Date: September 2017

**Environmental
Resources
Management**






Figure 19: Concentration of Metals (Cr, Cu, Ni, Pb, Zn, As; mean +SD) in sediment samples collected from Sediment Chemistry after a Major Storm for ESC CMPs in July 2017.




Figure 20: Concentration of Metals (Cd, Hg, Ag; mean +SD) in sediment samples collected from Sediment Chemistry after a Major Storm for ESC CMPs in July 2017.

Source: H:\Team\EM\GMS Projects\0400720 CEDD CMP EM&A 2017-2020\02 Deliverable\05 CMP Monthly Report\August 2017

Date: September 2017

**Environmental
Resources
Management**






Figure 21: Levels of pH (mean +SD) recorded from Water Quality Monitoring during Capping for SB CMP 2 in August 2017.




Figure 22: Levels of Turbidity (NTU; mean +SD) recorded from Water Quality Monitoring during Capping for SB CMP 2 in August 2017

Source: H:\Team\EM\GMS Projects\0400720 CEDD CMP EM&A 2017-2020\02 Deliverable\05 CMP Monthly Report\August 2017

Date: August 2017

**Environmental
Resources
Management**






Figure 23: Levels of Dissolved Oxygen (% saturation; mean +SD) recorded from Water Quality Monitoring during Capping for SB CMP 2 in August 2017




Figure 24: Levels of Dissolved Oxygen (mg/L; mean +SD) recorded from Water Quality Monitoring during Capping for SB CMP 2 in August 2017

Source: H:\Team\EM\GMS Projects\0400720 CEDD CMP EM&A 2017-2020\02 Deliverable\05 CMP Monthly Report\August 2017

Date: August 2017

**Environmental
Resources
Management**






Figure 25: Levels of Temperature (°C; mean +SD) recorded from Water Quality Monitoring during Capping for SB CMP 2 in August 2017.




Figure 26: Levels of Salinity (ppt; mean +SD) recorded from Water Quality Monitoring during Capping for SB CMP 2 in August 2017.

Source: H:\Team\EM\GMS Projects\0400720 CEDD CMP EM&A 2017-2020\02 Deliverable\05 CMP Monthly Report\August 2017

Date: August 2017

**Environmental
Resources
Management**






Figure 27: Levels of Suspended Solids (mg/L; mean +SD) recorded from Water Quality Monitoring during Capping for SB CMP 2 in August 2017




Figure 28: Level of Ammonia (mg/L; mean + SD) recorded from Water Quality Monitoring during Capping for SB CMP 2 in August 2017.

Source: H:\Team\EM\GMS Projects\0400720 CEDD CMP EM&A 2017-2020\02 Deliverable\05 CMP Monthly Report\August 2017

Date: August 2017

**Environmental
Resources
Management**






Figure 29: Level of TIN (mg/L; mean + SD) recorded from Water Quality Monitoring during Capping for SB CMP 2 in August 2017




Figure 30: Level of BOD₅ (mg-O₂/L; mean + SD) recorded from Water Quality Monitoring during Capping for SB CMP 2 in August 2017.

Source: H:\Team\EM\GMS Projects\0400720 CEDD CMP EM&A 2017-2020\02 Deliverable\05 CMP Monthly Report\August 2017

Date: August 2017

**Environmental
Resources
Management**



Annex E

Study Programme

