

**Table B1 Action and Limit Levels of Water Quality for Dredging, Disposal and Capping Activities at ESC CMP V**

Parameter	Action Level	Limit Level
Dissolved Oxygen (DO) <sup>(1)</sup>	<u>Surface and Mid-depth</u> <sup>(2)</sup> 5%-ile of baseline data for surface and middle layer = <b>3.76 mg L<sup>-1</sup></b>  and  Significantly less than the reference stations mean DO (at the same tide of the same day)	<u>Surface and Mid-depth</u> <sup>(2)</sup> 1%-ile of baseline data for surface and middle layer = <b>3.11 mg L<sup>-1</sup></b> <sup>(3)</sup>  and  Significantly less than the reference stations mean DO (at the same tide of the same day)
	<u>Bottom</u> 5%-ile of baseline data for bottom layers = <b>2.96 mg L<sup>-1</sup></b>  and  Significantly less than the reference stations mean DO (at the same tide of the same day)	<u>Bottom</u> The average of the impact station readings are <2 mg/L <sup>-1</sup>  and  Significantly less than the reference stations mean DO (at the same tide of the same day)
Depth-averaged Suspended Solids (SS) <sup>(4)(5)</sup>	95%-ile of baseline data for depth average = <b>37.88 mg L<sup>-1</sup></b>  and  120% of control station's SS at the same tide of the same day	99%-ile of baseline data for depth average = <b>61.92 mg L<sup>-1</sup></b>  and  130% of control station's SS at the same tide of the same day
Depth-averaged Turbidity (Tby) <sup>(4)(5)</sup>	95%-ile of baseline data = <b>28.14 NTU</b>  and  120% of control station's Tby at the same tide of the same day	99%-ile of baseline data = <b>38.32 NTU</b>  and  130% of control station's Tby at the same tide of the same day

**Notes:**

- (1) For DO, non-compliance of the water quality limits occurs when monitoring result is lower than the limits.
- (2) The Action and Limit Levels for DO for Surface & Middle layers were calculated from the combined pool of baseline surface layer data and baseline middle layer data.
- (3) Given the Action Level for DO for Surface & Middle layers has already been lower than 4 mg L<sup>-1</sup>, it is proposed to set the Limit Level at 3.11 mg L<sup>-1</sup> which is the first percentile of the baseline data.
- (4) "Depth-averaged" is calculated by taking the arithmetic means of reading of all three depths.
- (5) For turbidity and SS, non-compliance of the water quality limits occurs when monitoring result is higher than the limits.

**Table B2**      **Summary Table of DO, Turbidity and SS Levels Recorded in August 2017 for Impact Water Quality Monitoring during Dredging Operations of ESC CMP Vb**

Sampling Date	Tidal Period	Station	Average DO Levels (mg/L)		Average Turbidity Level (NTU)	Average SS Level (mg/L)
			Bottom	Surface and Mid Depth		
2017/08/02	Mid-Ebb	DS1	3.81	5.78	7.06	9.62
		DS2	3.82	5.79	5.90	6.92
		DS3	4.04	5.45	5.61	5.62
		DS4	2.92	4.50	6.45	6.63
		DS5	4.26	6.34	5.26	4.92
		US1	4.25	6.38	8.01	5.55
		US2	4.39	6.44	4.33	5.40
	Mid-Flood	MW1	2.81	4.86	3.06	5.13
		DS1	4.27	6.02	9.42	7.87
		DS2	4.71	6.08	8.25	7.38
		DS3	4.56	6.06	9.42	8.77
		DS4	4.72	5.89	8.48	7.22
		DS5	4.50	5.18	9.28	6.63
		US1	5.17	6.52	6.98	6.07
2017/08/04	Mid-Ebb	US2	5.43	6.78	6.16	5.82
		MW1	2.87	4.36	5.71	5.62
	Mid-Flood	DS1	3.41	4.73	7.03	10.33
		DS2	3.40	4.65	7.11	7.43
		DS3	3.58	4.71	6.66	8.07
		DS4	2.79	4.09	9.63	10.72
		DS5	3.37	4.63	6.60	7.32
		US1	3.45	4.72	9.00	6.73
		US2	3.50	4.88	4.96	5.85
2017/08/07	Mid-Ebb	MW1	3.13	5.01	3.13	4.08
		DS1	3.85	4.65	12.42	13.03
		DS2	3.70	4.66	9.05	8.08
		DS3	4.06	4.79	7.12	8.38
		DS4	3.85	4.60	7.00	7.62
		DS5	3.70	4.26	7.63	8.12
		US1	3.72	4.83	7.75	7.23
	Mid-Flood	US2	3.99	4.98	7.28	8.97
		MW1	3.10	3.76	5.48	6.85
		DS1	4.47	5.11	9.00	5.60
		DS2	4.16	4.99	13.99	13.72
		DS3	4.45	5.06	11.54	13.48
		DS4	3.54	4.78	12.20	14.82
		DS5	4.26	4.98	21.61	18.40
	Mid-Ebb	US1	4.11	5.04	18.53	17.20
		US2	4.05	5.07	13.37	15.32
		MW1	3.74	5.28	4.98	9.20
		DS1	4.07	4.77	13.66	16.12
		DS2	4.37	5.12	13.59	13.75
		DS3	4.23	5.25	15.11	13.07
		DS4	4.27	5.03	11.72	13.23
	Mid-Flood	DS5	3.92	5.02	11.92	13.83
		US1	4.31	5.43	8.65	9.98
		US2	4.37	5.49	7.53	8.43
		MW1	3.54	4.08	7.37	8.23

Sampling Date	Tidal Period	Station	Average DO Levels (mg/L)			Average Turbidity Level (NTU)	Average SS Level (mg/L)
			Bottom	Surface and Mid Depth			
2017/08/09	Mid-Ebb	DS1	4.58	5.50		11.90	13.58
		DS2	5.24	5.59		8.43	9.12
		DS3	5.35	5.50		9.35	10.23
		DS4	4.66	5.41		12.49	13.58
		DS5	5.38	5.47		11.34	13.33
		US1	5.00	5.44		14.00	17.13
		US2	5.07	5.54		9.03	9.72
	Mid-Flood	MW1	5.19	5.35		6.26	6.40
		DS1	4.15	4.96		17.16	19.50
		DS2	4.71	5.17		25.17	19.75
		DS3	5.30	5.29		10.79	14.38
		DS4	5.04	5.29		10.35	15.20
		DS5	4.96	5.09		17.49	20.28
		US1	4.57	4.80		6.82	8.00
2017/08/11	Mid-Ebb	US2	4.67	4.93		7.47	8.78
		MW1	3.31	4.41		4.88	6.68
	Mid-Flood	DS1	5.06	5.63		7.68	8.75
		DS2	3.87	5.21		15.39	18.35
		DS3	4.75	5.20		12.14	14.37
		DS4	3.41	5.16		21.03	15.65
		DS5	4.93	5.35		15.12	13.75
	Mid-Flood	US1	4.97	5.61		13.53	12.08
		US2	4.90	5.77		10.13	11.00
2017/08/21	Mid-Ebb	MW1	5.11	5.24		5.26	6.68
		DS1	4.56	5.07		13.52	19.93
		DS2	4.90	5.19		22.46	17.90
		DS3	5.05	5.29		15.41	7.52
		DS4	5.21	5.53		11.39	8.87
		DS5	5.27	5.69		11.75	6.33
		US1	4.70	4.83		9.45	11.63
2017/08/25	Mid-Ebb	US2	4.91	5.09		6.53	7.40
		MW1	3.55	4.68		5.49	4.25
	Mid-Flood	DS1	5.07	6.64		10.12	11.68
		DS2	5.15	6.21		14.72	20.02
		DS3	4.82	5.58		21.84	21.20
		DS4	4.69	5.12		23.58	20.00
		DS5	4.89	5.13		22.57	21.32
		US1	4.78	6.13		15.59	15.10
		US2	4.49	5.95		15.07	21.75
2017/08/26	Mid-Ebb	MW1	5.26	6.62		5.06	7.05
		DS1	5.38	5.81		16.09	16.05
		DS2	5.73	5.85		13.27	12.88
		DS3	5.79	5.83		14.47	14.38
		DS4	5.74	5.88		12.58	13.17
	Mid-Flood	DS5	5.40	5.64		14.35	11.23
		US1	5.57	6.00		12.94	16.35
		US2	5.23	6.05		15.97	19.90
		MW1	4.58	5.06		13.04	11.95
		DS1	5.07	5.16		43.22	18.25
2017/08/27	Mid-Ebb	DS2	5.09	5.18		40.73	12.17
		DS3	5.00	5.09		50.26	11.90
		DS4	4.96	5.17		33.39	12.37
		DS5	5.00	5.13		50.68	20.88

Sampling Date	Tidal Period	Station	Average DO Levels (mg/L)		Average Turbidity Level (NTU)	Average SS Level (mg/L)
			Bottom	Surface and Mid Depth		
2017/08/27	Mid-Flood	US1	5.06	5.33	48.54	18.37
		US2	5.11	5.34	34.91	17.83
		MW1	5.15	5.22	7.98	8.30
		DS1	4.80	5.08	27.12	9.90
		DS2	4.78	5.04	28.82	11.78
		DS3	4.92	5.15	35.98	11.38
		DS4	5.17	5.30	37.86	10.27
		DS5	5.23	5.29	29.84	12.45
		US1	5.04	5.12	19.79	14.80
		US2	4.75	5.00	33.06	20.13
		MW1	4.56	5.04	12.37	10.13
2017/08/28	Mid-Ebb	DS1	5.35	5.59	8.80	9.02
		DS2	5.39	5.56	8.47	9.15
		DS3	5.41	5.61	7.77	8.82
		DS4	5.37	5.63	10.79	11.97
		DS5	5.42	5.61	7.55	8.57
		US1	5.38	5.55	9.45	9.68
		US2	5.35	5.65	7.02	6.75
		MW1	5.28	5.69	4.38	5.00
		DS1	5.42	5.76	14.17	11.47
		DS2	5.45	5.71	16.77	12.37
2017/08/30	Mid-Flood	DS3	5.45	5.54	10.38	11.07
		DS4	5.46	5.48	10.22	10.87
		DS5	5.20	5.40	8.53	9.38
		US1	5.31	5.57	10.90	11.57
		US2	5.15	5.47	14.79	16.28
		MW1	5.06	5.51	6.75	8.85
		DS1	4.75	5.21	6.03	8.28
		DS2	4.65	5.14	7.35	8.53
		DS3	4.77	5.28	5.51	5.82
		DS4	4.54	5.19	16.42	13.47
	Mid-Ebb	DS5	4.66	5.31	7.20	9.33
		US1	4.74	5.17	6.28	6.88
		US2	5.03	5.23	6.23	7.97
		MW1	4.88	5.49	4.68	5.42
		DS1	4.69	5.24	8.07	9.03
		DS2	4.86	5.15	6.62	8.40
		DS3	4.79	5.31	7.75	8.68
		DS4	4.83	5.13	6.31	7.75
		DS5	4.83	5.29	6.75	6.67
		US1	4.63	5.20	6.62	8.48
	Mid-Flood	US2	4.68	5.31	6.21	5.87
		MW1	4.77	5.26	7.61	10.12

Notes:

1. Please refer to Table B1 for the Action and Limit Levels for dredging activities.
2. Cell shaded yellow indicated value exceeding the Action Level criteria.
3. Cell shaded red indicated value exceeding the Limit Level criteria.

**Table B3** Water Column Profiling Results for ESC CMP Vd in August 2017

Stations	Temp (°C)	Salinity (ppt)	Turbidity (NTU)	Dissolved Oxygen (%)	pH	Suspended Solids (mg L <sup>-1</sup> )
WCP 1 (Downstream)	29.06	20.35	4.70	75.00	5.15	7.80
WCP 2 (Upstream)	29.49	19.20	8.67	77.96	5.35	7.79
WQO (Wet season)	N/A	17.28 - 21.12#	N/A	N/A	>4	6.5-8.5

**Note:**

#Not exceeding 10% of natural ambient level which is the result obtained from the Reference Station.

Cell shaded yellow / red indicate value exceeding the Action/Limit levels.

Cell shaded grey indicate value exceeding the WQO.

**Table B4** In-situ Monitoring Results for Routine Water Quality Monitoring of ESC CMPs in August 2017

Sampling Period	Stations	Temp (°C)	Salinity (ppt)	Turbidity (NTU)	Dissolved Oxygen (%)	pH (mg L <sup>-1</sup> )
August 2017	RFE (Reference)	28.69	20.36	4.73	78.14	5.40
	IPE (Impact)	28.88	19.45	4.36	78.86	5.46
	INE (Intermediate)	28.97	18.80	4.92	77.28	5.36
	Ma Wan	27.41	25.39	2.77	68.28	4.69
WQO		N/A	18.32 - 22.39#	N/A	N/A	>4
						6.5-8.5

**Notes:**

#Not exceeding 10% of natural ambient level which is the result obtained from the Reference Station.

Cell shaded yellow / red indicate value exceeding the Action/Limit levels.

Cell shaded grey indicate value exceeding the WQO.

**Table B5** Laboratory Results for Routine Water Quality Monitoring of ESC CMPs in August 2017

Sampling Period	Stations	As (µg/L)	Cd (µg/L)	Cr (µg/L)	Cu (µg/L)	Pb (µg/L)	Hg (µg/L)	Ni (µg/L)	Ag (µg/L)	Zn (µg/L)	NH <sub>3</sub> (mg/L)	TIN (mg/L)	BOD <sub>5</sub> (mg/L)	SS (mg/L)
August 2017	RFE	2.73	<LOR	0.76	1.19	0.50	<LOR	2.01	<LOR	36.37	0.06	0.99	0.78	5.74
	IPE	3.02	<LOR	0.53	0.50	0.50	<LOR	1.44	<LOR	33.58	0.07	1.06	0.92	5.60
	INE	2.84	<LOR	0.95	1.95	0.74	<LOR	2.38	<LOR	31.38	0.08	1.13	0.53	5.74
	Ma Wan	2.63	<LOR	0.94	1.33	0.58	<LOR	1.62	<LOR	50.31	0.07	0.73	1.40	4.15

WQO of TIN: 0.5 mg/L

Wet Season WQO of SS : 11.0 mg/L

**Notes:**

Cell shaded yellow / red indicate value exceeding the Action/Limit levels.

Cell shaded grey indicate value exceeding the WQO.

**Table B6 Action and Limit Levels of Water Quality for Dredging, Backfilling and Capping Activities for SB CMPs**

Parameter	Action Level	Limit Level
Dissolved Oxygen (DO) <sup>(1)</sup>	<u>Surface and Mid-depth</u> <sup>(2)</sup> The average of the impact, WSR 45C and WSR 46 station readings are < 5%-ile of baseline data for surface and middle layer = <b>4.32 mg L<sup>-1</sup></b> and Significantly less than the reference stations mean DO (at the same tide of the same day)	<u>Surface and Mid-depth</u> <sup>(2)</sup> The average of the impact, WSR 45C and WSR 46 station readings are < 4 <b>mg L<sup>-1</sup></b> and Significantly less than the reference stations mean DO (at the same tide of the same day)
	<u>Bottom</u> The average of the impact, WSR 45C and WSR 46 station readings are < 5%-ile of baseline data for bottom layers = <b>3.12 mg L<sup>-1</sup></b> and Significantly less than the reference stations mean DO (at the same tide of the same day)	<u>Bottom</u> The average of the impact station, WSR 45C and WSR 46 readings are < 2 <b>mg L<sup>-1</sup></b> and Significantly less than the reference stations mean DO (at the same tide of the same day)
Depth-averaged Suspended Solids (SS) <sup>(3)(4)</sup>	The average of the impact, WSR 45C and WSR 46 station readings are > 95%-ile of baseline data for depth average = <b>21.60 mg L<sup>-1</sup></b> and 120% of control station's SS at the same tide of the same day	The average of the impact, WSR 45C and WSR 46 station readings are > 99%-ile of baseline data for depth average = <b>40.10 mg L<sup>-1</sup></b> and 130% of control station's SS at the same tide of the same day
Depth-averaged Turbidity (Tby) <sup>(3)(4)</sup>	The average of the impact, WSR 45C and WSR 46 station readings are > 95%-ile of baseline data = <b>25.04 NTU</b> and 120% of control station's Tby at the same tide of the same day	The average of the impact, WSR 45C and WSR 46 station readings are > 99%-ile of baseline data = <b>32.68 NTU</b> and 130% of control station's Tby at the same tide of the same day

**Notes:**

- (1) For DO, non-compliance of the water quality limits occurs when monitoring result is lower than the limits.
- (2) The Action and Limit Levels for DO for Surface & Middle layers were calculated from the combined pool of baseline surface layer data and baseline middle layer data.
- (3) “Depth-averaged” is calculated by taking the arithmetic means of reading of all three depths.
- (4) For turbidity and SS, non-compliance of the water quality limits occurs when monitoring result is higher than the limits.

**Table B7 Monitoring Results for Water Quality Monitoring during Capping of SB CMP in August 2017**

Sampling Period	Stations	Temp (°C)	Salin	Turbid	Dissolved	pH	SS	NH3	TIN	BOD <sub>5</sub>	
			ity (ppt)	ity (NTU)	Oxygen (%)	(mg L <sup>-1</sup> )					
August 2017	RFF (Reference)	28.84	19.71	3.43	95.00	6.57	7.98	4.71	0.15	1.20	1.09
	IPF (Impact)	28.29	22.08	7.41	90.37	6.23	7.97	10.86	0.08	0.83	1.11
	INF (Intermediate)	25.86	29.65	11.83	58.78	4.05	7.90	12.28	0.18	0.67	0.90
	Ma Wan	25.02	31.89	6.52	59.05	4.07	7.96	9.23	0.13	0.42	0.87
	Sham Shui Kok	26.13	28.98	14.13	55.98	3.85	7.85	23.72	0.19	0.83	0.90
	Tai Mo To	27.02	26.08	9.13	64.60	4.45	7.90	13.17	0.14	0.85	1.37
	Tai Ho Bay 1	29.85	17.00	12.37	109.03	7.53	7.83	30.70	0.14	1.30	1.17
	Tai Ho Bay 2	31.11	16.86	13.85	127.71	8.64	8.20	8.93	0.16	0.88	1.57
	WQO	N/A	17.73- 21.68*	N/A	N/A	>4	6.5-8.5	11.0	N/A	0.50	N/A

**Notes:**

# Not exceeding 2°C of change of the results from the Reference Station.

\*Not exceeding 10% of natural ambient level which is the result obtained from the Reference Station.

Cell shaded yellow / red indicate value exceeding the Action/Limit levels.

Cell shaded grey indicate value exceeding the WQO.