

Table B1 *Summary Table of DO, Turbidity and SS Levels Recorded in March and April 2013*

Sampling Date	Tidal Period	Station	Average DO Levels (mg/L)		Average Turbidity Level (NTU)	Average SS Level (mg/L)
			Bottom	Surface and Mid Depth		
2013/3/27	Mid-Ebb	DS1	6.82	6.78	14.94	21.22
		DS2	6.80	6.80	18.28	19.67
		DS3	6.88	6.84	12.46	16.89
		DS4	6.77	6.88	10.72	13.00
		DS5	6.85	6.91	6.53	8.50
		US1	6.83	6.81	12.03	16.83
		US2	6.78	6.78	15.27	23.33
		MW1	6.56	6.61	2.65	5.33
		THB1	6.78	6.88	5.79	5.83
		THB2	-	6.04	8.35	8.33
		WSR45C	6.72	6.78	11.96	14.56
		WSR46	6.85	6.83	31.27	61.00
	Mid-Flood	DS1	6.70	6.77	12.32	15.67
		DS2	6.74	6.76	18.32	25.50
		DS3	6.76	6.78	18.60	24.33
		DS4	6.82	6.85	13.49	18.22
		DS5	6.83	6.84	13.17	17.50
		US1	6.75	6.87	9.67	14.56
		US2	6.76	6.83	6.48	9.22
		MW1	6.56	6.61	6.21	12.56
		THB1	6.85	6.94	12.34	14.83
		THB2	-	6.14	9.65	10.00
		WSR45C	6.70	6.76	8.57	13.22
		WSR46	6.85	6.89	10.58	11.67
2013/3/29	Mid-Ebb	DS1	6.60	6.61	16.99	16.56
		DS2	6.62	6.63	19.66	21.89
		DS3	6.66	6.65	16.29	16.00
		DS4	6.64	6.67	11.51	11.11
		DS5	6.72	6.71	8.49	8.33
		US1	6.67	6.66	11.67	14.67
		US2	6.66	6.65	19.28	23.33
		MW1	6.60	6.70	4.91	5.33
		THB1	6.78	6.80	9.82	9.67
		THB2	-	6.49	9.98	6.33
		WSR45C	6.62	6.66	11.86	11.56
		WSR46	6.67	6.69	11.13	11.56
	Mid-Flood	DS1	6.67	6.66	12.20	12.17
		DS2	6.68	6.70	9.10	9.00
		DS3	6.66	6.69	7.77	7.83
		DS4	6.65	6.66	11.98	12.67
		DS5	6.71	6.68	9.62	11.00
		US1	6.63	6.71	18.42	20.56
		US2	6.60	6.66	14.17	15.89
		MW1	6.56	6.64	6.87	8.00
		THB1	6.79	6.76	19.75	19.50
		THB2	-	6.29	8.35	9.67
		WSR45C	6.67	6.76	13.00	10.89

Sampling Date	Tidal Period	Station	Average DO Levels (mg/L)		Average Turbidity Level (NTU)	Average SS Level (mg/L)
			Bottom	Surface and Mid Depth		
2013/4/1	Mid-Ebb	WSR46	6.70	6.74	65.15	27.44
		DS1	6.80	6.91	9.69	12.33
		DS2	6.81	6.98	10.07	13.33
		DS3	6.74	6.99	10.14	15.33
		DS4	6.78	6.96	10.22	12.44
		DS5	6.88	6.97	7.83	8.83
		US1	6.75	6.79	11.20	13.33
		US2	6.77	6.76	18.76	24.89
		MW1	6.78	6.91	4.10	4.33
		THB1	7.01	7.09	11.05	11.33
		THB2	-	6.64	7.15	8.67
		WSR45C	6.76	6.90	13.93	17.89
		WSR46	6.71	6.85	8.74	9.33
	Mid-Flood	DS1	6.91	6.91	7.18	6.83
		DS2	6.89	6.89	7.18	7.00
		DS3	6.93	6.95	7.22	7.33
		DS4	6.77	6.82	12.63	17.67
		DS5	6.87	6.95	6.73	6.67
		US1	6.51	6.75	8.40	7.56
		US2	6.55	6.67	13.09	15.11
		MW1	6.57	6.60	3.87	3.67
		THB1	6.77	6.83	10.52	13.67
		THB2	-	6.78	6.92	9.00
		WSR45C	6.67	6.71	7.84	9.00
		WSR46	6.61	6.71	15.18	15.33
2013/4/3	Mid-Ebb	DS1	6.56	6.81	9.67	11.11
		DS2	6.63	6.78	7.33	12.78
		DS3	6.56	6.65	8.40	10.78
		DS4	6.59	6.68	5.06	7.89
		DS5	6.47	6.48	5.45	7.00
		US1	6.68	6.83	5.95	7.00
		US2	6.66	6.78	9.28	11.17
		MW1	6.67	6.72	1.77	4.00
		THB1	6.32	6.40	7.77	8.83
		THB2	-	6.26	8.62	7.00
		WSR45C	6.43	6.67	5.26	5.11
		WSR46	6.76	6.81	5.29	6.00
	Mid-Flood	DS1	6.73	6.98	6.33	9.00
		DS2	7.06	7.09	4.42	5.00
		DS3	7.04	7.04	4.27	4.83
		DS4	6.86	7.07	4.48	4.67
		DS5	6.60	6.99	5.27	5.44
		US1	6.83	6.82	2.59	3.56
		US2	6.71	6.78	2.90	3.22
		MW1	6.61	6.66	1.69	5.89
		THB1	6.58	6.70	6.10	9.50
		THB2	-	7.02	10.58	16.00
		WSR45C	6.59	6.62	2.67	7.22
		WSR46	6.78	6.83	3.78	8.89
2013/4/5	Mid-Flood	DS1	7.01	7.07	6.38	8.50
		DS2	7.04	7.06	5.52	8.50

Sampling Date	Tidal Period	Station	Average DO Levels (mg/L)		Average Turbidity Level (NTU)	Average SS Level (mg/L)
			Bottom	Surface and Mid Depth		
2013/4/8	Mid-Ebb	DS3	7.05	7.05	4.70	6.83
		DS4	7.09	7.11	5.20	8.67
		DS5	6.75	7.05	7.28	8.78
		US1	6.84	7.07	4.29	5.11
		US2	6.63	6.96	4.54	6.33
		MW1	6.52	6.85	2.28	5.44
		THB1	7.15	7.23	5.47	7.00
		THB2	-	-	-	-
		WSR45C	6.62	6.97	5.00	6.78
		WSR46	6.67	6.99	5.98	7.89
		DS1	6.71	6.75	7.99	16.44
		DS2	6.71	6.77	4.59	7.78
		DS3	6.71	6.70	5.41	9.44
		DS4	6.66	6.64	5.87	9.50
		DS5	6.65	6.64	6.67	17.33
		US1	7.02	7.01	13.48	17.33
		US2	6.98	6.97	15.10	18.83
		MW1	6.73	6.79	2.85	7.56
		THB1	6.96	7.07	4.17	5.00
		THB2	-	6.41	8.25	6.33
	Mid-Flood	WSR45C	6.74	6.78	6.25	8.67
		WSR46	6.95	7.08	12.69	14.33
		DS1	7.20	7.20	8.43	10.00
		DS2	7.16	7.21	9.02	9.67
		DS3	7.19	7.23	11.20	14.33
		DS4	7.23	7.27	11.10	12.78
		DS5	7.16	7.23	9.00	14.17
		US1	6.85	7.05	9.22	10.56
		US2	6.77	6.89	12.43	14.11
		MW1	6.82	6.86	5.06	11.67
		THB1	7.00	6.92	10.62	14.33
		THB2	-	6.54	7.75	10.67
2013/4/10	Mid-Ebb	WSR45C	6.92	7.11	11.24	16.00
		WSR46	7.06	7.18	9.31	9.89
		DS1	6.70	6.80	8.21	12.33
		DS2	6.85	6.94	5.62	7.89
		DS3	6.85	6.87	7.10	10.22
		DS4	6.76	6.85	6.84	10.89
		DS5	6.92	6.88	8.27	12.33
		US1	6.93	6.95	20.62	26.33
		US2	6.91	6.90	25.48	34.83
		MW1	6.62	6.68	4.70	7.78
	Mid-Flood	THB1	6.99	7.01	5.90	7.17
		THB2	-	6.46	9.37	8.00
		WSR45C	6.67	6.94	10.28	13.11
		WSR46	6.96	7.04	33.37	41.78
		DS1	6.94	6.93	8.03	12.05
		DS2	6.93	6.94	10.28	16.17
		DS3	6.90	6.94	10.75	13.50
		DS4	6.76	6.80	22.64	31.44
		DS5	6.75	6.74	15.32	20.33

Sampling Date	Tidal Period	Station	Average DO Levels (mg/L)		Average Turbidity Level (NTU)	Average SS Level (mg/L)
			Bottom	Surface and Mid Depth		
2013/4/12	Mid-Ebb	US1	6.67	6.74	16.42	21.44
		US2	6.66	6.69	8.37	11.56
		MW1	6.58	6.62	10.90	16.00
		THB1	6.78	6.75	19.67	19.50
		THB2	-	6.83	9.48	8.00
		WSR45C	6.70	6.77	16.24	21.89
		WSR46	6.91	6.93	16.98	17.00
		DS1	6.80	6.86	9.67	17.44
		DS2	6.87	6.91	8.02	17.44
		DS3	6.82	6.94	7.08	16.00
		DS4	6.84	6.91	6.04	16.11
		DS5	6.84	6.84	8.65	17.00
		US1	6.72	6.73	15.93	19.83
		US2	6.68	6.67	19.61	24.89
		MW1	6.61	6.68	5.47	14.11
	Mid-Flood	THB1	6.81	6.84	7.92	14.83
		THB2	-	6.95	7.98	13.00
		WSR45C	6.80	6.85	13.13	20.22
		WSR46	6.75	6.75	13.23	19.56
		DS1	6.76	6.74	10.12	20.67
		DS2	6.76	6.74	11.22	16.17
		DS3	6.77	6.77	6.62	14.33
		DS4	6.68	6.71	9.71	19.22
		DS5	6.78	6.77	7.62	15.67
		US1	6.59	6.73	11.91	15.67
		US2	6.53	6.69	8.76	17.78
		MW1	6.59	6.73	4.90	12.56
		THB1	6.81	6.83	9.87	16.00
		THB2	-	6.55	6.28	14.00
		WSR45C	6.60	6.75	10.08	22.11
2013/4/15	Mid-Ebb	WSR46	6.69	6.74	29.69	37.89
		DS1	6.51	6.64	8.90	15.22
		DS2	6.64	6.74	8.00	15.89
		DS3	6.68	6.86	5.76	9.56
		DS4	6.80	6.84	4.76	7.33
		DS5	6.81	6.82	4.93	8.00
		US1	6.91	6.97	3.95	5.50
		US2	6.85	6.86	4.77	9.17
		MW1	6.64	6.77	4.04	6.33
		THB1	6.92	6.97	4.47	5.33
		THB2	-	6.90	4.44	9.00
		WSR45C	6.55	6.83	6.10	12.44
		WSR46	6.52	6.66	11.85	17.44
	Mid-Flood	DS1	6.65	6.62	9.20	14.17
		DS2	6.67	6.64	5.77	10.00
		DS3	6.72	6.71	4.72	6.17
		DS4	6.62	6.74	5.47	7.56
		DS5	6.73	6.73	4.75	8.83
		US1	6.58	6.61	4.73	8.33
		US2	6.51	6.58	11.44	19.56
		MW1	6.32	6.52	4.17	7.22

Sampling Date	Tidal Period	Station	Average DO Levels (mg/L)		Average Turbidity Level (NTU)	Average SS Level (mg/L)
			Bottom	Surface and Mid Depth		
2013/4/17	Mid-Ebb	THB1	6.51	6.52	11.24	11.00
		THB2	-	6.39	6.61	4.33
		WSR45C	6.51	6.58	5.29	8.33
		WSR46	6.51	6.66	18.80	16.00
		DS1	6.93	7.27	4.22	6.89
		DS2	7.10	7.39	4.50	7.11
		DS3	7.09	7.35	3.80	4.22
		DS4	7.39	7.46	3.33	3.56
		DS5	7.57	7.58	3.20	3.67
		US1	7.12	7.43	3.78	4.17
		US2	7.24	7.43	4.98	7.50
		MW1	6.45	6.90	3.59	4.33
	Mid-Flood	THB1	6.60	6.84	5.74	4.50
		THB2	-	6.37	7.23	7.67
		WSR45C	6.35	7.05	6.57	13.11
		WSR46	6.36	6.86	5.10	7.44
		DS1	6.79	6.71	3.82	5.33
		DS2	6.83	6.82	3.18	4.67
		DS3	6.78	6.87	3.93	7.83
		DS4	6.66	6.81	4.10	6.11
		DS5	6.96	6.92	3.32	4.67
		US1	6.48	6.73	3.42	6.56
		US2	6.58	6.69	2.67	4.67
		MW1	6.42	6.69	2.65	4.33
2013/4/19	Mid-Ebb	THB1	6.71	6.92	5.50	6.50
		THB2	-	5.95	4.68	8.00
		WSR45C	6.26	6.65	4.69	4.44
		WSR46	6.36	6.64	7.86	11.11
		DS1	6.99	7.58	3.31	4.56
		DS2	6.56	7.17	3.40	5.22
		DS3	6.88	7.15	2.63	4.44
		DS4	6.87	7.16	2.82	4.11
		DS5	7.05	7.30	2.68	4.00
		US1	7.11	8.00	7.87	7.33
		US2	6.94	7.66	7.02	6.67
		MW1	6.33	6.98	1.70	4.00
		THB1	5.98	7.93	6.42	7.50
		THB2	-	7.04	4.77	6.67
		WSR45C	6.10	6.82	5.01	7.78
		WSR46	6.37	6.63	4.56	5.67
2013/4/22	Mid-Ebb	DS1	6.51	6.71	7.37	7.78
		DS2	6.54	6.66	6.53	12.00
		DS3	6.55	6.70	5.36	8.56
		DS4	6.54	6.67	4.73	7.33
		DS5	6.44	6.54	5.18	10.33
		US1	6.85	6.94	13.31	20.33
		US2	6.87	6.87	26.30	37.67
		MW1	6.51	6.75	4.78	9.11
		THB1	7.14	7.18	6.04	11.17
		THB2	-	7.04	3.21	7.67
		WSR45C	6.42	6.72	5.55	11.00

Sampling Date	Tidal Period	Station	Average DO Levels (mg/L)		Average Turbidity Level (NTU)	Average SS Level (mg/L)
			Bottom	Surface and Mid Depth		
2013/4/24	Mid-Flood	WSR46	6.52	6.92	7.70	11.00
		DS1	7.01	7.20	14.95	17.83
		DS2	7.35	7.36	3.95	10.50
		DS3	7.27	7.32	4.84	11.56
		DS4	7.32	7.34	8.14	10.67
		DS5	7.56	7.58	7.80	9.50
		US1	6.77	6.95	5.90	9.33
		US2	6.58	6.89	5.16	8.67
		MW1	6.53	6.63	5.14	9.67
		THB1	6.84	6.80	10.80	15.00
	Mid-Ebb	THB2	-	7.12	3.04	10.67
		WSR45C	6.54	6.81	5.99	7.22
		WSR46	6.58	7.30	6.10	10.11
		DS1	6.77	6.81	9.64	17.44
		DS2	6.82	6.84	9.36	10.67
		DS3	6.90	7.00	6.90	10.67
		DS4	7.00	7.04	6.73	8.83
		DS5	6.88	6.86	7.83	10.83
		US1	6.77	6.81	8.47	13.00
		US2	6.76	6.79	9.53	13.33
	Mid-Flood	MW1	6.53	6.67	5.61	11.44
		THB1	7.08	7.17	7.82	6.67
		THB2	-	7.23	3.71	6.33
		WSR45C	6.76	6.82	11.33	18.78
		WSR46	6.75	6.70	18.26	17.67
		DS1	6.84	6.83	7.23	7.17
		DS2	6.92	6.88	7.33	12.67
		DS3	6.95	6.96	6.52	10.00
		DS4	7.01	7.00	7.53	9.50
		DS5	7.02	7.04	10.57	14.00
		US1	6.75	7.02	11.82	17.78
		US2	6.72	6.84	7.92	12.89
		MW1	6.49	6.53	9.78	12.33
		THB1	7.06	7.13	5.19	4.50
		THB2	-	7.70	3.91	6.67
		WSR45C	6.61	6.80	9.65	11.33
		WSR46	6.71	6.70	16.74	18.00

Notes:

1. Please refer to Table B2 below for the Action and Limit Levels for dredging activities.
2. Cell shaded yellow indicated value exceeding the Action Level criteria.
3. Cell shaded red indicated value exceeding the Limit Level criteria.
4. Only mid-depth water was sampled at Station THB2 because water depth was less than 3m.
5. Sampling at Station THB2 during mid-flood tide of 5 April 2013, all sampling during mid-ebb tide of 5 April 2013 and all sampling during mid-flood tide of 19 April 2013 were not carried out due to adverse weather.

Table B2 **Action and Limit Levels of Water Quality for Dredging, Backfilling and Capping Activities**

Parameter	Action Level	Limit Level
Dissolved Oxygen (DO) ⁽¹⁾	<u>Surface and Mid-depth</u> ⁽²⁾ The average of the impact, WSR 45C and WSR 46 station readings are < 5%-ile of baseline data for surface and middle layer = 4.32 mg L⁻¹ and Significantly less than the reference stations mean DO (at the same tide of the same day)	<u>Surface and Mid-depth</u> ⁽²⁾ The average of the impact, WSR 45C and WSR 46 station readings are < 4 mg L⁻¹ and Significantly less than the reference stations mean DO (at the same tide of the same day)
	<u>Bottom</u> The average of the impact, WSR 45C and WSR 46 station readings are < 5%-ile of baseline data for bottom layers = 3.12 mg L⁻¹ and Significantly less than the reference stations mean DO (at the same tide of the same day)	<u>Bottom</u> The average of the impact station, WSR 45C and WSR 46 readings are < 2 mg L⁻¹ and Significantly less than the reference stations mean DO (at the same tide of the same day)
Depth-averaged Suspended Solids (SS) ^{(3) (4)}	The average of the impact, WSR 45C and WSR 46 station readings are > 95%-ile of baseline data for depth average = 21.60 mg L⁻¹ and 120% of control station's SS at the same tide of the same day	The average of the impact, WSR 45C and WSR 46 station readings are > 99%-ile of baseline data for depth average = 40.10 mg L⁻¹ and 130% of control station's SS at the same tide of the same day
Depth-averaged Turbidity (Tby) ^{(3) (4)}	The average of the impact, WSR 45C and WSR 46 station readings are > 95%-ile of baseline data = 25.04 NTU and 120% of control station's Tby at the same tide of the same day	The average of the impact, WSR 45C and WSR 46 station readings are > 99%-ile of baseline data = 56.30 NTU and 130% of control station's Tby at the same tide of the same day
Notes:		
(1) For DO, non-compliance of the water quality limits occurs when monitoring result is lower than the limits.		
(2) The Action and Limit Levels for DO for Surface & Middle layers were calculated from the combined pool of baseline surface layer data and baseline middle layer data.		
(3) "Depth-averaged" is calculated by taking the arithmetic means of reading of all three depths.		
(4) For turbidity and SS, non-compliance of the water quality limits occurs when monitoring result is higher than the limits.		