

Trawling Data in August 2023

Group	Species Name	INA														
		INA-1			INA-2			INA-3			INA-4			INA-5		
		Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling
		number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)
Fish	<i>Arnoglossus waitei</i>															
	<i>Acanthopagrus schlegeli</i>															
	<i>Acentrogobius caninus</i>															
	<i>Anchoviella commersonii</i>										1	6.0		1	3.0	
	<i>Apogon kiensis</i>	1	3.0													
	<i>Arius chinensis</i>															
	<i>Butis koilomatodon</i>															
	<i>Callionymus curvicornis</i>				1	6.0										
	<i>Chrysochir aureus</i>															
	<i>Collichthys lucida</i>															
	<i>Cryptocentrus filifer</i>															
	<i>Cynoglossus arel</i>															
	<i>Cynoglossus puncticeps</i>															
	<i>Cynoglossus roulei</i>															
	<i>Dasyatis akaiei</i>	1	550.0		1	195.0										
	<i>Dasyatis zupei</i>							1	180.0							
	<i>Dendrophysa russelli</i>															
	<i>Drepane punctata</i>	1	270.0													
	<i>Epinephelus awoara</i>															
	<i>Epinephelus bruneus</i>															
	<i>Gerres abbreviatus</i>										1	40.0				
	<i>Gerres oyena</i>															
	<i>Grammolites scaber</i>	1	11.0		1	6.0		1	6.0		2	9.0		1	7.0	
	<i>Gymnura japonica</i>															
	<i>Ilisha elongata</i>															
	<i>Inimicus japonicus</i>															
	<i>Johnius belangerii</i>															
	<i>Konosirus punctatus</i>															
	<i>Lagocephalus sceleratus</i>															
	<i>Leiognathus brevirostris</i>										3	20.0				
	<i>Muraenesox cinereus</i>															
	<i>Nemipterus japonicus</i>															
	<i>Pennahia anea</i>										1	6.0				
	<i>Pisodonophis boro</i>							1	50.0							
	<i>Platycephalus indicus</i>	2	410.0		5	230.0		6	32.0		7	63.0				
	<i>Plectorhinchus pictus</i>															
	<i>Pseudorhombus cinnamomeus</i>															
	<i>Pseudorhombus elongata</i>															
	<i>Saurida elongata</i>															
	<i>Sebastiscus marmoratus</i>	1	22.0													
	<i>Siganus fuscescens</i>							1	21.0							
	<i>Solea ovata</i>				5	40.0					1	4.0				
	<i>Stephanolepis cirrhifer</i>				2	240.0		3	195.0		4	260.0				
	<i>Terapon jarbua</i>				1	28.0										
	<i>Thryssa dussumieri</i>															
	<i>Thryssa kammalensis</i>															
	<i>Trachicephalus uranoscopus</i>				1	8.0										
	<i>Trypauchen vagina</i>													1	30.0	
	<i>Upeneus japonicus</i>							1	24.0							

Trawling Data in August 2023

Group	Species Name	INA														
		INA-1			INA-2			INA-3			INA-4			INA-5		
		Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling
		number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)
Prawn or shrimp	<i>Alpheus brevicristatus</i>															
	<i>Alpheus distinguendus</i>															
	<i>Metapenaeopsis barbata</i>															
	<i>Metapenaeus affinis</i>															
	<i>Metapenaeus joyneri</i>															
	<i>Parapeneopsis hardwickii</i>															
	<i>Parapeneopsis hungerfordii</i>															
	<i>Parapeneopsis tenella</i>													1	6.0	
	<i>Penaeus japonicus</i>															
	<i>Penaeus merquiensis</i>															
Crab	<i>Calappa philargius</i>															
	<i>Charybdis affinis</i>										1	10.0				
	<i>Charybdis cruciata</i>															
	<i>Charybdis japonica</i>	1	50.0													
	<i>Charybdis truncata</i>															
	<i>Charybdis spp.</i>	12	108.0		8	81.0		10	92.0							
	<i>Doclea spp.</i>													3	102.0	
	<i>Dorippe polita</i>													5	48.0	
	<i>Dorippe granulata</i>															
	<i>Dorippe dorsipes</i>				3	38.0		1	10.6							
	<i>Eucrate crenata</i>							1	82.0							
	<i>Eucrate solaris</i>															
	<i>Galene bispinosa</i>													2	68.0	
	Hermit crab															
	<i>c.f. Ibacus novemdentatus</i>															
	<i>Leucosia craniolaris</i>										4	23.0		6	31.0	
	<i>Macrophthalmus japonicus</i>															
	<i>Parthenope validus</i>	2	24.0					2	22.0		1	11.0		3	38.0	
	<i>Porcellanella picta</i>															
	<i>Portunus pelagicus</i>							1	40.0		1	50.0		1	202.0	
	<i>Portunus sanquinolentus</i>															
	<i>Portunus trituberculatus</i>															
	<i>Portunus hastatoides</i>				1	2.0										
	<i>Pyrhila sp.</i>															
	<i>Typhlocarcinus sp.</i>															
Mantis shrimp	<i>Anchisquilla fasciata</i>															
	<i>Dictyosquilla foveolata</i>															
	<i>Harpiosquilla harpax</i>															
	<i>Oratosquilla interrupta</i>															
	<i>Oratosquilla oratoria</i>															
Gastropod	<i>Bursa rana</i>															
	<i>Drupa musiva</i>													4	39.0	
	<i>Epitonium scalare</i>	1	6.4													
	<i>Gemmula deshayesii</i>															
	<i>Inquistor flavidula</i>	1	1.6													
	<i>Murex trapa</i>															
	<i>Nassarius succinctus</i>															
	<i>Nassarius sp.</i>															
	<i>Siphopatella walshi</i>															
	<i>Tonna olearium</i>															
	<i>Turritella terebra</i>							20	190.0		30	270.0		20	190.0	

Trawling Data in August 2023

		INA														
		INA-1			INA-2			INA-3			INA-4			INA-5		
Group	Species Name	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling
		number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)
Bivalve	<i>Arcuatula senhousia</i>													48	50.3	
	<i>Chlamys spp.</i>															
	<i>Ostrea sp.</i>	4	5.6		6	9.3		3	4.2							
	<i>Perna viridis</i>				1	8.8										
	<i>Ruditapes philippinarum</i>															
Cephalopod	<i>Loliginid squid</i>															
	<i>Sepiid cuttlefish</i>															
	<i>Octopus</i>										3	60.0				
Echinoderm	<i>Acaudina molpadioides</i>															
	<i>Archaster typicus</i>															
	Brittle star															
	<i>Colochirus quadrangularis</i>															
	<i>Styela plicata</i>	1	4.3		3	8.4										
	<i>Temnopleurus toreumaticus</i>	18	191.0		20	230.0		7	82.0		9	104.0		12	140.0	
	<i>UNID nudibranchia</i>															
Cnidaria	<i>Cavernularia habereri</i>															
	<i>Carcinactis ichikawai</i>															
	<i>Ellisella laevis</i>	1	19.3													
	<i>Pteroeides chinense</i>															
	<i>Gorgonia spp.</i>	1	6.6		3	16.7										
	Jellyfish													1	1960.0	
	Sea anomea															
	Soft corals										1	380.0				
	<i>Virgularia gustaviana</i>							1	7.4					2	46.8	
Porifera	Sponge UNID															
Cirripedia	<i>c.f. Balanus spp.</i>	18	9.6		14	8.2		30	62.0					20	21.0	

Trawling Data in August 2023

Group	Species Name	INB														
		INB-1			INB-2			INB-3			INB-4			INB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
Fish	<i>Arnoglossus waitei</i>															
	<i>Acanthopagrus schlegeli</i>															
	<i>Acentrogobius caninus</i>															
	<i>Anchoviella commersonii</i>															
	<i>Apogon kiensis</i>	1	5.0											1	4.0	
	<i>Arius chinensis</i>															
	<i>Butis koilomatodon</i>															
	<i>Callionymus curvicornis</i>															
	<i>Chrysochir aureus</i>															
	<i>Collichthys lucida</i>															
	<i>Cryptocentrus filifer</i>															
	<i>Cynoglossus arel</i>															
	<i>Cynoglossus puncticeps</i>															
	<i>Cynoglossus roulei</i>															
	<i>Dasyatis akajei</i>													1	150.0	
	<i>Dasyatis zuzei</i>															
	<i>Dendrophysa russelli</i>															
	<i>Drepane punctata</i>													1	202.0	
	<i>Epinephelus awoara</i>															
	<i>Epinephelus bruneus</i>															
	<i>Gerres abbreviatus</i>															
	<i>Gerres oyena</i>															
	<i>Grammolites scaber</i>	2	12.0								1	14.0				
	<i>Gymnura japonica</i>															
	<i>Ilisha elongata</i>															
	<i>Inimicus japonicus</i>													1	270.0	
	<i>Johnius belangerii</i>															
	<i>Konosirus punctatus</i>															
	<i>Lagocephalus sceleratus</i>															
	<i>Leiognathus brevirostris</i>															
	<i>Muraenesox cinereus</i>															
	<i>Nemipterus japonicus</i>															
	<i>Pennahia anea</i>															
	<i>Pisodonophis boro</i>															
	<i>Platycephalus indicus</i>				1	12.0								1	13.0	
	<i>Plectorhinchus pictus</i>															
	<i>Pseudorhombus cinnamomeus</i>	1	43.0													
	<i>Pseudorhombus elongata</i>															
	<i>Saurida elongata</i>															
	<i>Sebastiscus marmoratus</i>				1	90.0		1	12.0					1	14.0	
	<i>Siganus fuscescens</i>															
	<i>Solea ovata</i>	1	10.0													
	<i>Stephanolepis cirrhifer</i>							2	120.0							
	<i>Terapon jarbua</i>				1	14.0		1	7.0							
	<i>Thryssa dussumieri</i>															
	<i>Thryssa kammalensis</i>															
	<i>Trachicephalus uranoscopus</i>															
	<i>Trypauchen vagina</i>															
	<i>Upeneus japonicus</i>															

Trawling Data in August 2023

Group	Species Name	INB														
		INB-1			INB-2			INB-3			INB-4			INB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
Prawn or shrimp	<i>Alpheus brevicristatus</i>				1	3.0		1	6.0							
	<i>Alpheus distinguendus</i>				1	3.0										
	<i>Metapenaeopsis barbata</i>				1	3.0		2	5.0		1	3.0		1	4.0	
	<i>Metapenaeus affinis</i>															
	<i>Metapenaeus joyneri</i>															
	<i>Parapeneopsis hardwickii</i>															
	<i>Parapeneopsis hungerfordii</i>															
	<i>Parapeneopsis tenella</i>													1	8.0	
	<i>Penaeus japonicus</i>															
	<i>Penaeus merquiensis</i>															
Crab	<i>Calappa philargius</i>															
	<i>Charybdis affinis</i>															
	<i>Charybdis cruciata</i>				1	2.0										
	<i>Charybdis japonica</i>	1	33.0					1	60.0		2	90.0				
	<i>Charybdis truncata</i>															
	<i>Charybdis spp.</i>				3	26.0		4	43.0							
	<i>Doclea spp.</i>															
	<i>Dorippe polita</i>															
	<i>Dorippe granulata</i>															
	<i>Dorippe dorsipes</i>															
	<i>Eucrate crenata</i>															
	<i>Eucrate solaris</i>															
	<i>Galene bispinosa</i>															
	Hermit crab															
	<i>c.f. Ibacus novemdentatus</i>							1	2.3							
	<i>Leucosia craniolaris</i>	2	6.2													
	<i>Macrophthalmus japonicus</i>															
	<i>Parthenope validus</i>													2	24.0	
	<i>Porcellanella picta</i>															
	<i>Portunus pelagicus</i>															
	<i>Portunus sanguinolentus</i>															
	<i>Portunus trituberculatus</i>															
	<i>Portunus hastatoides</i>				1	2.0		2	8.0					1	2.0	
	<i>Pyrhila sp.</i>															
	<i>Typhlocarcinus sp.</i>															
Mantis shrimp	<i>Anchisquilla fasciata</i>															
	<i>Dictyosquilla foveolata</i>															
	<i>Harpisquilla harpax</i>															
	<i>Oratosquilla interrupta</i>															
	<i>Oratosquilla oratoria</i>															
Gastropod	<i>Bursa rana</i>															
	<i>Drupa musiva</i>															
	<i>Epitonium scalare</i>															
	<i>Gemmula deshavesii</i>	1	1.6													
	<i>Inquistor flavidula</i>															
	<i>Murex trapa</i>															
	<i>Nassarius succinctus</i>															
	<i>Nassarius sp.</i>															
	<i>Siphopatella walshi</i>															
	<i>Tonna olearium</i>															
	<i>Turritella terebra</i>															

Trawling Data in August 2023

Group	Species Name	INB														
		INB-1			INB-2			INB-3			INB-4			INB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
Bivalve	<i>Arcuatula senhousia</i>	3	4.6													
	<i>Chlamys spp.</i>				1	8.1										
	<i>Ostrea sp.</i>															
	<i>Perna viridis</i>															
	<i>Ruditapes philippinarum</i>															
Cephalopod	<i>Loliginid squid</i>															
	<i>Sepiid cuttlefish</i>															
	<i>Octopus</i>															
Echinoderm	<i>Acaudina molpadioides</i>															
	<i>Archaster typicus</i>															
	Brittle star															
	<i>Colochirus quadrangularis</i>															
	<i>Styela plicata</i>															
	<i>Temnopleurus toreumaticus</i>	8	94.0		4	46.0		5	62.0		8	86.0		12	130.0	
Cnidaria	<i>UNID nudibranchia</i>															
	<i>Cavernularia habereri</i>															
	<i>Carcinactis ichikawai</i>															
	<i>Ellisella laevis</i>	2	34.6											1	21.0	
	<i>Pteroeides chinense</i>				2	84.0					5	116.0		3	84.0	
	<i>Gorgonia spp.</i>				1	21.0		1	83.0		2	49.0		1	36.0	
	Jellyfish	1	54.0		1	38.0										
	Sea anomea															
Porifera	Soft corals				1	180.0								1	290.0	
	<i>Virgularia gustaviana</i>							1	8.8					1	0.8	
	Sponge UNID				1	62.0					1	82.0		1	194.0	
Cirripedia	<i>c.f. Balanus spp.</i>				13	9.4		6	2.4							

Trawling Data in August 2023

Group	Species Name	TNA														
		TNA-1			TNA-2			TNA-3			TNA-4			TNA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
Fish	<i>Arnoglossus waitei</i>				1	3.0										
	<i>Acanthopagrus schlegeli</i>															
	<i>Acentrogobius caninus</i>							1	2.0							
	<i>Anchoviella commersonii</i>															
	<i>Apoqon kiensis</i>				1	8.0		2	9.0							
	<i>Arius chinensis</i>															
	<i>Butis koilomatodon</i>							1	6.0		1	8.0				
	<i>Callionymus curvicornis</i>															
	<i>Chrysochir aureus</i>															
	<i>Collichthys lucida</i>	1	30.0													
	<i>Cryptocentrus filifer</i>															
	<i>Cynoglossus arel</i>	5	180.0		3	20.0								2	16.0	
	<i>Cynoglossus puncticeps</i>													1	5.0	
	<i>Cynoglossus roulei</i>															
	<i>Dasvatis akajei</i>															
	<i>Dasvatis zuqei</i>	2	110.0		2	390.0										
	<i>Dendrophysa russelli</i>				2	14.0										
	<i>Drepane punctata</i>															
	<i>Epinephelus awoara</i>															
	<i>Epinephelus bruneus</i>															
	<i>Gerres abbreviatus</i>															
	<i>Gerres oyena</i>															
	<i>Grammolites scaber</i>	1	22.0		1	22.0		2	31.0		1	23.0				
	<i>Gymnura japonica</i>															
	<i>Ilisha elongata</i>				4	21.0										
	<i>Inimicus japonicus</i>															
	<i>Johnius belangerii</i>	6	30.0		3	20.0		10	40.0		12	68.0		5	20.0	
	<i>Konosirus punctatus</i>															
	<i>Lagocephalus sceleratus</i>										1	14.0				
	<i>Leiognathus brevirostris</i>	2	10.0					1	2.0							
	<i>Muraenesox cinereus</i>										1	250.0		1	370.0	
	<i>Nemipterus japonicus</i>															
	<i>Pennahia anea</i>	27	170.0		16	70.0		14	100.0		47	360.0		23	270.0	
	<i>Pisodonophis boro</i>															
	<i>Platycephalus indicus</i>	1	260.0													
	<i>Plectorhinchus pictus</i>															
	<i>Pseudorhombus cinnamomeus</i>	2	50.0		1	26.0										
	<i>Pseudorhombus elongata</i>															
	<i>Saurida elongata</i>															
	<i>Sebastiscus marmoratus</i>															
	<i>Siganus fuscescens</i>							1	7.0							
	<i>Solea ovata</i>															
	<i>Stephanolepis cirrhifer</i>															
	<i>Terapon jarbua</i>															
	<i>Thryssa dussumieri</i>							4	11.0							
	<i>Thryssa kammalensis</i>															
	<i>Trachicephalus uranoscopus</i>				1	14.0		1	24.0		1	10.0		1	13.0	
	<i>Trypauchen vagina</i>															
	<i>Upeneus japonicus</i>															

Trawling Data in August 2023

Group	Species Name	TNA														
		TNA-1			TNA-2			TNA-3			TNA-4			TNA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
Prawn or shrimp	<i>Alpheus brevicristatus</i>															
	<i>Alpheus distinguendus</i>															
	<i>Metapenaeopsis barbata</i>				1	3.0		2	13.0		1	2.0				
	<i>Metapenaeus affinis</i>	60	590.0		54	340.0		6	30.0							
	<i>Metapenaeus joyneri</i>	9	42.0					1	6.0		2	10.0				
	<i>Parapeneopsis hardwickii</i>							1	12.0		1	9.0		3	28.0	
	<i>Parapeneopsis hungerfordii</i>	8	33.0		1	4.0					4	22.0		1	6.0	
	<i>Parapeneopsis tenella</i>															
	<i>Penaeus japonicus</i>										1	16.0				
	<i>Penaeus merguensis</i>	80	530.0		36	260.0		10	72.0		16	104.0		4	44.0	
Crab	<i>Calappa philargius</i>															
	<i>Charybdis affinis</i>	43	650.0		61	910.0		30	550.0		9	180.0		9	170.0	
	<i>Charybdis cruciata</i>							1	90.0							
	<i>Charybdis japonica</i>	3	170.0											1	40.0	
	<i>Charybdis truncata</i>										1	7.0				
	<i>Charybdis spp.</i>	32	294.0		39	370.0		11	139.0		7	68.0		11	104.0	
	<i>Doclea spp.</i>															
	<i>Dorippe polita</i>	34	326.0		42	408.0		31	308.0		15	130.0		36	348.0	
	<i>Dorippe granulata</i>															
	<i>Dorippe dorsipes</i>															
	<i>Eucrate crenata</i>	1	6.4								3	19.0				
	<i>Eucrate solaris</i>															
	<i>Galene bispinosa</i>	3	96.0		3	74.0								2	137.0	
	Hermit crab															
	<i>c.f. Ibacus novemdentatus</i>															
	<i>Leucosia craniolaris</i>										1	4.8				
	<i>Macrophthalmus japonicus</i>															
	<i>Parthenope validus</i>															
	<i>Porcellanella picta</i>													2	0.5	
	<i>Portunus pelagicus</i>	3	110.0		1	20.0		1	40.0		2	50.0				
	<i>Portunus sanguinolentus</i>							1	3.0							
	<i>Portunus trituberculatus</i>															
	<i>Portunus hastatoides</i>	3	11.0		1	2.0										
	<i>Pyrhila sp.</i>										1	19.3				
	<i>Typhlocarcinus sp.</i>															
Mantis shrimp	<i>Anchisquilla fasciata</i>				1	20.0								2	12.0	
	<i>Dictyosquilla foveolata</i>				1	10.0										
	<i>Harpisquilla harpax</i>	2	80.0		2	204.0		1	43.0		1	73.0				
	<i>Oratosquilla interrupta</i>	48	510.0		14	130.0		6	102.0		13	210.0		15	303.0	
	<i>Oratosquilla oratoria</i>				2	25.0					2	40.0		2	34.0	
Gastropod	<i>Bursa rana</i>															
	<i>Drupa musiva</i>															
	<i>Epitonium scalare</i>															
	<i>Gemmula deshavesii</i>															
	<i>Inquistor flavidula</i>															
	<i>Murex trapa</i>	5	43.0		3	26.0		7	64.0		5	52.0		8	62.0	
	<i>Nassarius succinctus</i>				36	52.0					18	26.0		7	13.0	
	<i>Nassarius sp.</i>										1	1.8				
	<i>Siphopatella walshi</i>													1	2.1	
	<i>Tonna olearium</i>															
	<i>Turritella terebra</i>	93	935.0		165	1670.0		140	1310.0		90	960.0		81	790.0	

Trawling Data in August 2023

Group	Species Name	TNA														
		TNA-1			TNA-2			TNA-3			TNA-4			TNA-5		
		Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling
		number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)
Bivalve	<i>Arcuatula senhousia</i>	620	620.0	*	650	670.0	*	260	390.0	*	4	5.6		11	22.0	
	<i>Chlamys spp.</i>															
	<i>Ostrea sp.</i>															
	<i>Perna viridis</i>															
	<i>Ruditapes philippinarum</i>															
Cephalopod	<i>Loliginid squid</i>															
	<i>Sepiid cuttlefish</i>				1	40.0		1	10.0		1	30.0				
	<i>Octopus</i>	1	20.0					1	20.0							
Echinoderm	<i>Acaudina molpadioides</i>															
	<i>Archaster typicus</i>															
	Brittle star															
	<i>Colochirus quadrangularis</i>							1	25.6							
	<i>Styela plicata</i>															
	<i>Temnopleurus toreumaticus</i>	5	54.0		4	42.0		6	23.0		4	53.0		8	81.0	
	<i>UNID nudibranchia</i>															
Cnidaria	<i>Cavernularia habereri</i>	3	12.0		13	33.0		8	28.0		4	29.0		5	32.0	
	<i>Carcinactis ichikawai</i>				2	0.6		1	0.3		2	0.9		4	1.2	
	<i>Ellisella laevis</i>															
	<i>Pteroeides chinense</i>	17	660.0		19	510.0		18	1250.0		32	1490.0		27	640.0	
	<i>Gorgonia spp.</i>															
	Jellyfish	1	260.0		1	310.0		2	590.0					1	540.0	
	Sea anomea							1	6.8		1	8.1				
	Soft corals															
	<i>Virgularia gustaviana</i>	1	6.7		1	8.1		2	42.0					1	8.3	
Porifera	Sponge UNID															
Cirripedia	<i>c.f. Balanus spp.</i>										36	19.0		20	11.0	

Trawling Data in August 2023

Group	Species Name	TNB														
		TNB-1			TNB-2			TNB-3			TNB-4			TNB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
Fish	<i>Arnoglossus waitei</i>													1	4.0	
	<i>Acanthopagrus schlegeli</i>															
	<i>Acentrogobius caninus</i>															
	<i>Anchoviella commersonii</i>															
	<i>Apogon kiensis</i>				1	30.0		5	23.0		1	3.0		1	4.0	
	<i>Arius chinensis</i>	1	120.0													
	<i>Butis koilomatodon</i>															
	<i>Callionymus curvicornis</i>															
	<i>Chrysochir aureus</i>															
	<i>Collichthys lucida</i>															
	<i>Cryptocentrus filifer</i>							1	6.0		1	6.0				
	<i>CynoGLOSSUS arel</i>							1	50.0					4	70.0	
	<i>CynoGLOSSUS puncticeps</i>															
	<i>CynoGLOSSUS roulei</i>															
	<i>Dasyatis akaiei</i>															
	<i>Dasyatis zugei</i>	6	190.0		4	330.0		3	580.0		5	850.0		10	1950.0	
	<i>Dendrophysa russelli</i>				1	8.0										
	<i>Drepane punctata</i>	1	28.0		1	33.0		2	250.0		3	620.0		2	240.0	
	<i>Epinephelus awoara</i>															
	<i>Epinephelus bruneus</i>															
	<i>Gerres abbreviatus</i>															
	<i>Gerres oyena</i>															
	<i>Grammolites scaber</i>							1	14.0		1	18.0		4	33.0	
	<i>Gymnura japonica</i>															
	<i>Ilisha elongata</i>							1	4.0							
	<i>Inimicus japonicus</i>															
	<i>Johnius belangerii</i>				1	100.0					2	15.0		2	20.0	
	<i>Konosirus punctatus</i>													1	83.0	
	<i>Lagocephalus scleratus</i>															
	<i>Leiognathus brevirostris</i>							13	30.0		4	50.0		1	4.0	
	<i>Muraenesox cinereus</i>													1	130.0	
	<i>Nemipterus japonicus</i>															
	<i>Pennahia anea</i>							6	35.0		6	40.0		2	20.0	
	<i>Pisodonophis boro</i>															
	<i>Platycephalus indicus</i>	1	240.0					2	101.0		1	20.0		1	16.0	
	<i>Plectorhinchus pictus</i>															
	<i>Pseudorhombus cinnamomeus</i>							1	40.0					1	42.0	
	<i>Pseudorhombus elongata</i>				1	35.0										
	<i>Saurida elongata</i>							1	80.0					1	42.0	
	<i>Sebastiscus marmoratus</i>															
	<i>Siganus fuscescens</i>															
	<i>Solea ovata</i>							3	15.0							
	<i>Stephanolepis cirrhifer</i>															
	<i>Terapon jarbua</i>															
	<i>Thryssa dussumieri</i>															
	<i>Thryssa kammalensis</i>															
	<i>Trachicephalus uranoscopus</i>	4	50.0		1	12.0		2	24.0					1	16.0	
	<i>Trypauchen vagina</i>															
	<i>Upeneus japonicus</i>															

Trawling Data in August 2023

Group	Species Name	TNB														
		TNB-1			TNB-2			TNB-3			TNB-4			TNB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
Prawn or shrimp	<i>Alpheus brevicristatus</i>															
	<i>Alpheus distinguendus</i>															
	<i>Metapenaeopsis barbata</i>	1	8.0													
	<i>Metapenaeus affinis</i>													22	320.0	
	<i>Metapenaeus joyneri</i>													2	12.0	
	<i>Parapeneopsis hardwickii</i>															
	<i>Parapeneopsis hungerfordii</i>															
	<i>Parapeneopsis tenella</i>	5	33.0		3	11.0		4	22.0		3	24.0		1	13.0	
	<i>Penaeus japonicus</i>	1	12.0													
Crab	<i>Penaeus merquiensis</i>															
	<i>Calappa philargius</i>															
	<i>Charybdis affinis</i>	32	640.0		25	520.0		33	642.0		18	320.0				
	<i>Charybdis cruciata</i>															
	<i>Charybdis japonica</i>				1	30.0		1	50.0		3	60.0				
	<i>Charybdis truncata</i>	1	6.0													
	<i>Charybdis spp.</i>	46	258.0		32	310.0		41	390.0		48	260.0		49	310.0	
	<i>Doclea spp.</i>															
	<i>Dorippe polita</i>	132	1530.0		146	1420.0		128	1210.0		16	161.0		32	350.0	
	<i>Dorippe granulata</i>															
	<i>Dorippe dorsipes</i>															
	<i>Eucrate crenata</i>	3	21.0		4	32.0					3	18.0		1	7.1	
	<i>Eucrate solaris</i>							1	6.8							
	<i>Galene bispinoso</i>	4	72.0		6	230.0		3	84.0		2	94.0		1	53.0	
	Hermit crab															
	<i>c.f. Ibacus novemdentatus</i>															
	<i>Leucosia craniolaris</i>															
	<i>Macrophthalmus japonicus</i>															
	<i>Parthenope validus</i>													1	12.0	
	<i>Porcellanella picta</i>	1	0.2					5	1.1		2	0.4		4	0.9	
	<i>Portunus pelagicus</i>	1	30.0		1	170.0		1	40.0		1	280.0				
	<i>Portunus sanguinolentus</i>															
	<i>Portunus trituberculatus</i>															
	<i>Portunus hastatoides</i>				1	3.0		1	4.0							
	<i>Pyrhila sp.</i>													1	6.3	
	<i>Typhlocarcinus sp.</i>													1	6.1	
Mantis shrimp	<i>Anchisquilla fasciata</i>	1	10.0					2	12.0		1	6.0				
	<i>Dictyosquilla foveolata</i>							1	8.0		1	2.0				
	<i>Harpisquilla harpax</i>	2	90.0		1	105.0					3	190.0				
	<i>Oratosquilla interrupta</i>	15	246.0		3	60.0		17	260.0		12	240.0		4	70.0	
	<i>Oratosquilla oratoria</i>															
Gastropod	<i>Bursa rana</i>							2	14.0							
	<i>Drupa musiva</i>															
	<i>Epitonium scalare</i>															
	<i>Gemmula deshavesii</i>															
	<i>Inquistor flavidula</i>															
	<i>Murex trapa</i>	12	195.0		20	240.0		8	160.0		12	93.0		9	77.0	
	<i>Nassarius succinctus</i>															
	<i>Nassarius sp.</i>															
	<i>Siphopatella walshi</i>															
	<i>Tonna olearium</i>															
	<i>Turritella terebra</i>	950	9600.0	*	870	8100.0	*	660	6460.0	*	650	6370.0	*	750	7280.0	*

Trawling Data in August 2023

		TNB														
		TNB-1			TNB-2			TNB-3			TNB-4			TNB-5		
Group	Species Name	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling
		number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)
Bivalve	<i>Arcuatula senhousia</i>	80	89.0		116	149.0		19	21.0							
	<i>Chlamys spp.</i>															
	<i>Ostrea sp.</i>															
	<i>Perna viridis</i>															
	<i>Ruditapes philippinarum</i>															
Cephalopod	<i>Loliginid squid</i>															
	<i>Sepiid cuttlefish</i>	2	80.0		1	100.0		1	130.0		4	320.0		3	160.0	
	<i>Octopus</i>															
Echinoderm	<i>Acaudina molpadioides</i>															
	<i>Archaster typicus</i>															
	Brittle star															
	<i>Colochirus quadrangularis</i>															
	<i>Styela plicata</i>															
	<i>Temnopleurus toreumaticus</i>	3	32.0		6	63.0					3	28.0		21	206.0	
	<i>UNID nudibranchia</i>															
Cnidaria	<i>Cavernularia habeneri</i>	2	8.2		5	21.0		4	18.0		5	32.0		3	18.0	
	<i>Carcinactis ichikawai</i>				2	0.6		3	0.9		4	1.1				
	<i>Ellisella laevis</i>															
	<i>Pteroeides chinense</i>	11	480.0		18	580.0		57	2175.0		82	2480.0		66	1710.0	
	<i>Gorgonia spp.</i>	1	34.0								1	20.0		1	120.0	
	Jellyfish	1	230.0					1	2150.0		1	410.0		2	620.0	
	Sea anomea															
	Soft corals										1	220.0		2	388.0	
	<i>Virgularia gustaviana</i>	1	7.6		3	39.0		2	28.0		2	24.0		1	9.0	
Porifera	Sponge UNID															
Cirripedia	<i>c.f. Balanus spp.</i>				20	10.0										

Trawling Data in August 2023

		TSA														
		TSA-1			TSA-2			TSA-3			TSA-4			TSA-5		
Group	Species Name	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling
		number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)
Fish	<i>Arnoglossus waitei</i>				1	2.0		1	4.0		4	11.0				
	<i>Acanthopagrus schlegeli</i>							1	60.0					1	110.0	
	<i>Acentrogobius caninus</i>				1	30.0		1	26.0							
	<i>Anchoviella commersonii</i>															
	<i>Apogon kiensis</i>							1	5.0					1	13.0	
	<i>Arius chinensis</i>				1	440.0		1	136.0		7	890.0		6	1100.0	
	<i>Butis koilomatodon</i>															
	<i>Callionymus curvicornis</i>															
	<i>Chrysochir aureus</i>															
	<i>Collichthys lucida</i>															
	<i>Cryptocentrus filifer</i>				1	5.0		1	6.0							
	<i>Cynoglossus arel</i>										2	10.0		1	50.0	
	<i>Cynoglossus puncticeps</i>															
	<i>Cynoglossus roulei</i>													1	150.0	
	<i>Dasyatis akajei</i>										1	306.0				
	<i>Dasyatis zugeti</i>				1	22.0		1	165.0							
	<i>Dendrophysa russelli</i>										4	70.0				
	<i>Drepane punctata</i>										2	82.0				
	<i>Epinephelus awoara</i>	2	11.0					10	56.0		3	17.0				
	<i>Epinephelus bruneus</i>													1	22.0	
	<i>Gerres abbreviatus</i>							2	130.0					9	43.0	
	<i>Gerres oyena</i>	3	110.0					1	10.0		2	22.0		1	32.0	
	<i>Grammolites scaber</i>										2	12.0		2	11.0	
	<i>Gymnura japonica</i>															
	<i>Ilisha elongata</i>															
	<i>Inimicus japonicus</i>															
	<i>Johnius belangerii</i>															
	<i>Konosirus punctatus</i>	7	230.0		2	58.0										
	<i>Lagocephalus sceleratus</i>															
	<i>Leiognathus brevirostris</i>	18	125.0		13	50.0		45	70.0		7	110.0		1	20.0	
	<i>Muraenesox cinereus</i>				1	90.0		1	160.0							
	<i>Nemipterus japonicus</i>				1	12.0								1	8.0	
	<i>Pennahia anea</i>															
	<i>Pisodonophis boro</i>															
	<i>Platycephalus indicus</i>	2	32.0		3	30.0		15	110.0		7	276.0		2	118.0	
	<i>Plectorhinchus pictus</i>															
	<i>Pseudorhombus cinnamomeus</i>										3	33.0		1	10.0	
	<i>Pseudorhombus elongata</i>															
	<i>Saurida elongata</i>										2	82.0				
	<i>Sebastiscus marmoratus</i>															
	<i>Siganus fuscescens</i>				1	14.0										
	<i>Solea ovata</i>				2	5.0		10	50.0							
	<i>Stephanolepis cirrifer</i>															
	<i>Terapon jarbua</i>							3	40.0							
	<i>Thryssa dussumieri</i>															
	<i>Thryssa kammalensis</i>															
	<i>Trachicephalus uranoscopus</i>							1	20.0		1	12.0				
	<i>Trypauchen vagina</i>							1	6.0					1	18.0	
	<i>Upeneus japonicus</i>															

Trawling Data in August 2023

		TSA														
		TSA-1			TSA-2			TSA-3			TSA-4			TSA-5		
Group	Species Name	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling
		number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)
Prawn or shrimp	<i>Alpheus brevicristatus</i>															
	<i>Alpheus distinguendus</i>															
	<i>Metapenaeopsis barbata</i>	1	4.0													
	<i>Metapenaeus affinis</i>															
	<i>Metapenaeus joyneri</i>															
	<i>Parapeneopsis hardwickii</i>															
	<i>Parapeneopsis hungerfordii</i>										3	28.0		4	46.0	
	<i>Parapeneopsis tenella</i>															
	<i>Penaeus japonicus</i>							1	25.0							
	<i>Penaeus merguensis</i>							2	23.0		4	30.0				
Crab	<i>Calappa philargius</i>							1	72.0							
	<i>Charybdis affinis</i>	16	220.0		20	270.0		17	220.0		10	210.0		11	118.0	
	<i>Charybdis cruciata</i>										1	68.0				
	<i>Charybdis japonica</i>	2	44.0		2	63.0								1	80.0	
	<i>Charybdis truncata</i>							2	14.0					6	33.0	
	<i>Charybdis spp.</i>	15	108.0		14	152.0		14	129.0		17	174.0		15	162.0	
	<i>Doclea spp.</i>															
	<i>Dorippe polita</i>	4	29.0		3	22.0		6	51.0		30	260.0		31	270.0	
	<i>Dorippe granulata</i>							2	23.0							
	<i>Dorippe dorsipes</i>							4	48.0							
	<i>Eucrate crenata</i>	41	196.0		26	203.0		6	54.0		11	88.0		5	46.0	
	<i>Eucrate solaris</i>	1	7.2					1	7.2							
	<i>Galene bispinosa</i>				3	88.0		3	89.0		5	210.0		2	120.0	
	Hermit crab															
	<i>c.f. Ibacus novemdentatus</i>															
	<i>Leucosia craniolaris</i>				1	4.2					5	26.0				
	<i>Macrophthalmus japonicus</i>	12	136.0		9	82.0		4	36.0		7	62.0		6	53.0	
	<i>Parthenope validus</i>							5	61.0		8	94.0				
	<i>Porcellanella picta</i>	2	0.5								2	0.4		3	0.8	
	<i>Portunus pelagicus</i>	5	430.0		5	260.0		3	204.0		8	420.0		4	220.0	
	<i>Portunus sanguinolentus</i>	1	70.0		1	45.0					3	150.0				
	<i>Portunus trituberculatus</i>															
	<i>Portunus hastatoides</i>	1	4.0					17	60.0		1	5.0		3	9.0	
	<i>Pyrhila sp.</i>															
	<i>Typhlocarcinus sp.</i>															
Mantis shrimp	<i>Anchisquilla fasciata</i>										2	11.0		1	10.0	
	<i>Dictyosquilla foveolata</i>															
	<i>Harpisquilla harpax</i>															
	<i>Oratosquilla interrupta</i>							1	10.0		2	10.0		2	10.0	
	<i>Oratosquilla oratoria</i>										1	20.0		2	10.0	
Gastropod	<i>Bursa rana</i>															
	<i>Drupa musiva</i>															
	<i>Epitonium scalare</i>															
	<i>Gemmula deshavesii</i>															
	<i>Inquistor flavidula</i>															
	<i>Murex trapa</i>	5	48.0		3	31.0		2	16.0		7	49.0		4	32.0	
	<i>Nassarius succinctus</i>							12	26.0		20	23.0		50	62.0	
	<i>Nassarius sp.</i>															
	<i>Siphatopella walshi</i>															
	<i>Tonna olearium</i>															
	<i>Turritella terebra</i>	46	420.0		39	370.0		42	403.0		50	480.0		53	502.0	

Trawling Data in August 2023

		TSA														
		TSA-1			TSA-2			TSA-3			TSA-4			TSA-5		
Group	Species Name	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling
		number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)
Bivalve	<i>Arcuatula senhousia</i>	2860	4910.0	*	4980	6870.0	*	1640	1870.0	*	150	172.0	*	280	340.0	*
	<i>Chlamys spp.</i>															
	<i>Ostrea sp.</i>															
	<i>Perna viridis</i>															
	<i>Ruditapes philippinarum</i>															
Cephalopod	<i>Lolingid squid</i>															
	<i>Sepiid cuttlefish</i>	2	180.0		1	130.0		4	310.0		5	240.0				
	<i>Octopus</i>							2	60.0							
Echinoderm	<i>Acaudina molpadioides</i>	1	9.8		2	18.8										
	<i>Archaster typicus</i>															
	Brittle star															
	<i>Colochirus quadrangularis</i>															
	<i>Styela plicata</i>															
	<i>Temnopleurus toreumaticus</i>	6	73.0		3	36.0		4	46.0		7	86.0		5	63.0	
	<i>UNID nudibranchia</i>															
Cnidaria	<i>Cavernularia habereri</i>	4	19.0		3	12.0		6	24.0							
	<i>Carcinactis ichikawai</i>															
	<i>Ellisella laevis</i>															
	<i>Pteroeides chinense</i>	16	470.0		14	360.0		41	1680.0		53	2160.0		46	1790.0	
	<i>Gorgonia spp.</i>															
	Jellyfish										1	146.0		1	422.0	
	Sea anomea	1	6.8								1	7.6				
	Soft corals															
	<i>Virgularia gustaviana</i>				2	8.4		1	9.4		1	12.0		2	31.0	
Porifera	Sponge UNID															
Cirripedia	<i>c.f. Balanus spp.</i>							11	23.0							

Trawling Data in August 2023

Group	Species Name	TSB														
		TSB-1			TSB-2			TSB-3			TSB-4			TSB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
Fish	<i>Arnoglossus waitei</i>							1	8.0		3	11.0				
	<i>Acanthopagrus schlegeli</i>													1	87.0	
	<i>Acentrogobius caninus</i>															
	<i>Anchoviella commersonii</i>										2	11.0				
	<i>Apogon kiensis</i>				1	8.0										
	<i>Arius chinensis</i>							2	202.0		4	486.0		4	880.0	
	<i>Butis koilomatodon</i>	1	90.0													
	<i>Callionymus curvicornis</i>	1	4.0													
	<i>Chrysochir aureus</i>										1	60.0				
	<i>Collichthys lucida</i>															
	<i>Cryptocentrus filifer</i>	1	11.0		1	6.0										
	<i>Cynoglossus arel</i>	6	80.0		6	140.0		9	190.0		1	10.0				
	<i>Cynoglossus puncticeps</i>															
	<i>Cynoglossus roulei</i>															
	<i>Dasyatis akajei</i>															
	<i>Dasyatis zuzei</i>	2	430.0		3	438.0		1	204.0		1	42.0		2	288.0	
	<i>Dendrophysa russelli</i>				2	20.0		7	50.0		4	50.0				
	<i>Drepane punctata</i>	5	188.0		1	17.0		2	42.0							
	<i>Epinephelus awoara</i>	5	35.0		23	120.0		20	130.0		11	80.0		6	40.0	
	<i>Epinephelus bruneus</i>													1	41.0	
	<i>Gerres abbreviatus</i>															
	<i>Gerres oyena</i>	2	42.0					1	6.0		1	74.0				
	<i>Grammolites scaber</i>															
	<i>Gymnura japonica</i>	2	3530.0		1	4100.0										
	<i>Ilisha elongata</i>										1	7.0				
	<i>Inimicus japonicus</i>															
	<i>Johnius belangerii</i>										2	15.0				
	<i>Konosirus punctatus</i>															
	<i>Lagocephalus sceleratus</i>										1	13.0		1	14.0	
	<i>Leiognathus brevisrostris</i>	45	175.0		55	195.0		160	390.0		340	970.0		250	310.0	
	<i>Muraenesox cinereus</i>				1	320.0										
	<i>Nemipterus japonicus</i>															
	<i>Pennahia anea</i>							2	10.0		9	90.0				
	<i>Pisodonophis boro</i>															
	<i>Platycephalus indicus</i>	5	660.0		10	846.0		9	990.0		5	404.0		1	110.0	
	<i>Plectorhinchus pictus</i>							1	130.0							
	<i>Pseudorhombus cinnamomeus</i>	2	21.0		3	76.0		2	85.0					1	22.0	
	<i>Pseudorhombus elongata</i>															
	<i>Saurida elongata</i>				1	53.0		1	58.0		2	140.0		1	50.0	
	<i>Sebastiscus marmoratus</i>															
	<i>Siganus fuscescens</i>				1	12.0		2	30.0		2	34.0				
	<i>Solea ovata</i>							1	10.0							
	<i>Stephanolepis cirrhifer</i>															
	<i>Terapon jarbua</i>															
	<i>Thryssa dussumieri</i>															
	<i>Thryssa kammalensis</i>													1	5.0	
	<i>Trachicephalus uranoscopus</i>	2	18.0		5	33.0		8	83.0		3	43.0		1	13.0	
	<i>Trypauchen vagina</i>				4	30.0										
	<i>Upeneus japonicus</i>															

Trawling Data in August 2023

Group	Species Name	TSB														
		TSB-1			TSB-2			TSB-3			TSB-4			TSB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
Prawn or shrimp	<i>Alpheus brevicristatus</i>															
	<i>Alpheus distinguendus</i>													1	3.0	
	<i>Metapenaeopsis barbata</i>															
	<i>Metapenaeus affinis</i>															
	<i>Metapenaeus joyneri</i>															
	<i>Parapeneopsis hardwickii</i>															
	<i>Parapeneopsis hungerfordii</i>				1	13.0		5	22.0		2	13.0				
	<i>Parapeneopsis tenella</i>	6	21.0		4	25.0		5	28.0							
	<i>Penaeus japonicus</i>															
	<i>Penaeus merguensis</i>	2	22.0					10	84.0		7	52.0		1	13.0	
Crab	<i>Calappa philargius</i>															
	<i>Charybdis affinis</i>	2	40.0		1	40.0		7	60.0		10	160.0		5	110.0	
	<i>Charybdis cruciata</i>	1	220.0													
	<i>Charybdis japonica</i>	3	120.0								2	40.0		1	70.0	
	<i>Charybdis truncata</i>	1	9.0		2	16.0		1	9.0		2	16.0		2	14.0	
	<i>Charybdis spp.</i>	18	190.0		21	209.0		24	260.0		19	210.0		17	186.0	
	<i>Doclea spp.</i>															
	<i>Dorippe polita</i>	138	870.0		86	802.0		46	412.0		98	87.0		38	340.0	
	<i>Dorippe granulata</i>															
	<i>Dorippe dorsipes</i>															
	<i>Eucrate crenata</i>	1	6.2		2	11.2		4	38.0		7	48.0		6	52.0	
	<i>Eucrate solaris</i>										2	12.0				
	<i>Galene bispinosa</i>	5	370.0		8	510.0		7	490.0		12	720.0		5	380.0	
	Hermit crab				1	2.0		2	6.0							
	<i>c.f. Ibacus novemdentatus</i>															
	<i>Leucosia craniolaris</i>										1	3.8				
	<i>Macrophthalmus japonicus</i>	6	42.0		7	63.0		8	64.0		9	84.0		7	58.0	
	<i>Parthenope validus</i>	4	48.0		2	26.0		2	26.0		7	74.0		3	42.0	
	<i>Porcellanella picta</i>	2	0.6		3	0.8										
	<i>Portunus pelagicus</i>	9	530.0		2	110.0					7	440.0		2	100.0	
	<i>Portunus sanguinolentus</i>	2	80.0		1	50.0		1	10.0							
	<i>Portunus trituberculatus</i>							1	100.0							
	<i>Portunus hastatoides</i>	4	12.0		8	23.0		1	3.0		3	8.0		5	18.0	
	<i>Pyrhila sp.</i>															
	<i>Typhlocarcinus sp.</i>															
Mantis shrimp	<i>Anchisquilla fasciata</i>	1	7.0					2	14.0		1	16.0		1	13.0	
	<i>Dictyosquilla foveolata</i>															
	<i>Harpisquilla harpax</i>	2	120.0													
	<i>Oratosquilla interrupta</i>				2	20.0		4	20.0		3	20.0		5	20.0	
	<i>Oratosquilla oratoria</i>	2	10.0													
Gastropod	<i>Bursa rana</i>															
	<i>Drupa musiva</i>															
	<i>Epitonium scalare</i>															
	<i>Gemmula deshavesii</i>															
	<i>Inquistor flavidula</i>															
	<i>Murex trapa</i>	26	230.0		29	270.0		48	470.0		38	330.0		36	310.0	
	<i>Nassarius succinctus</i>	5	8.4					60	68.0	*	12	13.0		116	140.0	
	<i>Nassarius sp.</i>															
	<i>Siphonotella walshi</i>															
	<i>Tonna olearium</i>							1	84.0							
	<i>Turritella terebra</i>	60	580.0		72	704.0		110	1040.0	*	240	2640.0	*	210	2040.0	*

Trawling Data in August 2023

Group	Species Name	TSB														
		TSB-1			TSB-2			TSB-3			TSB-4			TSB-5		
		Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling
		number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)
Bivalve	<i>Arcuatula senhousia</i>	420	424.0	*	360	380.0	*	160	172.0	*	263	364.0	*	280	286.0	*
	<i>Chlamys spp.</i>															
	<i>Ostrea sp.</i>															
	<i>Perna viridis</i>															
	<i>Ruditapes philippinarum</i>							1	3.0							
Cephalopod	<i>Lolingid squid</i>				1	20.0										
	<i>Sepiid cuttlefish</i>	2	260.0		2	77.0		2	110.0		3	110.0		1	150.0	
	<i>Octopus</i>															
Echinoderm	<i>Acaudina molpadioides</i>	3	72.0													
	<i>Archaster typicus</i>	1	16.3													
	Brittle star	1	4.4		1	6.2										
	<i>Colochirus quadrangularis</i>															
	<i>Styela plicata</i>															
	<i>Temnopleurus toreumaticus</i>															
	<i>UNID nudibranchia</i>										1	8.2				
Cnidaria	<i>Cavernularia habereri</i>	7	29.0		5	23.0					6	43.0				
	<i>Carcinactis ichikawai</i>															
	<i>Ellisella laevis</i>															
	<i>Pteroeides chinense</i>	42	1860.0		21	986.0		14	370.0		17	515.0		11	330.0	
	<i>Gorgonia spp.</i>	1	15.0													
	Jellyfish										2	960.0		1	2520.0	
	Sea anomea															
	Soft corals															
	<i>Virgularia gustaviana</i>				1	6.4										
Porifera	Sponge UNID															
Cirripedia	<i>c.f. Balanus spp.</i>															