

Trawling Data in February 2022

Group	Species Name	INA														
		INA-1			INA-2			INA-3			INA-4			INA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
Fish	<i>Arnoglossus waitei</i>															
	<i>Acanthopagrus schlegeli</i>															
	<i>Acentrogobius caninus</i>															
	<i>Apogon kiensis</i>															
	<i>Arius chinensis</i>															
	<i>Butis koilomatodon</i>															
	<i>Chrysochir aureus</i>															
	<i>Collichthys lucidus</i>															
	<i>Cryptocentrus filifer</i>															
	<i>Cynoglossus arel</i>															
	<i>Cynoglossus puncticeps</i>															
	<i>Cynoglossus roulei</i>				1	95.0										
	<i>Dasyatis akajei</i>	1	540.0					1	1490.0							
	<i>Dasyatis zugei</i>															
	<i>Dendrophysa russelli</i>															
	<i>Epinephelus awoara</i>															
	<i>Gerres lucidus</i>															
	<i>Grammolites scaber</i>													3	65.0	
	<i>Gymnura bimaculata</i>															
	<i>Gymnura japonica</i>															
	<i>Ilisha elongata</i>															
	<i>Inimicus japonicus</i>				2	140.0										
	<i>Inimicus sinensis</i>															
	<i>Johnius belangerii</i>															
	<i>Konosirus punctatus</i>															
	<i>Lateolabrax japonicus</i>															
	<i>Leiognathus nuchalis</i>							5	60.0							
	<i>Pennahia anea</i>															
	<i>Platycephalus indicus</i>	1	66.0													
	<i>Pseudorhombus cinnamomeus</i>															
	<i>Scatophagus arqus</i>															
	<i>Sebastiscus marmoratus</i>				2	32.0		1	64.0							
	<i>Siganus fuscescens</i>															
	<i>Sillago sihama</i>							1	32.0					2	54.0	
	<i>Solea ovata</i>				3	33.0		2	22.0					2	23.0	
	<i>Stephanolepis cirrifer</i>	1	93.0					1	190.0							
	<i>Takifugu bimaculatus</i>	1	720.0					3	1660.0					1	430.0	
	<i>Takifugu ocellatus</i>															
	<i>Terapon jarbua</i>															
	<i>Thyssa dussumieri</i>															
	<i>Thyssa kammalensis</i>															
	<i>Trachicephalus uranoscopus</i>				1	12.0										
	<i>Trypauchen vagina</i>															

Trawling Data in February 2022

		INA														
		INA-1			INA-2			INA-3			INA-4			INA-5		
Group	Species Name	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling
		number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)
Prawn or shrimp	<i>Alpheus distinguendus</i>															
	<i>Metapenaeopsis barbata</i>															
	<i>Metapenaeus affinis</i>															
	<i>Metapenaeus joyneri</i>															
	<i>Parapeneopsis hardwickii</i>															
	<i>Parapeneopsis hungerfordii</i>															
	<i>Penaeus merquiensis</i>															
	<i>Trachysalambria curvirostris</i>													1	12.0	
Crab	<i>Charybdis affinis</i>															
	<i>Charybdis annulata</i>															
	<i>Charybdis cruciata</i>															
	<i>Charybdis japonica</i>							2	28.0					1	21.0	
	<i>Charybdis variegata</i>				1	8.0										
	<i>Charybdis spp.</i>							4	36.6					2	12.3	
	<i>Dorippe dorsipes</i>															
	<i>Dorippe granulata</i>															
	<i>Dorippe polita</i>															
	<i>Eucrate crenata</i>															
	<i>Eucrate solaris</i>															
	<i>Galene bispinosa</i>				1	82.0										
	Hermit crab															
	<i>Maorophthalmus japonicus</i>															
	<i>Parthenope validus</i>															
	<i>Porcellanella picta</i>															
	<i>Portunus pelagicus</i>															
	<i>Portunus trituberculatus</i>															
	<i>Portunus hastatoides</i>													1	6.0	
	<i>Typhlocarcinus sp.</i>															
Mantis shrimp	<i>Harpisquilla harpax</i>															
	<i>Oratosquilla interrupta</i>															
	<i>Oratosquilla oratoria</i>															
Gastropod	<i>Apollon olivator var. rubustus</i>															
	<i>Calyptraea sp.</i>															
	<i>Drupa musiva</i>															
	<i>Inquistor flavidula</i>															
	<i>Lophiotoma leucotropis</i>															
	<i>Murex trapa</i>				1	6.7										
	<i>Nassarius hepaticus</i>															
	<i>Nassarius succinctus</i>															
	<i>Pilosabia pilosa</i>															
	<i>Siphotatella walshi</i>										3	1.8		5	2.2	
	<i>Tonna sulcosa</i>															
	<i>Turritella terebra</i>	4	38.0								3	29.6		6	53.0	

Trawling Data in February 2022

		INA														
		INA-1			INA-2			INA-3			INA-4			INA-5		
Group	Species Name	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling
		number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)
Bivalve	<i>Anomalocardia squamosa</i>															
	<i>Ostrea sp.</i>													3	4.2	
	<i>Paphia undulata</i>															
	<i>Perna viridis</i>				16	194.0		9	114.0							
	<i>Ruditapes philippinarum</i>															
Cephalopod	<i>Loliginid squid</i>															
	<i>Sepiid cuttlefish</i>							1	15.0							
Echinoderm	<i>Acaudina molpadioides</i>															
	<i>Styela plicata</i>													1	3.4	
	<i>Temnopleurus toreumaticus</i>	5	52.0		3	29.8		17	168.0		16	156.0		13	128.0	
Cnidaria	<i>Carcinactis ichikawai</i>															
	<i>Cavernularia haberi</i>				3	12.8										
	<i>Ellisella laevis</i>															
	<i>Pteroeides chinense</i>							2	38.4		4	110.0				
	<i>Gorqonia spp.</i>				3	139.0					1	7.6				
	<i>Sea anomea</i>															
	<i>Virgularia gustaviana</i>															
Cirripedia	<i>c.f. Balanus spp.</i>	46	22.0	*	160	92.0	*	110	52.0	*	70	38.0	*	90	46.0	*

Trawling Data in February 2022

Group	Species Name	INB														
		INB-1			INB-2			INB-3			INB-4			INB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
Fish	<i>Arnoglossus waitei</i>															
	<i>Acanthopagrus schlegeli</i>															
	<i>Acentrogobius caninus</i>															
	<i>Apoqon kiensis</i>															
	<i>Arius chinensis</i>															
	<i>Butis koilomatodon</i>	1	12.0													
	<i>Chrysochir aureus</i>															
	<i>Collichthys lucidus</i>															
	<i>Cryptocentrus filifer</i>															
	<i>Cynoglossus arel</i>															
	<i>Cynoglossus puncticeps</i>															
	<i>Cynoglossus roulei</i>															
	<i>Dasyatis akajei</i>															
	<i>Dasyatis zuzei</i>										1	720.0				
	<i>Dendrophysa russelli</i>															
	<i>Epinephelus awoara</i>															
	<i>Gerres lucidus</i>															
	<i>Grammolites scaber</i>				1	24.0		1	22.0							
	<i>Gymnura bimaculata</i>															
	<i>Gymnura japonica</i>															
	<i>Ilisha elongata</i>															
	<i>Inimicus japonicus</i>															
	<i>Inimicus sinensis</i>															
	<i>Johnius belangerii</i>															
	<i>Konosirus punctatus</i>															
	<i>Lateolabrax japonicus</i>															
	<i>Leiognathus nuchalis</i>															
	<i>Pennahia anea</i>													1	3.0	
	<i>Platycephalus indicus</i>	1	40.0								1	150.0		1	91.0	
	<i>Pseudorhombus cinnamomeus</i>															
	<i>Scatophagus argus</i>															
	<i>Sebastiscus marmoratus</i>															
	<i>Siganus fuscescens</i>							4	310.0							
	<i>Sillago sihama</i>															
	<i>Solea ovata</i>													1	22.0	
	<i>Stephanolepis cirrhifer</i>															
	<i>Takifugu bimaculatus</i>	1	320.0		1	470.0										
	<i>Takifugu ocellatus</i>															
	<i>Terapon jarbua</i>										1	202.0				
	<i>Thryssa dussumieri</i>															
	<i>Thryssa kammalensis</i>													1	11.0	
	<i>Trachicephalus uranoscopus</i>	1	22.0											1	23.0	
	<i>Trypauchen vagina</i>															

Trawling Data in February 2022

		INB														
		INB-1			INB-2			INB-3			INB-4			INB-5		
Group	Species Name	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling
		number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)
Prawn or shrimp	<i>Alpheus distinguendus</i>															
	<i>Metapenaeopsis barbata</i>															
	<i>Metapenaeus affinis</i>															
	<i>Metapenaeus joyneri</i>															
	<i>Parapeneopsis hardwickii</i>															
	<i>Parapeneopsis hungerfordii</i>															
	<i>Penaeus merquiensis</i>															
	<i>Trachysalambria curvirostris</i>													1	4.0	
Crab	<i>Charybdis affinis</i>															
	<i>Charybdis annulata</i>															
	<i>Charybdis cruciata</i>															
	<i>Charybdis japonica</i>															
	<i>Charybdis variegata</i>															
	<i>Charybdis spp.</i>										3	28.4				
	<i>Dorippe dorsipes</i>															
	<i>Dorippe granulata</i>															
	<i>Dorippe polita</i>															
	<i>Eucrate crenata</i>															
	<i>Eucrate solaris</i>															
	<i>Galene bispinosa</i>															
	Hermit crab															
	<i>Maorophthalmus japonicus</i>															
	<i>Parthenope validus</i>															
	<i>Porcellanella picta</i>															
	<i>Portunus pelagicus</i>															
	<i>Portunus trituberculatus</i>															
	<i>Portunus hastatoides</i>													1	10.0	
	<i>Typhlocarcinus sp.</i>															
Mantis shrimp	<i>Harpisquilla harpax</i>															
	<i>Oratosquilla interrupta</i>															
	<i>Oratosquilla oratoria</i>															
Gastropod	<i>Apollon olivator var. rubustus</i>															
	<i>Calyptrea sp.</i>															
	<i>Drupa musiva</i>															
	<i>Inquistor flavidula</i>	2	4.2					3	5.6							
	<i>Lophiotoma leucotropis</i>				1	6.2										
	<i>Murex trapa</i>	2	9.8													
	<i>Nassarius hepaticus</i>															
	<i>Nassarius succinctus</i>															
	<i>Pilosabia pilosa</i>															
	<i>Siphopatella walshi</i>							2	0.8							
	<i>Tonna sulcosa</i>															
	<i>Turritella terebra</i>	5	46.0					3	27.4		1	9.2				

Trawling Data in February 2022

		INB														
		INB-1			INB-2			INB-3			INB-4			INB-5		
Group	Species Name	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling
		number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)
Bivalve	<i>Anomalocardia squamosa</i>															
	<i>Ostrea sp.</i>															
	<i>Paphia undulata</i>															
	<i>Perna viridis</i>															
	<i>Ruditapes philippinarum</i>															
Cephalopod	<i>Loliginid squid</i>															
	<i>Sepiid cuttlefish</i>															
Echinoderm	<i>Acaudina molpadioides</i>															
	<i>Styela plicata</i>															
	<i>Temnopleurus toreumaticus</i>	21	206.0	*	34	328.0	*	31	304.0	*	52	520.0	*	50	496.0	*
Cnidaria	<i>Carcinactis ichikawai</i>															
	<i>Cavernularia habereri</i>				2	8.4								2	9.1	
	<i>Ellisella laevis</i>							1	6.2							
	<i>Pteroeides chinense</i>							3	84.0		2	48.0		5	126.0	
	<i>Gorgonia spp.</i>															
	<i>Sea anomea</i>															
	<i>Virgularia gustaviana</i>															
Cirripedia	<i>c.f. Balanus spp.</i>	26	18.0	*	30	14.0	*	60	32.0	*	40	19.0	*	50	26.0	*

Trawling Data in February 2022

Group	Species Name	TNA														
		TNA-1			TNA-2			TNA-3			TNA-4			TNA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
Fish	<i>Arnoglossus waitei</i>															
	<i>Acanthopagrus schlegeli</i>															
	<i>Acentrogobius caninus</i>															
	<i>Apoqon kiensis</i>															
	<i>Arius chinensis</i>															
	<i>Butis koilomatodon</i>															
	<i>Chrysochir aureus</i>															
	<i>Collichthys lucidus</i>															
	<i>Cryptocentrus filifer</i>															
	<i>CynoGLOSSUS arel</i>															
	<i>CynoGLOSSUS puncticeps</i>															
	<i>CynoGLOSSUS roulei</i>													2	45.0	
	<i>Dasyatis akajei</i>													1	430.0	
	<i>Dasyatis zuqei</i>							1	620.0							
	<i>Dendrophysa russelli</i>							1	35.0							
	<i>Epinephelus awoara</i>															
	<i>Gerres lucidus</i>															
	<i>Grammolites scaber</i>															
	<i>Gymnura bimaculata</i>				1	5430.0										
	<i>Gymnura japonica</i>															
	<i>Ilisha elongata</i>															
	<i>Inimicus japonicus</i>															
	<i>Inimicus sinensis</i>							2	510.0							
	<i>Johnius belangerii</i>				5	50.0		4	30.0					4	50.0	
	<i>Konosirus punctatus</i>															
	<i>Lateolabrax japonicus</i>															
	<i>Leiognathus nuchalis</i>							16	92.0		14	86.0		20	110.0	
	<i>Pennahia anea</i>															
	<i>Platycephalus indicus</i>															
	<i>Pseudorhombus cinnamomeus</i>															
	<i>Scatophagus argus</i>							1	160.0							
	<i>Sebastiscus marmoratus</i>															
	<i>Siganus fuscescens</i>															
	<i>Sillago sihama</i>															
	<i>Solea ovata</i>				1	21.0		4	32.0					2	30.0	
	<i>Stephanolepis cirrhifer</i>													1	160.0	
	<i>Takifuqu bimaculatus</i>															
	<i>Takifuqu ocellatus</i>															
	<i>Terapon jarbua</i>															
	<i>Thryssa dussumieri</i>				1	13.0										
	<i>Thryssa kammalensis</i>													3	22.0	
	<i>Trachicephalus uranoscopus</i>															
	<i>Trypauchen vagina</i>															

Trawling Data in February 2022

Group	Species Name	TNA														
		TNA-1			TNA-2			TNA-3			TNA-4			TNA-5		
		Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling
		number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)
Prawn or shrimp	<i>Alpheus distinguendus</i>															
	<i>Metapeneopsis barbata</i>				1	3.0										
	<i>Metapeneus affinis</i>															
	<i>Metapeneus joyneri</i>															
	<i>Parapeneopsis hardwickii</i>	1	12.0					4	32.0					9	33.0	
	<i>Parapeneopsis hungerfordii</i>				3	14.0								1	11.0	
	<i>Penaeus merquiensis</i>	18	722.0		34	1184.0		5	212.0					16	552.0	
	<i>Trachysalambria curvirostris</i>															
Crab	<i>Charybdis affinis</i>				1	120.0										
	<i>Charybdis annulata</i>															
	<i>Charybdis cruciata</i>															
	<i>Charybdis japonica</i>															
	<i>Charybdis variegata</i>															
	<i>Charybdis spp.</i>	5	49.0		4	41.0								7	68.0	
	<i>Dorippe dorsipes</i>															
	<i>Dorippe granulata</i>															
	<i>Dorippe polita</i>	30	286.0	*	20	210.0	*							7	62.0	
	<i>Eucrate crenata</i>															
	<i>Eucrate solaris</i>															
	<i>Galene bispinosa</i>															
	Hermit crab															
	<i>Maorophthalmus japonicus</i>															
	<i>Parthenope validus</i>															
	<i>Porcellanella picta</i>	2	0.8		3	1.1								1	0.3	
	<i>Portunus pelagicus</i>															
	<i>Portunus trituberculatus</i>										1	390.0				
	<i>Portunus hastatoides</i>															
	<i>Typhlocarcinus sp.</i>															
Mantis shrimp	<i>Harpisquilla harpax</i>															
	<i>Oratosquilla interrupta</i>				1	20.0										
	<i>Oratosquilla oratoria</i>															
Gastropod	<i>Apollon olivator var. rubustus</i>															
	<i>Calyptrea sp.</i>															
	<i>Drupa musiva</i>															
	<i>Inquistor flavidula</i>															
	<i>Lophiotoma leucotropis</i>															
	<i>Murex trapa</i>													1	4.6	
	<i>Nassarius hepaticus</i>										1	3.2				
	<i>Nassarius succinctus</i>															
	<i>Pilosabia pilosa</i>															
	<i>Siphopatella walshi</i>															
	<i>Tonna sulcosa</i>															
	<i>Turritella terebra</i>	50	510.0	*	60	620.0	*	30	290.0	*	30	290.0	*	40	380.0	*

Trawling Data in February 2022

		TNA														
		TNA-1			TNA-2			TNA-3			TNA-4			TNA-5		
Group	Species Name	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling
		number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)
Bivalve	<i>Anomalocardia squamosa</i>															
	<i>Ostrea sp.</i>															
	<i>Paphia undulata</i>															
	<i>Perna viridis</i>															
	<i>Ruditapes philippinarum</i>															
Cephalopod	<i>Loliginid squid</i>															
	<i>Sepiid cuttlefish</i>															
Echinoderm	<i>Acaudina molpadioides</i>															
	<i>Styela plicata</i>															
	<i>Temnopleurus toreumaticus</i>	50	530.0	*	60	620.0	*	64	640.0	*	52	540.0	*	40	390.0	*
Cnidaria	<i>Carinactis ichikawai</i>															
	<i>Cavernularia habereri</i>	11	54.0		5	32.0								3	14.0	
	<i>Ellisella laevis</i>															
	<i>Pteroeides chinense</i>	46	1160.0	*	50	1370.0	*	40	1086.0	*	36	970.0	*	30	820.0	*
	<i>Gorgonia spp.</i>															
	<i>Sea anomea</i>															
	<i>Virgularia gustaviana</i>										1	7.1				
Cirripedia	<i>c.f. Balanus spp.</i>										60	26.0	*	30	14.0	*

Trawling Data in February 2022

		TNB														
		TNB-1			TNB-2			TNB-3			TNB-4			TNB-5		
Group	Species Name	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling
		number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)
Fish	<i>Arnoglossus waitei</i>	1	14.0								1	12.0				
	<i>Acanthopagrus schlegeli</i>	1	252.0													
	<i>Acentrogobius caninus</i>															
	<i>Apoqon kiensis</i>															
	<i>Arius chinensis</i>	1	240.0													
	<i>Butis koilomatodon</i>															
	<i>Chrysochir aureus</i>															
	<i>Collichthys lucidus</i>															
	<i>Cryptocentrus filifer</i>															
	<i>Cynoglossus arel</i>							2	50.0		1	52.0				
	<i>Cynoglossus puncticeps</i>															
	<i>Cynoglossus roulei</i>	6	130.0		3	64.0		6	143.0		9	153.0				
	<i>Dasyatis akajei</i>															
	<i>Dasyatis zuzei</i>	2	630.0		5	1581.0		4	603.0		4	286.0				
	<i>Dendrophysa russelli</i>	4	80.0					1	20.0							
	<i>Epinephelus awoara</i>															
	<i>Gerres lucidus</i>	3	40.0					1	22.0							
	<i>Grammolites scaber</i>															
	<i>Gymnura bimaculata</i>															
	<i>Gymnura japonica</i>	2	1910.0					1	710.0							
	<i>Ilisha elongata</i>															
	<i>Inimicus japonicus</i>															
	<i>Inimicus sinensis</i>															
	<i>Johnius belangerii</i>													1	40.0	
	<i>Konosirus punctatus</i>	1	41.0		1	60.0		2	104.0							
	<i>Lateolabrax japonicus</i>															
	<i>Leiognathus nuchalis</i>	59	798.0		20	280.0		30	370.0		37	430.0				
	<i>Pennahia anea</i>	3	14.0								1	6.0				
	<i>Platycephalus indicus</i>	4	553.0		4	92.0					3	163.0		2	1020.0	
	<i>Pseudorhombus cinnamomeus</i>	1	385.0								1	105.0				
	<i>Scatophagus arqus</i>															
	<i>Sebastiscus marmoratus</i>															
	<i>Siganus fuscescens</i>															
	<i>Sillago sihama</i>															
	<i>Solea ovata</i>	1	10.0					4	44.0		2	11.0		2	28.0	
	<i>Stephanolepis cirrifer</i>															
	<i>Takifugu bimaculatus</i>															
	<i>Takifugu ocellatus</i>															
	<i>Terapon jarbua</i>															
	<i>Thryssa dussumieri</i>															
	<i>Thryssa kammalensis</i>										1	11.0				
	<i>Trachicephalus uranoscopus</i>															
	<i>Trypauchen vagina</i>				1	13.0										

Trawling Data in February 2022

Group	Species Name	TNB														
		TNB-1			TNB-2			TNB-3			TNB-4			TNB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
Prawn or shrimp	<i>Alpheus distinguendus</i>															
	<i>Metapenaeopsis barbata</i>															
	<i>Metapenaeus affinis</i>															
	<i>Metapenaeus joyneri</i>															
	<i>Parapeneopsis hardwickii</i>	1	10.0					4	15.0		1	9.0				
	<i>Parapeneopsis hungerfordii</i>															
	<i>Penaeus merquiensis</i>				5	110.0		4	98.0		7	150.0				
	<i>Trachysalambria curvirostris</i>															
Crab	<i>Charybdis affinis</i>							1	30.0		1	10.0				
	<i>Charybdis annulata</i>															
	<i>Charybdis cruciata</i>				1	60.0		2	660.0							
	<i>Charybdis japonica</i>															
	<i>Charybdis variegata</i>															
	<i>Charybdis spp.</i>				3	28.0		6	61.0							
	<i>Dorippe dorsipes</i>															
	<i>Dorippe granulata</i>															
	<i>Dorippe polita</i>				5	38.0		2	9.6							
	<i>Eucrate crenata</i>															
	<i>Eucrate solaris</i>															
	<i>Galene bispinosa</i>															
	Hermit crab															
	<i>Maorophthalmus japonicus</i>															
	<i>Parthenope validus</i>	20	234.0	*				32	209.0	*						
	<i>Porcellanella picta</i>				2	0.9		1	0.4							
	<i>Portunus pelagicus</i>															
	<i>Portunus trituberculatus</i>															
	<i>Portunus hastatoides</i>				1	3.0		2	4.0		1	5.0				
	<i>Typhlocarcinus sp.</i>															
Mantis shrimp	<i>Harpiosquilla harpax</i>	1	30.0													
	<i>Oratosquilla interrupta</i>				1	20.0										
	<i>Oratosquilla oratoria</i>															
Gastropod	<i>Apollon olivator var. rubustus</i>															
	<i>Calyptrea sp.</i>															
	<i>Drupa musiva</i>															
	<i>Inquistor flavidula</i>															
	<i>Lophiotoma leucotropis</i>															
	<i>Murex trapa</i>															
	<i>Nassarius hepaticus</i>															
	<i>Nassarius succinctus</i>															
	<i>Pilosabia pilosa</i>															
	<i>Siphopatella walshi</i>															
	<i>Tonna sulcosa</i>							1	86.6							
	<i>Turritella terebra</i>	20	180.0	*	20	180.0	*	30	310.0	*	20	180.0	*	30	306.0	*

Trawling Data in February 2022

		TNB														
		TNB-1			TNB-2			TNB-3			TNB-4			TNB-5		
Group	Species Name	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling
		number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)
Bivalve	<i>Anomalocardia squamosa</i>															
	<i>Ostrea sp.</i>															
	<i>Paphia undulata</i>															
	<i>Perna viridis</i>							7	84.0		38	364.0		24	223.0	
	<i>Ruditapes philippinarum</i>										3	14.0				
Cephalopod	<i>Loliginid squid</i>							1	10.0							
	<i>Sepiid cuttlefish</i>	2	370.0													
Echinoderm	<i>Acaudina molpadioides</i>															
	<i>Styela plicata</i>															
	<i>Temnopleurus toreumaticus</i>	30	310.0	*	42	410.0	*	53	560.0	*	60	610.0	*	55	580.0	*
Cnidaria	<i>Carcinactis ichikawai</i>															
	<i>Cavernularia habereri</i>	6	38.0					5	32.0		2	9.4				
	<i>Ellisella laevis</i>													2	21.0	
	<i>Pteroeides chinense</i>	30	688.0	*	32	710.0	*	20	520.0	*	26	630.0	*	30	690.0	*
	<i>Gorqonia spp.</i>															
	<i>Sea anomea</i>															
	<i>Virgularia gustaviana</i>							2	14.8		1	6.4				
Cirripedia	<i>c.f. Balanus spp.</i>															

Trawling Data in February 2022

		TSA														
		TSA-1			TSA-2			TSA-3			TSA-4			TSA-5		
Group	Species Name	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling
		number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)
Fish	<i>Arnoglossus waitei</i>										1	9.0				
	<i>Acanthopagrus schlegeli</i>															
	<i>Acentrogobius caninus</i>	1	12.0		2	40.0		6	99.0		3	44.0		1	22.0	
	<i>Apoqon kiensis</i>				1	12.0										
	<i>Arius chinensis</i>															
	<i>Butis koilomatodon</i>															
	<i>Chrysochir aureus</i>															
	<i>Collichthys lucidus</i>										1	80.0				
	<i>Cryptocentrus filifer</i>				1	8.0		2	12.0		3	21.0		1	11.0	
	<i>Cynoqlossus arel</i>				1	40.0					3	140.0		1	90.0	
	<i>Cynoqlossus puncticeps</i>							1	11.0							
	<i>Cynoqlossus roulei</i>				1	240.0								1	34.0	
	<i>Dasvatis akajei</i>										1	3320.0				
	<i>Dasvatis zuzei</i>	2	340.0		3	890.0		3	1390.0					1	140.0	
	<i>Dendrophysa russelli</i>				4	90.0					2	50.0		4	130.0	
	<i>Epinephelus awoara</i>															
	<i>Gerres lucidus</i>				2	22.0		1	18.0		3	52.0				
	<i>Grammolites scaber</i>							1	34.0							
	<i>Gymnura bimaculata</i>															
	<i>Gymnura japonica</i>	2	2620.0		1	360.0		1	770.0							
	<i>Ilisha elongata</i>															
	<i>Inimicus japonicus</i>															
	<i>Inimicus sinensis</i>															
	<i>Johnius belangerii</i>															
	<i>Konosirus punctatus</i>	2	92.0					2	110.0					1	45.0	
	<i>Lateolabrax japonicus</i>															
	<i>Leioqmathus nuchalis</i>	58	370.0		14	130.0		20	210.0		83	780.0		41	400.0	
	<i>Pennahia anea</i>	2	10.0		1	10.0					13	90.0		7	70.0	
	<i>Platycephalus indicus</i>	7	570.0		9	850.0		4	170.0					5	858.0	
	<i>Pseudorhombus cinnamomeus</i>	1	90.0		1	130.0		1	135.0							
	<i>Scatophaqus argus</i>				6	780.0		2	460.0							
	<i>Sebastiscus marmoratus</i>															
	<i>Siganus fuscescens</i>															
	<i>Sillago sihama</i>															
	<i>Solea ovata</i>													1	10.0	
	<i>Stephanolepis cirrhifer</i>															
	<i>Takifugu bimaculatus</i>	1	730.0		3	1050.0		2	1040.0					2	720.0	
	<i>Takifugu ocellatus</i>	1	28.0		1	19.0					1	38.0		1	19.0	
	<i>Terapon jarbua</i>															
	<i>Thryssa dussumieri</i>															
	<i>Thryssa kammalensis</i>															
	<i>Trachicephalus uranoscopus</i>	2	33.0													
	<i>Trypauchen vagina</i>	4	11.0		2	22.0		3	11.0		3	25.0		2	20.0	

Trawling Data in February 2022

		TSA														
		TSA-1			TSA-2			TSA-3			TSA-4			TSA-5		
Group	Species Name	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling
		number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)
Prawn or shrimp	<i>Alpheus distinguendus</i>															
	<i>Metapenaeopsis barbata</i>	1	11.0		2	14.0		1	11.0							
	<i>Metapenaeus affinis</i>	2	40.0								1	10.0				
	<i>Metapenaeus joyneri</i>	2	20.0													
	<i>Parapeneopsis hardwickii</i>															
	<i>Parapeneopsis hungerfordii</i>				1	9.0		2	19.0		3	23.0		1	8.0	
	<i>Penaeus merquiensis</i>							1	62.0		1	22.0		1	24.0	
	<i>Trachysalambria curvirostris</i>										4	12.0		3	11.0	
Crab	<i>Charybdis affinis</i>	1	20.0								5	90.0		4	70.0	
	<i>Charybdis annulata</i>										1	4.0				
	<i>Charybdis cruciata</i>													1	4.0	
	<i>Charybdis japonica</i>															
	<i>Charybdis variegata</i>							1	17.0							
	<i>Charybdis spp.</i>	11	96.0		7	61.0					7	60.0		5	52.0	
	<i>Dorippe dorsipes</i>	4	42.0		6	648.0										
	<i>Dorippe granulata</i>				24	216.0								16	150.0	
	<i>Dorippe polita</i>	86	820.0	*	98	886.0	*	63	510.0	*	50	290.0	*	97	760.0	*
	<i>Eucrate crenata</i>				1	4.2					2	8.9				
	<i>Eucrate solaris</i>							1	6.1							
	<i>Galene bispinosa</i>	3	176.0		1	52.0										
	Hermit crab															
	<i>Maorophthalmus japonicus</i>	1	7.2					2	16.7		3	21.6				
	<i>Parthenope validus</i>							3	36.0		4	52.0				
	<i>Porcellanella picta</i>	9	3.8													
	<i>Portunus pelagicus</i>							1	220.0							
	<i>Portunus trituberculatus</i>															
	<i>Portunus hastatoides</i>	12	42.0		8	33.0		4	11.0					3	15.0	
	<i>Typhlocarcinus sp.</i>							1	1.2							
Mantis shrimp	<i>Harpiosquilla harpax</i>															
	<i>Oratosquilla interrupta</i>										1	30.0				
	<i>Oratosquilla oratoria</i>										2	60.0				
Gastropod	<i>Apollon olivator var. rubustus</i>				7	15.0										
	<i>Calyptrea sp.</i>													1	0.2	
	<i>Drupa musiva</i>							1	4.2							
	<i>Inquistor flavidula</i>															
	<i>Lophiotoma leucotropis</i>	1	4.6													
	<i>Murex trapa</i>	2	13.0					4	26.0		2	9.2				
	<i>Nassarius hepaticus</i>															
	<i>Nassarius succinctus</i>															
	<i>Pilosabia pilosa</i>															
	<i>Siphopatella walshi</i>															
	<i>Tonna sulcosa</i>															
	<i>Turritella terebra</i>	36	350.0	*	30	296.0	*	40	410.0	*	30	290.0	*	39	380.0	*

Trawling Data in February 2022

		TSA														
		TSA-1			TSA-2			TSA-3			TSA-4			TSA-5		
Group	Species Name	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling
		number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)
Bivalve	<i>Anomalocardia squamosa</i>										3	5.6		1	1.9	
	<i>Ostrea sp.</i>															
	<i>Paphia undulata</i>															
	<i>Perna viridis</i>															
	<i>Ruditapes philippinarum</i>															
Cephalopod	<i>Loliginid squid</i>							1	30.0							
	<i>Sepiid cuttlefish</i>							1	530.0					2	860.0	
Echinoderm	<i>Acaudina molpadioides</i>	3	38.0					1	8.4							
	<i>Styela plicata</i>										1	4.2				
	<i>Temnopleurus toreumaticus</i>	2	21.0		5	52.0		12	116.0					3	26.0	
Cnidaria	<i>Carcinactis ichikawai</i>	5	9.4		12	16.8		6	12.4		4	9.1		6	11.4	
	<i>Cavernularia habeneri</i>	54	252.0		19	86.0		46	204.0		38	190.0		42	192.0	
	<i>Ellisella laevis</i>															
	<i>Pteroeides chinense</i>	146	4460.0	*	143	4160.0	*	96	2130.0	*	110	2870.0	*	140	4090.0	*
	<i>Gorgonia spp.</i>															
	Sea anomea				1	64.0										
	<i>Virgularia gustaviana</i>				2	21.4		5	162.0					2	21.6	
Cirripedia	<i>c.f. Balanus spp.</i>													22	11.0	

Trawling Data in February 2022

Group	Species Name	TSB														
		TSB-1			TSB-2			TSB-3			TSB-4			TSB-5		
		Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling
		number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)
Fish	<i>Arnoglossus waitei</i>	1	11.0					1	12.0							
	<i>Acanthopagrus schlegeli</i>															
	<i>Acentrogobius caninus</i>	3	52.0		3	65.0					3	43.0				
	<i>Apoqon kiensis</i>															
	<i>Arius chinensis</i>				1	160.0										
	<i>Butis koilomatodon</i>															
	<i>Chrysochir aureus</i>										2	364.0				
	<i>Collichthys lucidus</i>															
	<i>Cryptocentrus filifer</i>				2	7.0										
	<i>Cynoglossus arel</i>				2	10.0					1	70.0				
	<i>Cynoglossus puncticeps</i>															
	<i>Cynoglossus roulei</i>							1	11.0							
	<i>Dasyatis akajei</i>															
	<i>Dasyatis zugei</i>	3	499.0		6	1453.0					1	360.0		1	202.0	
	<i>Dendrophysa russelli</i>															
	<i>Epinephelus awoara</i>							1	8.0							
	<i>Gerres lucidus</i>				2	41.0					1	23.0		2	54.0	
	<i>Grammolites scaber</i>															
	<i>Gymnura bimaculata</i>															
	<i>Gymnura japonica</i>															
	<i>Ilisha elongata</i>							1	24.0							
	<i>Inimicus japonicus</i>															
	<i>Inimicus sinensis</i>															
	<i>Johnius belangerii</i>													3	10.0	
	<i>Konosirus punctatus</i>				2	93.0					2	94.0		1	53.0	
	<i>Lateolabrax japonicus</i>							1	120.0					1	270.0	
	<i>Leioqnathus nuchalis</i>	26	250.0		42	400.0		17	200.0		12	120.0		11	110.0	
	<i>Pennahia anea</i>	2	20.0		5	20.0		4	30.0		3	20.0		1	13.0	
	<i>Platycephalus indicus</i>	4	413.0		8	252.0		2	280.0		4	370.0				
	<i>Pseudorhombus cinnamomeus</i>															
	<i>Scatophaqus argus</i>															
	<i>Sebastiscus marmoratus</i>															
	<i>Siganus fuscescens</i>															
	<i>Sillago sihama</i>															
	<i>Solea ovata</i>													1	18.0	
	<i>Stephanolepis cirrifer</i>															
	<i>Takifugu bimaculatus</i>	1	570.0					1	480.0		1	380.0		1	510.0	
	<i>Takifugu ocellatus</i>															
	<i>Terapon jarbua</i>															
	<i>Thryssa dussumieri</i>	1	22.0					1	18.0					1	22.0	
	<i>Thryssa kammalensis</i>	1	10.0		4	33.0		1	7.0							
	<i>Trachicephalus uranoscopus</i>															
	<i>Trypauchen vagina</i>													1	4.0	

Trawling Data in February 2022

		TSB														
		TSB-1			TSB-2			TSB-3			TSB-4			TSB-5		
Group	Species Name	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling
		number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)
Prawn or shrimp	<i>Alpheus distinguendus</i>	3	13.0		2	4.0										
	<i>Metapenaeopsis barbata</i>										2	11.0				
	<i>Metapenaeus affinis</i>										1	12.0				
	<i>Metapenaeus joyneri</i>				2	12.0		1	12.0					1	13.0	
	<i>Parapeneopsis hardwickii</i>															
	<i>Parapeneopsis hungerfordii</i>							1	10.0		1	9.0		1	7.0	
	<i>Penaeus merquiensis</i>															
	<i>Trachysalambria curvirostris</i>															
Crab	<i>Charybdis affinis</i>	2	40.0		1	30.0					2	22.0				
	<i>Charybdis annulata</i>	3	11.0													
	<i>Charybdis cruciata</i>	3	46.0		6	360.0					1	190.0				
	<i>Charybdis japonica</i>							2	47.0							
	<i>Charybdis variegata</i>															
	<i>Charybdis spp.</i>	9	84.0		8	76.0		5	44.0		11	108.0		12	110.0	
	<i>Dorippe dorsipes</i>															
	<i>Dorippe granulata</i>	22	196.0		16	130.0		18	149.0		15	132.0				
	<i>Dorippe polita</i>	58	530.0	*	70	610.0	*	42	376.0	*	36	286.0	*	40	280.0	*
	<i>Eucrate crenata</i>													1	3.8	
	<i>Eucrate solaris</i>															
	<i>Galene bispinosa</i>				2	92.0		1	48.0							
	Hermit crab	2	8.4													
	<i>Maorophthalmus japonicus</i>	2	9.4								1	5.1				
	<i>Parthenope validus</i>	5	54.6								7	76.0		3	32.0	
	<i>Porcellanella picta</i>															
	<i>Portunus pelagicus</i>				1	160.0										
	<i>Portunus trituberculatus</i>															
	<i>Portunus hastatoides</i>	3	14.0		3	11.0										
	<i>Typhlocarcinus sp.</i>	1	2.1					1	1.6		2	4.8				
Mantis shrimp	<i>Harpiosquilla harpax</i>										6	190.0		1	45.0	
	<i>Oratosquilla interrupta</i>															
	<i>Oratosquilla oratoria</i>															
Gastropod	<i>Apollon olivator var. rubustus</i>															
	<i>Calyptrea sp.</i>							3	1.1							
	<i>Drupa musiva</i>															
	<i>Inquistor flavidula</i>															
	<i>Lophiotoma leucotropis</i>															
	<i>Murex trapa</i>				3	21.0		5	30.0		2	13.0				
	<i>Nassarius hepaticus</i>															
	<i>Nassarius succinctus</i>				5	11.2		3	6.2							
	<i>Pilosabia pilosa</i>	2	0.6					3	1.6							
	<i>Siphopatella walshi</i>															
	<i>Tonna sulcosa</i>															
	<i>Turritella terebra</i>	16	162.0		21	207.0	*	28	282.0	*	20	206.0	*	24	230.0	*

Trawling Data in February 2022

		TSB														
		TSB-1			TSB-2			TSB-3			TSB-4			TSB-5		
Group	Species Name	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling
		number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)
Bivalve	<i>Anomalocardia squamosa</i>															
	<i>Ostrea sp.</i>															
	<i>Paphia undulata</i>							1	4.3							
	<i>Perna viridis</i>															
	<i>Ruditapes philippinarum</i>															
Cephalopod	<i>Loliginid squid</i>										1	50.0				
	<i>Sepiid cuttlefish</i>	3	20.0					1	40.0							
Echinoderm	<i>Acaudina molpadioides</i>	4	86.0					2	37.0		4	96.0		6	124.0	
	<i>Styela plicata</i>															
	<i>Temnopleurus toreumaticus</i>				7	76.0		5	51.0					11	106.0	
Cnidaria	<i>Carinactis ichikawai</i>	4	7.4					3	6.2		2	4.2				
	<i>Cavernularia habeneri</i>	46	152.0		50	180.0	*	38	146.0		40	148.0	*	70	370.0	*
	<i>Ellisella laevis</i>															
	<i>Pteroeides chinense</i>	122	3620.0	*	119	3170.0	*	130	3750.0	*	120	3560.0	*	96	2840.0	*
	<i>Gorgonia spp.</i>															
	<i>Sea anomea</i>															
	<i>Virgularia gustaviana</i>							1	9.6					2	22.0	
Cirripedia	<i>c.f. Balanus spp.</i>															